


A Community Health and Wellbeing Profile for East Dunbartonshire



Published by
Glasgow Centre for Population Health
Level 6
39 St Vincent Place
Glasgow
G1 2ER

For further information please contact:

Bruce Whyte, Glasgow Centre for Population Health
Tel: 0141 221 9439
Email: bruce.whyte@drs.glasgow.gov.uk
Web: www.gcph.co.uk/communityprofiles



Contents

Introduction	1
Purpose	1
Geographical coverage	2
Content	2
Notes and caveats	4
Local action to improve health and reduce inequalities	5
Evaluation	5
Acknowledgements	5
Web	6
Interpretation	6
Maps	9
Community Health Partnership Area Map	11
Greenspace Map	13
Air Quality Map	15
Trend and Spine Graphs	17
Definitions and Sources	77





Introduction

This profile is one of ten new community health and wellbeing profiles that have been compiled by the Glasgow Centre for Population Health (GCPH) for the Greater Glasgow and Clyde NHS Board area. Each profile provides indicators for a range of health outcomes (e.g. life expectancy, mortality, hospitalisation) and health determinants (e.g. smoking levels, breastfeeding, income, employment, crime, education).

These profiles build on the success of both the 2004 community health profiles published by NHS Health Scotland (www.scotpho.org.uk/communityprofiles), and of the 'Let Glasgow Flourish' report published by GCPH in April 2006 (www.gcph.co.uk/content/view/17/34/). Whilst these sources continue to be useful, there has been recognition of the need for more up-to-date health data and for information pertaining to the new Community Health (and Care) Partnership (CH(C)P) administrative structures.

It is also worth noting that ISD Scotland plans to publish similar profiles for CH(C)Ps in the rest of Scotland later in 2008, and that staff in NHS Health Scotland are working on children's health profiles, which are also to be published later in the year.



Bearsden Cross



Auchinairn - playpark

Purpose

This community health and wellbeing profile is intended to inform service providers, planners, policy makers and the public about public health issues, both locally and at national level. Specifically, we have designed each profile to:

- provide organisations and communities with up-to-date and locally-relevant public health intelligence;
- highlight health and social inequalities;
- show trends in key indicators;
- provide local level information to aid priority-setting and the targeting of resources; and
- develop knowledge of the complex nature of health and its determinants.

While the profile information may prove valuable for a variety of planning processes, it is not the intention that these data are seen as part of any formal performance monitoring system. Rather, we hope this type of health intelligence will help inform planning priorities and illuminate emergent issues.

Geographical coverage

Each profile covers a Community Health (and Care) Partnership area within NHS Greater Glasgow and Clyde. Health indicators are presented for the overall 'community' but also for smaller areas within each CH(C)P. In Glasgow City, these smaller areas are 'neighbourhood'¹ localities, while outside Glasgow – in the rest of the Greater Glasgow and Clyde area – intermediate zone geographies² are used³. These localities were chosen through consultation and enable geographical inequalities in social circumstances and health within each CH(C)P area to be investigated.

Table 1 describes the intermediate zones within the East Dunbartonshire community and their populations.

Table 1: Intermediate zones within the East Dunbartonshire community and their populations

Neighbourhood	Population (2006)
Auchinairn	4,922
Barloch	3,084
Bishopbriggs North and Kenmure	5,658
Bishopbriggs West and Cadder	5,703
East Clober and Mains Estate	3,489
Harestanes	3,410
Hillhead	3,972
Kessington East	2,852
Kessington West	3,222
Keystone and Dougalston	3,957
Kilmardinny East	2,833
Kilmardinny West	3,443
Kirkintilloch South	3,126
Kirkintilloch West	3,918
Lennoxton	4,376
Lenzie North	5,738
Lenzie South	3,545
Milton of Campsie	4,015
North Castlehill and Thorn	4,539
Rosebank and Waterside	3,340
South Castlehill and Thorn	4,328
Torrance and Balmore	2,943
Twechar and Harestanes East	2,994
West Clober and Mains Estate	3,037
Westerton East	3,217
Westerton West	2,729
Woodhill East	2,567
Woodhill West	4,503

Content

Each community profile comprises a series of maps, together with trend and 'spine' graphs of health indicators for each neighbourhood/intermediate zone in a community and for the community as a whole. The indicators used are similar to those used in the 2004 profiles, although many of those used previously have new and slightly different definitions, and thus are not directly comparable with the previous profiles. A number of new indicators have also been included. Please refer to the notes pages for detailed information about all the indicators used in this profile.

- 1 There are 55 'neighbourhood' areas (as defined for Housing Forums) within Glasgow City, ranging in population size from 1,400 to 19,500.
- 2 The intermediate zones are aggregations of data zones within local authorities and contain between 2,500 and 6,000 people.
- 3 For both neighbourhoods and intermediate zones, and for CH(C)Ps, data can be built up by aggregating from data zone level. More information on data zones can be obtained at www.scotland.gov.uk/Publications/2004/02/18917/33243.

Maps

There are three or four maps included in each profile, depending on the community covered:

- a large map of the whole community, showing the locations of GP practices, Social Work offices and hospitals, and the boundaries (and names) of the neighbourhood/intermediate zones within;
- a map of urban greenspace;
- smaller maps showing PM10 and NO2 concentrations⁴ in the Greater Glasgow and Clyde area; and
- a fuel poverty map (only for Glasgow CHCPs).

Graphs

The **trend graphs** show trends over time for the following indicators:

- male life expectancy;
- female life expectancy;
- population age groups;
- worklessness;
- breastfeeding; and
- rates of hospital admissions for alcohol related and attributable conditions, heart disease and medical emergencies.

The **spine graphs** show how an area compares to Scotland⁵ on a range of indicators covering the following broad domains:

- population demographics;
- mortality;
- drugs, alcohol and smoking;
- hospitalisation and injury;
- mental health and function;
- Social Work;
- prosperity/poverty;
- education;
- crime;
- housing and transport; and
- child and maternal health.

For each of the 67 indicators included within these domains the percentage difference from the Scottish figure is displayed graphically, alongside the value of the indicator itself shown both as a number (e.g. a population of 19,982 children) and as a percentage or rate (e.g. children as a percentage of the total population). A summary table with definitions and sources of each indicator used is provided at the end of the profile. More detailed notes accompany excel workbooks for each indicator, which are available on-line at www.gcph.co.uk/communityprofiles.

⁴ PM10: particles in ambient air smaller than 10 micrometres across; NO2: Nitrogen Dioxide.

⁵ For some indicators, where national information is not available, the comparator used is not Scotland but Greater Glasgow and Clyde or Glasgow City. This is marked on a column adjacent to the graph e.g. G for Glasgow City, etc.



Bearsden - Rannoch Drive



Milngavie - West Highland Way



Lenzie

Notes and caveats

We would ask the reader to consider the following points when using this profile:

- Some rates are based on small numbers, particularly in areas with small populations. Large above/below average percentages for these variables should be interpreted with caution and knowledge of local circumstances should be applied to aid interpretation.
- In the main, annualised figures and rates are shown. However, where necessary, an indicator may have been based on more than one year of data to provide more robust figures for small areas. The notes box at the bottom of each spine chart provides further explanation in relation to specific indicators.
- To avoid disclosure of personal information we have in some instances suppressed figures representing less than five cases but not zero (e.g. between one and four), although in most instances we have shown a rate for the same indicator if this is a standardised rate. Thereby, the original number of cases cannot be derived.
- Some of the variations seen may be due to the structure of the population within an area. Please refer to the top three population indicators in a spine graph for an area to compare the age structure of each local population with the national average.
- Variations in recording/coding practice and proximity to services, particularly in relation to hospital admissions, may account for some of the differences in rates observed between different areas.
- Our approach has been to use, in the first instance, nationally available, comparable data within each profile. However, in addition, we have included other relevant information from local sources (e.g. some of the crime figures, Social Work clients, and small area household estimates). Despite this there are still significant 'data gaps', where data sources are either not sufficiently accurate or data are not recorded in enough geographic detail to be shown at a small area level (e.g. homelessness, physical activity, and obesity).
- The indicators used cover different periods (the chart axis labels and notes pages will provide details) and we have derived several indicators from the 2001 Census if suitable and more up-to-date measures were not available and the indicator was felt to be of sufficient importance (e.g. percentage of population from a minority ethnic group).
- It should be noted that the indicators used in the profile are summary indicators. More detailed analysis of each would be possible, for example producing breakdowns by gender or age or examining trends. If you wish to analyse particular themes in more detail please contact GCPH directly by emailing gcpmail@drs.glasgow.gov.uk or telephoning 0141 221 9439.

Finally, any factual inaccuracy in the information presented in this profile is the sole responsibility of GCPH.

Local action to improve health and reduce health inequalities

We have not attempted to describe the range of policies, priorities, services and local health improvement initiatives that are relevant to each community. Rather, the intention behind publishing these profiles is to generate a debate on local priorities, currently and for the future, and on the directing of resources towards areas of greatest need. The content of each profile is therefore limited to the presentation and interpretation of key health indicators and trends. 'A Call to Debate: a Call to Action', the 2007/2008 Director of Public Health report (www.nhsggc.org.uk/content/default.asp?page=s1009) was however designed to be a response to Greater Glasgow and Clyde's well-known health problems, and does highlight a range of health improvement actions currently in place across NHS Greater Glasgow and Clyde.

Evaluation

We plan to disseminate the information in each profile widely using a range of approaches including distribution of the paper-based profiles, provision of additional information on our website, and through a series of presentations and workshops. As part of this process we intend to evaluate their impact, utility and effectiveness and will seek to find out to what extent the profiles have fulfilled their purpose. This will help us to improve and develop this type of resource in the future.

Acknowledgements

While GCPH has designed and created these reports, the compilation of data would not have been possible without the help of many colleagues within a range of other organisations. In particular we would like to acknowledge the significant contributions of staff from ISD Scotland, particularly the ScotPHO team, and from NHS Greater Glasgow and Clyde.

We do not have the space to mention individually everyone who has helped but we would especially like to thank: Rosalia Munoz-Arroyo (ISD ScotPHO team) for coordinating the provision of much of the NHS data; Annette Little (NHS Greater Glasgow and Clyde) for providing Census data and checking many of the indicator datasets; Paula Barton, (NHS Greater Glasgow and Clyde) for providing a range of maps for the profiles; and Iain MacDonald (Glasgow and Clyde Valley (GCV) Structure Plan Team) for creating the Greenspace maps.

Many organisations have contributed data and advice during this work. We would particularly like to acknowledge the contribution of the following: ISD Scotland, especially the ScotPHO team; the General Register Office for Scotland; COSLA Strategic Migration Partnership; DRS, Glasgow City Council; the Violence Reduction Unit and Community Safety, Strathclyde Police; Scottish Neighbourhood Statistics; Pupil, Teacher and School Statistics, Scottish Government; the Analytical Services Department of the Department of Work and Pensions (DWP); the Office for National Statistics (ONS); the Lord Chancellor's Department; Professor Graham Moon and colleagues at the University of Portsmouth; Judith Brown, University of Glasgow; Susanne Jeffrey, PEACH Unit; Social Work contacts from each local council.

We would also like to thank Fiona McGuire and East Dunbartonshire Council for the pictures included in this profile.

Web

This profile and those for the other nine communities are available to download as PDF files, and as Excel spreadsheets (for specific indicators), on the GCPH website at www.gcph.co.uk/communityprofiles.

Interpretation

The following brief overview is intended to provide a flavour of what the profile indicators tell us. While we draw on many of the indicators in the report, this is a partial and selective summary. Please note that the figures quoted below are generally approximations of the more exact figures presented in the graphs and tables e.g. the populations quoted are rounded into thousands and the exact period that each indicator covers is not given, but can be found in the notes. Where a comparison to a 'national average' is quoted this means to the Scottish average.

East Dunbartonshire

Population

East Dunbartonshire has a population of approximately 105,000 people, of whom 19% are children, 63% are young and middle-aged adults and over 17% are older people. There has been a fall of over 3,800 in the size of the overall population in the last ten years. However there have been different trends in different age bands: the number of children has fallen by nearly 3,000 and the number of young adults (16-44) by over 6,000; in contrast the number of middle-aged adults and older people has risen collectively by over 5,400. The proportion of the population from a minority ethnic community (3.1%) is above the Scottish average. There were over 922 live births in 2006.

Life expectancy and mortality

For men, life expectancy (at birth) is estimated to be 77.4 years, 3.5 years higher than the Scottish average, and has risen by 2.4 years in the period 1994-98 to 2001-05. Female life expectancy (80.9 years) has risen by 1.6 years in the same period and is approximately 1.8 years higher than the Scottish average. Comparing different areas of the community, there is a gap in life expectancy across the neighbourhoods of 15 years for men and over 12 years for women.

All-cause mortality and mortality rates from cancer, coronary heart disease and cerebrovascular disease (in the under 75s) are all below the Scottish average and have all fallen considerably in recent years.

Behaviour

Over 650 patients are admitted to hospital annually for alcohol related or attributable causes and there have been over 100 deaths due to alcohol in the last five years. An estimated 16,000 adults smoke: 19%, compared to 27% nationally. There have been 32 drug related deaths in East Dunbartonshire over the last ten years.

Hospitalisation/Social Work

Approximately 560 new cancer cases are registered annually and nearly 850 heart disease patients are admitted to hospital each year. There are approximately 5,800 patients admitted as a medical emergency annually. There are over 5,400 Social Work clients, 670 of whom are children and over 2,400 of whom are older people.

Mental health and function

There were 65 suicides in the period 2001-2005 and there are nearly 200 new in-patient admissions to psychiatric specialties annually.

Prosperity/poverty

Over 7,800 people, 7.4% of the population, are defined to be income deprived and 5,250 adults, 8.2% of the working age population, are employment deprived⁶. There are over 2,700 workplaces, employing over 25,000 people. House price sale values in 2006 were approximately 30% above the national average.

Crime

In recent years on average 80 serious assaults have been recorded in the area annually, as well as over 300 domestic abuse incidents and around 60 assault episodes (for residents) requiring overnight hospital treatment.

Child and maternal health

Compared to 24% nationally, 16% of women smoke during pregnancy, and 47% of mothers breast feed at six to eight weeks following birth (36% nationally). Primary immunisation rates are close to or slightly above the Scottish average. The rate of low birth-weight babies is 21% below the Scottish average, while the teenage pregnancy rate (under 18) is 34% below the national average. Over 170 children are admitted to hospital for dental conditions annually.

6 The definitions of 'income deprived' and 'employment deprived' are those applied in the 2006 Scottish Index of Multiple Deprivation - www.scotland.gov.uk/simd.



Maps




Community Health Partnership Area Map

East Dunbartonshire

**NHS Greater Glasgow & Clyde
East Dunbartonshire Community Health Partnership**

-  CHP & Intermediate Zone Boundaries
-  CHP Office
-  GP Practice
-  Main Health Centre
-  Hospital





Greenspace Map


East Dunbartonshire

NB Any large areas of 'white' on the map overleaf indicate areas not currently mapped for greenspace.



Bearsden/Milngavie

- Public parks and gardens
- Private gardens or grounds
- Amenity greenspace
- Children's playspace
- Sports areas
- Green corridors
- Natural / semi-natural greenspace
- Open water
- Other functional greenspace
- Buildings
- Land
- Land, water
- Rail
- Roads, tracks and paths
- Structures
- Water





Air Quality Maps of Greater Glasgow and Clyde


East Dunbartonshire

Estimated annual mean background PM₁₀ concentration (2002-2004)

Estimated annual mean background NO₂ concentration (2002-2004)

Estimated annual mean background PM10 concentration (2002-2004) $\mu\text{g m}^{-3}$

PM10: particles in the ambient air smaller than 10 micrometres across; $\mu\text{g m}^{-3}$: microgrammes per cubic metre. The statistic reported is a population weighted average mean concentration (averaged over the three years 2002-2004) in microgrammes per cubic metre. Source: UK Air Quality Archive




Compiled by NHS Greater Glasgow & Clyde
Source: Scottish Government & Glasgow City Council © Crown copyright. All rights reserved. Glasgow City Council 100023378, 2007



Estimated annual mean background NO2 concentration (2002-2004) $\mu\text{g m}^{-3}$

NO2: nitrogen dioxide; $\mu\text{g m}^{-3}$: microgrammes per cubic metre. The statistic reported is a population weighted average mean concentration (averaged over the three years 2002-2004) in microgrammes per cubic metre. Source: UK Air Quality Archive



Compiled by NHS Greater Glasgow & Clyde
Source: Scottish Government & Glasgow City Council © Crown copyright. All rights reserved. Glasgow City Council 100023379, 2007













Trend and Spine Graphs

East Dunbartonshire CHP

Key: — East Dunbartonshire CHP - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

East Dunbartonshire CHP									
	Indicator	Number	Measure		- (Below Scottish Average (%) ¹ (Above) +	Time Period	Defn		
					-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70				
Population Demographics	Child population (aged 0-15)	19,982	18.9	%		+5	2006	1	
	Adult population (aged 16-64)	66,976	63.5	%		-3			
	Elderly population (aged 65+)	18,502	17.5	%		+7			
	Minority ethnic groups	3,350	3.1	%		+54	2001	2	
	Asylum Seekers	n/a	n/a	%	G		2007	3	
	Life expectancy - males	-	77.4	yrs		+5	01-05	4	
	Life expectancy - females	-	80.9	yrs		+2			
	Live births	922	0.9	cr		-19	2006	5	
	Households - Single adults	n/a	n/a	%	G		2005	6	
Households - Single parents	n/a	n/a	%	G					
Mortality	Deaths all ages (5 yrs) ²	4,887	636.7	sr		-19			
	Coronary heart disease deaths in under 75s (5 yrs) ²	282	45.0	sr		-41	01-05	7	
	Cancer deaths in under 75s (5 yrs) ²	785	126.7	sr		-14			
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	120	18.5	sr		-24			
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	655	521.6	sr		-30	04-06	8	
	Alcohol related deaths (5 yrs) ²	105	16.9	sr		-38	01-05	9	
	Estimated smokers (16+)	16,059	18.6	%		-32	03-04	10	
	Drug related hospital patients ³	26	31.8	sr		-59	04-06	11	
	Drug related deaths (10 yrs) ⁴	32	29.6	cr ²		-53	97-06	12	
	Patients registered with cancer ³	559	404.2	sr		-4	02-04	13	
Hospitalisation & Injury	Heart disease patients ³	853	588.9	sr		-17			
	Cerebrovascular disease patients ³	237	150.6	sr		-20			
	Emergency medical admission patients ³	5,798	4,670.4	sr		-25	04-06	14	
	Multiple admission patients ³	1,118	820.7	sr		-33			
	Unintentional Injury patients ³	861	739.7	sr		-27			
	Patients prescribed statins	23,385	20.8	%		+14	2006	15	
	Road accident casualties - adults ³	235	2.7	cr ³		-32	01-04	16	
	Assault discharges ³	61	0.6	cr ³		-45	04-06	17	
	Suicide (5 yrs) ²	65	12.1	sr		-23	01-05	18	
	Self assessed health (classified as "Not Good")	8,686	8.0	%		-21	2001	19	
Mental Health & Function	First hospital admission - psychiatric ³	198	173.5	sr		-32	02-04	20	
	Patients prescribed drugs for anxiety /depression	8,693	7.7	%		-4	2006	21	
	Incapacity Benefit & SDA Claimants	3,905	6.1	%		-37	2007	22	
	Long-term limiting illness	17,938	16.6	%		-18	2001	23	
	Clients aged 0-15	670	3.4	%	G*	-54			
	Clients aged 16-64	2,312	3.5	%	G*	-23	2007	24	
	Clients aged 65+	2,445	13.2	%	G*	-26			
Prosperity - Poverty	'Income deprived'	7,819	7.4	%		-47	2006	25	
	'Employment deprived'	5,249	8.2	%		-36	2006	26	
	Workless	5,765	8.9	%		-39	2006	27	
	JSA - Unemployment	1,095	1.7	%		-39	2007	28	
	Households without access to car/van	8,723	20.7	%		-40	2001	29	
	Children in workless households	2,192	8.7	%		-53	2001	30	
	Social grade E - benefit, unemployed, lowest grade work	13,576	16.0	%		-29	2001	31	
	Workplaces	2,738	42.7	cr ³		-21	2005	32	
	Employees ⁵	25,000	39.0	cr		-48	2005	33	
	Primary school attendance	-	96.4	%		+1	05/06	34	
Education	S4 Pupils with 5+ GCSE equivalents	1,009	75.0	%		+30	05/06	35	
	Adults without qualifications	19,170	24.2	%		-27	2001	36	
	Serious violent crime ³	81	7.6	cr ⁴		-48	04-06	37	
Crime	Domestic abuse incidents ³	316	29.8	cr ⁴		-65	04-06	38	
	Vandalism ³	1,831	172.8	cr ⁴ G ^{6C}		-36	04-06	39	
	Drug Offenders ³	350	33.0	cr ⁴ G ^{6C}		-67	04-06	40	
	Housing type - tenements	n/a	n/a	%	G		2006	41	
Housing & Transport	House prices	-	175,751	£		+31	2006	42	
	Housing tenure - Owner Occupiers	n/a	n/a	%	G		2007	43	
	Overcrowding	3,287	7.8	%		-34	2001	44	
	Travelling to work by foot/bike or public transport	27,228	39.3	%		-12	2001	45	
	Smoking during pregnancy (3 yrs) ²	452	16.4	%		-33	02-04	46	
Child & Maternal Health	Breastfeeding (at 6 - 8 week review)	412	46.8	%		+28	04-06	47	
	Low birth-weight babies (3 yrs) ²	49	1.9	%		-21	02-04	48	
	Infant Deaths (5 yrs) ²	26	5.5	cr ⁵		+6	01-05	49	
	Immunisation uptake at 24 mths - MMR	-	89.9	%		0	04-06	50	
	- all excl. MMR	-	97.8	%		+2			
	Dental hospital admissions for children ³	177	0.9	cr		-24	03-06	51	
	Teenage pregnancy - under 18 years (3 yrs) ²	174	26.7	cr ³		-34	02-04	52	
	Road accident casualties - children ³	46	2.2	cr ³		-23	01-04	16	

- Notes
- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
 - Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
 - Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
 - Employee numbers based on location of business, not residence area of employees.









Key

cr - crude rate per 100 population; cr² - crude rate per 100,000 population; cr³ - crude rate per 1,000 resident population; cr⁴ - crude rate per 10,000 resident population; cr⁵ - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Key: — Auchinairn - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Auchinairn									
Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +	Period	Time	Defn		
								-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70	
Population Demographics	Child population (aged 0-15)	1,003	20.4	%	+13				
	Adult population (aged 16-64)	3,182	64.6	%	-1	2006	1		
	Elderly population (aged 65+)	737	15.0	%	-9				
	Minority ethnic groups	117	2.6	%	+30	2001	2		
	Asylum Seekers	n/a	n/a	%		2007	3		
	Life expectancy - males	-	72.7	yrs	-2	01-05	4		
	Life expectancy - females	-	77.8	yrs	-2				
	Live births	53	1.1	cr	-1	2006	5		
Households - Single adults	n/a	n/a	%		2005	6			
	n/a	n/a	%*						
Mortality	Deaths all ages (5 yrs) ²	313	970.5	sr	+23				
	Coronary heart disease deaths in under 75s (5 yrs) ²	16	74.4	sr	-3	01-05	7		
	Cancer deaths in under 75s (5 yrs) ²	39	166.0	sr	+13				
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	11	42.5	sr	+76				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	47	970.7	sr	+79	04-06	8		
	Alcohol related deaths (5 yrs) ²	9	37.7	sr	+39	01-05	9		
	Estimated smokers (16+)	791	21.9	%	-19	03-04	10		
	Drug related hospital patients ³	1-4	110.6	sr	+42	04-06	11		
	Drug related deaths (10 yrs) ⁴	3	66.8	cr2	+6	97-06	12		
Hospitalisation & Injury	Patients registered with cancer ³	28	502.0	sr	+19	02-04	13		
	Heart disease patients ³	43	716.0	sr	0				
	Cerebrovascular disease patients ³	13	208.3	sr	+11				
	Emergency medical admission patients ³	338	6,358.7	sr	+2	04-06	14		
	Multiple admission patients ³	76	1,324.8	sr	+9				
	Unintentional Injury patients ³	55	1,114.2	sr	+10				
	Patients prescribed statins	1,187	22.6	%	+24	2006	15		
	Road accident casualties - adults ³	8	2.2	cr3	-46	01-04	16		
Assault discharges ³	9	1.9	cr3	+88	04-06	17			
Mental Health & Function	Suicide (5 yrs) ²	7	33.5	sr	+113	01-05	18		
	Self assessed health (classified as "Not Good")	605	13.5	%	+33	2001	19		
	First hospital admission - psychiatric ³	13	276.6	sr	+8	02-04	20		
	Patients prescribed drugs for anxiety /depression	472	9.0	%	+11	2006	21		
	Incapacity Benefit & SDA Claimants	350	11.4	%	+18	2007	22		
	Long-term limiting illness	1,136	25.3	%	+25	2001	23		
Social Work	Clients aged 0-15	41	4.1	%	-43				
	Clients aged 16-64	157	4.9	%	+10	2007	24		
	Clients aged 65+	154	20.9	%	+18				
Prosperity - Poverty	'Income deprived'	788	16.4	%	+18	2006	25		
	'Employment deprived'	440	15.0	%	+16	2006	26		
	Workless	515	16.7	%	+14	2006	27		
	JSA - Unemployment	90	3.1	%	+10	2007	28		
	Households without access to car/van	833	42.3	%	+24	2001	29		
	Children in workless households	206	21.4	%	+16	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	1,007	28.3	%	+26	2001	31		
	Workplaces	123	41.8	cr3	-22	2005	32		
	Employees ⁵	900	29.5	cr	-61	2005	33		
Education	Primary school attendance	-	93.2	%	-2	05/06	34		
	S4 Pupils with 5+ GCSE equivalents	34	58.6	%	+1	05/06	35		
	Adults without qualifications	1,303	40.0	%	+20	2001	36		
Crime	Serious violent crime ³	8	17.3	cr4	+18	04-06	37		
	Domestic abuse incidents ³	12	25.6	cr4	-70	04-06	38		
	Vandalism ³	135	281.2	cr4	+4	04-06	39		
	Drug Offenders ³	28	58.9	cr4	-42	04-06	40		
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006	41		
	House prices	-	127,810	£	-5	2006	42		
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007	43		
	Overcrowding	341	17.3	%	+48	2001	44		
	Travelling to work by foot/bike or public transport	1,232	47.5	%	+7	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	31	22.8	%	-6	02-04	46		
	Breastfeeding (at 6 - 8 week review)	15	34.3	%	-6	04-06	47		
	Low birth-weight babies (3 yrs) ²	1-4	1.6	%	-35	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	85.5	%	-5	04-06	50		
	-all excl. MMR	-	96.0	%	0				
	Dental hospital admissions for children ³	12	1.2	cr	+7	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) ²	8	29.6	cr3	-27	02-04	52		
	Road accident casualties - children ³	1-4	2.3	cr3	-18	01-04	16		

Notes

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).

5. Employee numbers based on location of business, not residence area of employees.









Key

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Key: — Barloch — 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Barloch																				
Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +						Time Period	Defn									
				-70	-60	-50	-40	-30	-20			-10	+10	+20	+30	+40	+50	+60	+70	
Population Demographics	Child population (aged 0-15)	557	18.1	%														0	2006	1
	Adult population (aged 16-64)	1,786	57.9	%														-12		
	Elderly population (aged 65+)	741	24.0	%														+47		
	Minority ethnic groups	36	1.2	%														-42	2001	2
	Asylum Seekers	n/a	n/a	%															2007	3
	Life expectancy - males	-	80.8	yrs														+9	01-05	4
	Life expectancy - females	-	79.8	yrs														+1		
	Live births	24	0.8	cr														-28	2006	5
Households - Single adults	n/a	n/a	%															2005	6	
	n/a	n/a	%*																	
Mortality	Deaths all ages (5 yrs) ²	171	557.5	sr														-29		
	Coronary heart disease deaths in under 75s (5 yrs) ²	8	29.5	sr														-62	01-05	7
	Cancer deaths in under 75s (5 yrs) ²	29	122.3	sr														-17		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	25.3	sr														+5		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	15	325.5	sr														-18	04-06	8
	Alcohol related deaths (5 yrs) ²	2	n/a	sr															01-05	9
	Estimated smokers (16+)	363	14.2	%														-48	03-04	10
	Drug related hospital patients ³	1-4	59.8	sr														-23	04-06	11
	Drug related deaths (10 yrs) ⁴	1	32.3	cr2														-49	97-06	12
	Patients registered with cancer ³	20	342.9	sr														-18	02-04	13
Hospitalisation & Injury	Heart disease patients ³	30	583.2	sr														-18		
	Cerebrovascular disease patients ³	11	172.5	sr														-8		
	Emergency medical admission patients ³	184	4,256.9	sr														-32	04-06	14
	Multiple admission patients ³	32	553.5	sr														-55		
	Unintentional Injury patients ³	28	746.4	sr														-26		
	Patients prescribed statins	699	21.6	%														+18	2006	15
	Road accident casualties - adults ³	1-4	1.4	cr3														-65	01-04	16
	Assault discharges ³	1-4	0.1	cr3														-90	04-06	17
Mental Health & Function	Suicide (5 yrs) ²	0	0.0	sr														-100	01-05	18
	Self assessed health (classified as "Not Good")	197	6.4	%														-37	2001	19
	First hospital admission - psychiatric ³	6	211.4	sr														-17	02-04	20
	Patients prescribed drugs for anxiety /depression	199	6.2	%														-24	2006	21
	Incapacity Benefit & SDA Claimants	55	3.3	%														-66	2007	22
	Long-term limiting illness	477	15.4	%														-24	2001	23
	Clients aged 0-15	13	2.3	%														-67		
Social Work	Clients aged 16-64	41	2.3	%														-49	2007	24
	Clients aged 65+	87	11.7	%														-34		
Prosperity - Poverty	'Income deprived'	115	3.7	%														-74	2006	25
	'Employment deprived'	75	4.4	%														-66	2006	26
	Workless	90	5.3	%														-64	2006	27
	JSA - Unemployment	20	1.2	%														-58	2007	28
	Households without access to car/van	234	17.3	%														-50	2001	29
	Children in workless households	24	3.8	%														-79	2001	30
	Social grade E - benefit, unemployed, lowest grade work	350	13.7	%														-39	2001	31
	Workplaces	125	73.2	cr3														+36	2005	32
	Employees ⁵	700	43.7	cr														-42	2005	33
	Education	Primary school attendance	-	95.6	%														+1	05/06
S4 Pupils with 5+ GCSE equivalents		20	95.2	%														+65	05/06	35
Adults without qualifications		340	15.2	%														-54	2001	36
Crime	Serious violent crime ³	0	1.1	cr4														-93	04-06	37
	Domestic abuse incidents ³	4	12.7	cr4														-85	04-06	38
	Vandalism ³	27	85.0	cr4														-69	04-06	39
	Drug Offenders ³	1-4	14.9	cr4														-85	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a	%															2006	41
	House prices	-	241,636	£														+80	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a	%															2007	43
	Overcrowding	52	3.8	%														-67	2001	44
	Travelling to work by foot/bike or public transport	630	34.7	%														-22	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	7	8.9	%														-64	02-04	46
	Breastfeeding (at 6 - 8 week review)	18	72.0	%														+98	04-06	47
	Low birth-weight babies (3 yrs) ²	1-4	1.4	%														-41	02-04	48
	Immunisation uptake at 24 mths - MMR	-	81.3	%														-10	04-06	50
	-all excl. MMR	-	95.8	%														+1		
	Dental hospital admissions for children ³	1-4	0.5	cr														-54	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-	cr3															02-04	52
	Road accident casualties - children ³	1-4	1.3	cr3														-53	01-04	16

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Bishopbriggs North and Kenmure









Key: — Bishopbriggs North and Kenmure - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Bishopbriggs West and Cadder

Key: — Bishopbriggs West and Cadder - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Bishopbriggs West and Cadder

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Time Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
Population Demographics	Child population (aged 0-15)	1,019	17.9	%	-1	
	Adult population (aged 16-64)	3,539	62.1	%	-5	2006 1
	Elderly population (aged 65+)	1,145	20.1	%	+23	
	Minority ethnic groups	255	4.4	%	+119	2001 2
	Asylum Seekers	n/a	n/a	%		2007 3
	Life expectancy - males	-	77.2	yrs	+5	01-05 4
	Life expectancy - females	-	81.0	yrs	+2	
	Live births	42	0.7	cr	-32	2006 5
Households - Single adults	n/a	n/a	%		2005 6	
	n/a	n/a	%*			
Mortality	Deaths all ages (5 yrs) ²	266	706.3	sr	-10	
	Coronary heart disease deaths in under 75s (5 yrs) ²	21	53.4	sr	-30	01-05 7
	Cancer deaths in under 75s (5 yrs) ²	47	127.1	sr	-13	
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	11.1	sr	-54	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	37	546.4	sr	+7	04-06 8
	Alcohol related deaths (5 yrs) ²	6	13.4	sr	-51	01-05 9
	Estimated smokers (16+)	713	15.2	%	-44	03-04 10
	Drug related hospital patients ³	1-4	52.3	sr	-33	04-06 11
	Drug related deaths (10 yrs) ⁴	2	34.6	cr2	-45	97-06 12
Hospitalisation & Injury	Patients registered with cancer ³	37	477.8	sr	+14	02-04 13
	Heart disease patients ³	43	510.8	sr	-28	
	Cerebrovascular disease patients ³	12	137.4	sr	-27	
	Emergency medical admission patients ³	287	4,384.4	sr	-30	04-06 14
	Multiple admission patients ³	54	747.8	sr	-39	
	Unintentional Injury patients ³	38	579.4	sr	-43	
	Patients prescribed statins	1,269	21.1	%	+15	2006 15
	Road accident casualties - adults ³	20	4.1	cr3	+3	01-04 16
Mental Health & Function	Assault discharges ³	1-4	0.3	cr3	-72	04-06 17
	Suicide (5 yrs) ²	3	6.9	sr	-56	01-05 18
	Self assessed health (classified as "Not Good")	424	7.3	%	-28	2001 19
	First hospital admission - psychiatric ³	4	52.6	sr	-79	02-04 20
	Patients prescribed drugs for anxiety /depression	465	7.7	%	-5	2006 21
	Incapacity Benefit & SDA Claimants	150	4.4	%	-54	2007 22
	Long-term limiting illness	943	16.3	%	-20	2001 23
Social Work	Clients aged 0-15	23	2.3	%	-68	
	Clients aged 16-64	91	2.6	%	-43	2007 24
	Clients aged 65+	109	9.5	%	-46	
Prosperity - Poverty	'Income deprived'	265	4.6	%	-67	2006 25
	'Employment deprived'	218	6.5	%	-50	2006 26
	Workless	220	6.5	%	-56	2006 27
	JSA - Unemployment	50	1.5	%	-47	2007 28
	Households without access to car/van	409	18.3	%	-47	2001 29
	Children in workless households	54	4.2	%	-77	2001 30
	Social grade E - benefit, unemployed, lowest grade work	691	14.8	%	-34	2001 31
	Workplaces	193	57.3	cr3	+6	2005 32
	Employees ⁵	2,200	66.2	cr	-12	2005 33
Education	Primary school attendance	-	95.2	%	0	05/06 34
	S4 Pupils with 5+ GCSE equivalents	67	82.7	%	+43	05/06 35
	Adults without qualifications	1,086	25.1	%	-24	2001 36
Crime	Serious violent crime ³	6	9.9	cr4	-33	04-06 37
	Domestic abuse incidents ³	13	22.1	cr4	-74	04-06 38
	Vandalism ³	125	217.9	cr4	-19	04-06 39
	Drug Offenders ³	11	19.8	cr4	-80	04-06 40
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006 41
	House prices	-	171,129	£	+28	2006 42
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007 43
	Overcrowding	144	6.4	%	-45	2001 44
	Travelling to work by foot/bike or public transport	1,483	39.8	%	-11	2001 45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	9	6.7	%	-72	02-04 46
	Breastfeeding (at 6 - 8 week review)	20	50.0	%	+37	04-06 47
	Low birth-weight babies (3 yrs) ²	1-4	0.8	%	-67	02-04 48
	Immunisation uptake at 24 mths - MMR	-	90.2	%	0	
	-all excl. MMR	-	98.6	%	+3	04-06 50
	Dental hospital admissions for children ³	8	0.7	cr	-38	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) ²	9	26.5	cr3	-34	02-04 52
Road accident casualties - children ³	1-4	2.3	cr3	-17	01-04 16	

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

East Clober and Mains Estate

Key: — East Clober and Mains Estate - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

East Clober and Mains Estate

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
Population Demographics	Child population (aged 0-15)	720	20.6	%	+15	
	Adult population (aged 16-64)	2,259	64.7	%	-1	2006 1
	Elderly population (aged 65+)	510	14.6	%	-11	
	Minority ethnic groups	70	1.9	%	-5	2001 2
	Asylum Seekers	n/a	n/a	%		2007 3
	Life expectancy - males	-	77.4	yrs	+5	01-05 4
	Life expectancy - females	-	86.3	yrs	+9	
	Live births	27	0.8	cr	-29	2006 5
Households - Single adults	n/a	n/a	%		2005 6	
	n/a	n/a	%*			
Mortality	Deaths all ages (5 yrs) ²	131	626.3	sr	-20	
	Coronary heart disease deaths in under 75s (5 yrs) ²	7	39.7	sr	-48	01-05 7
	Cancer deaths in under 75s (5 yrs) ²	26	126.6	sr	-14	
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	23.8	sr	-2	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	18	465.8	sr	+5	04-06 8
	Alcohol related deaths (5 yrs) ²	5	21.3	sr	-22	01-05 9
	Estimated smokers (16+)	592	20.9	%	-23	03-04 10
	Drug related hospital patients ³	0	0.0	sr	-100	04-06 11
	Drug related deaths (10 yrs) ⁴	0	0.0	cr2	-100	97-06 12
Hospitalisation & Injury	Patients registered with cancer ³	19	476.2	sr	+13	02-04 13
	Heart disease patients ³	26	637.9	sr	-11	
	Cerebrovascular disease patients ³	13	311.8	sr	+66	
	Emergency medical admission patients ³	198	5,378.7	sr	-14	04-06 14
	Multiple admission patients ³	38	920.5	sr	-25	
	Unintentional Injury patients ³	27	734.3	sr	-27	
	Patients prescribed statins	824	21.7	%	+19	2006 15
	Road accident casualties - adults ³	1-4	1.4	cr3	-64	01-04 16
Mental Health & Function	Assault discharges ³	1-4	0.7	cr3	-37	04-06 17
	Suicide (5 yrs) ²	1	4.8	sr	-70	01-05 18
	Self assessed health (classified as "Not Good")	315	8.6	%	-15	2001 19
	First hospital admission - psychiatric ³	8	203.7	sr	-20	02-04 20
	Patients prescribed drugs for anxiety /depression	238	6.3	%	-23	2006 21
	Incapacity Benefit & SDA Claimants	180	8.1	%	-15	2007 22
	Long-term limiting illness	580	15.9	%	-22	2001 23
Social Work	Clients aged 0-15	53	7.4	%	+3	
	Clients aged 16-64	109	4.8	%	+8	2007 24
	Clients aged 65+	78	15.3	%	-14	
Prosperity - Poverty	'Income deprived'	415	11.6	%	-16	2006 25
	'Employment deprived'	220	9.9	%	-23	2006 26
	Workless	255	11.5	%	-21	2006 27
	JSA - Unemployment	60	2.7	%	-3	2007 28
	Households without access to car/van	400	28.6	%	-16	2001 29
	Children in workless households	127	13.8	%	-25	2001 30
	Social grade E - benefit, unemployed, lowest grade work	618	21.9	%	-2	2001 31
	Workplaces	54	24.3	cr3	-55	2005 32
	Employees ⁵	700	30.8	cr	-59	2005 33
Education	Primary school attendance	-	93.3	%	-2	05/06 34
	S4 Pupils with 5+ GCSE equivalents	46	71.9	%	+24	05/06 35
	Adults without qualifications	841	31.8	%	-4	2001 36
Crime	Serious violent crime ³	5	14.0	cr4	-5	04-06 37
	Domestic abuse incidents ³	24	66.2	cr4	-23	04-06 38
	Vandalism ³	84	236.0	cr4	-13	04-06 39
	Drug Offenders ³	20	56.0	cr4	-45	04-06 40
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006 41
	House prices	-	125,682	£	-6	2006 42
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007 43
	Overcrowding	168	12.0	%	+2	2001 44
	Travelling to work by foot/bike or public transport	1,128	47.6	%	+7	2001 45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	24	35.8	%	+48	02-04 46
	Breastfeeding (at 6 - 8 week review)	12	41.2	%	+13	04-06 47
	Low birth-weight babies (3 yrs) ²	1-4	6.3	%	+154	02-04 48
	Immunisation uptake at 24 mths - MMR	-	86.6	%	-4	
	-all excl. MMR	-	97.6	%	+2	04-06 50
	Dental hospital admissions for children ³	8	1.1	cr	-6	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) ²	10	32.1	cr3	-21	02-04 52
Road accident casualties - children ³	1-4	0.9	cr3	-66	01-04 16	

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Harestanes

Key: — Harestanes - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Harestanes																				
Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +						Time Period	Defn									
				-70	-60	-50	-40	-30	-20			-10	+0	+10	+20	+30	+40	+50	+60	+70
Population Demographics	Child population (aged 0-15)	615	18.0	%														0		
	Adult population (aged 16-64)	2,091	61.3	%														-7	2006	1
	Elderly population (aged 65+)	704	20.6	%														+26		
	Minority ethnic groups	34	1.0	%														-51	2001	2
	Asylum Seekers	n/a	n/a	%															2007	3
	Life expectancy - males	-	74.5	yrs														+1	01-05	4
	Life expectancy - females	-	80.4	yrs														+2		
	Live births	28	0.8	cr														-24	2006	5
Households - Single adults	n/a	n/a	%															2005	6	
	n/a	n/a	%*																	
Mortality	Deaths all ages (5 yrs) ²	200	743.8	sr														-5		
	Coronary heart disease deaths in under 75s (5 yrs) ²	22	96.6	sr														+26	01-05	7
	Cancer deaths in under 75s (5 yrs) ²	42	183.3	sr														+25		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	19.1	sr														-21		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	36	934.1	sr														+84	04-06	8
	Alcohol related deaths (5 yrs) ²	3	12.0	sr														-56	01-05	9
	Estimated smokers (16+)	974	34.2	%														+26	03-04	10
	Drug related hospital patients ³	1-4	61.6	sr														-21	04-06	11
	Drug related deaths (10 yrs) ⁴	1	28.7	cr2														-55	97-06	12
	Patients registered with cancer ³	24	483.2	sr														+15	02-04	13
Hospitalisation & Injury	Heart disease patients ³	39	859.6	sr														+20		
	Cerebrovascular disease patients ³	12	235.0	sr														+25		
	Emergency medical admission patients ³	262	6,474.3	sr														+4	04-06	14
	Multiple admission patients ³	67	1,464.7	sr														+20		
	Unintentional Injury patients ³	35	960.5	sr														-5		
	Patients prescribed statins	793	21.6	%														+18	2006	15
	Road accident casualties - adults ³	1-4	0.4	cr3														-89	01-04	16
	Assault discharges ³	1-4	1.2	cr3														+13	04-06	17
Mental Health & Function	Suicide (5 yrs) ²	1	6.1	sr														-61	01-05	18
	Self assessed health (classified as "Not Good")	468	13.5	%														+33	2001	19
	First hospital admission - psychiatric ³	12	332.2	sr														+30	02-04	20
	Patients prescribed drugs for anxiety /depression	324	8.8	%														+9	2006	21
	Incapacity Benefit & SDA Claimants	235	11.8	%														+22	2007	22
	Long-term limiting illness	835	24.1	%														+19	2001	23
Social Work	Clients aged 0-15	38	6.2	%														-14		
	Clients aged 16-64	141	6.7	%														+51	2007	24
	Clients aged 65+	107	15.2	%														-14		
Prosperity - Poverty	'Income deprived'	516	15.1	%														+9	2006	25
	'Employment deprived'	297	14.9	%														+16	2006	26
	Workless	330	16.5	%														+12	2006	27
	JSA - Unemployment	60	3.0	%														+8	2007	28
	Households without access to car/van	577	37.8	%														+10	2001	29
	Children in workless households	128	18.5	%														+1	2001	30
	Social grade E - benefit, unemployed, lowest grade work	822	28.9	%														+29	2001	31
	Workplaces	49	24.7	cr3														-54	2005	32
	Employees ⁵	700	33.9	cr														-55	2005	33
Education	Primary school attendance	-	92.9	%														-2	05/06	34
	S4 Pupils with 5+ GCSE equivalents	21	53.8	%														-7	05/06	35
	Adults without qualifications	1,050	40.4	%														+22	2001	36
Crime	Serious violent crime ³	2	4.9	cr4														-67	04-06	37
	Domestic abuse incidents ³	18	53.7	cr4														-37	04-06	38
	Vandalism ³	54	159.1	cr4														-41	04-06	39
	Drug Offenders ³	16	45.9	cr4														-55	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a	%															2006	41
	House prices	-	94,337	£														-30	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a	%															2007	43
	Overcrowding	234	15.3	%														+31	2001	44
	Travelling to work by foot/bike or public transport	815	41.8	%														-6	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	29	26.9	%														+11	02-04	46
	Breastfeeding (at 6 - 8 week review)	5	14.6	%														-60	04-06	47
	Low birth-weight babies (3 yrs) ²	1-4	4.1	%														+67	02-04	48
	Immunisation uptake at 24 mths - MMR	-	95.9	%														+6		
	-all excl. MMR	-	100.0	%														+4	04-06	50
	Dental hospital admissions for children ³	9	1.5	cr														+32	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	8	49.4	cr3														+22	02-04	52
Road accident casualties - children ³	1-4	1.6	cr3														-42	01-04	16	

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).









5. Employee numbers based on location of business, not residence area of employees.

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Key: — Hillhead - - - - 95% Confidence Intervals — Scotland











NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Hillhead																						
Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +						Period	Time	Defn										
				-70	-60	-50	-40	-30	-20				-10	+0	+10	+20	+30	+40	+50	+60	+70	
Population Demographics	Child population (aged 0-15)	894	22.5	%																+25	2006	1
	Adult population (aged 16-64)	2,514	63.3	%																-4		
	Elderly population (aged 65+)	564	14.2	%																-13		
	Minority ethnic groups	35	0.8	%																-61		
	Asylum Seekers	n/a	n/a	%																		
	Life expectancy - males	-	69.3	yrs																-6		
	Life expectancy - females	-	77.1	yrs																-3		
	Live births	62	1.6	cr																+44		
Households - Single adults	n/a	n/a	%																			
	n/a	n/a	%*																			
Mortality	Deaths all ages (5 yrs) ²	244	997.8	sr																+27	01-05	7
	Coronary heart disease deaths in under 75s (5 yrs) ²	22	121.2	sr																+58		
	Cancer deaths in under 75s (5 yrs) ²	46	252.7	sr																+72		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	26.4	sr																+9		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	53	1,343.8	sr																+143	04-06	8
	Alcohol related deaths (5 yrs) ²	11	59.6	sr																+120		
	Estimated smokers (16+)	1,154	34.1	%																+25		
	Drug related hospital patients ³	1-4	87.0	sr																+12		
	Drug related deaths (10 yrs) ⁴	4	89.3	cr2																+41		
Hospitalisation & Injury	Patients registered with cancer ³	24	492.9	sr																+17	04-06	14
	Heart disease patients ³	43	896.0	sr																+26		
	Cerebrovascular disease patients ³	12	249.9	sr																+33		
	Emergency medical admission patients ³	340	7,625.8	sr																+22		
	Multiple admission patients ³	68	1,453.1	sr																+19		
	Unintentional Injury patients ³	49	1,169.8	sr																+16		
	Patients prescribed statins	988	21.6	%																+18		
	Road accident casualties - adults ³	1-4	1.4	cr3																-65		
Mental Health & Function	Assault discharges ³	5	1.3	cr3																+27	01-05	18
	Suicide (5 yrs) ²	7	36.6	sr																+133		
	Self assessed health (classified as "Not Good")	623	13.9	%																+37		
	First hospital admission - psychiatric ³	19	443.2	sr																+73		
	Patients prescribed drugs for anxiety /depression	414	9.1	%																+12		
	Incapacity Benefit & SDA Claimants	390	16.0	%																+66		
	Long-term limiting illness	1,122	25.1	%																+24		
Social Work	Clients aged 0-15	98	11.0	%																+53	2007	24
	Clients aged 16-64	286	11.4	%																+154		
	Clients aged 65+	147	26.1	%																+47		
Prosperity - Poverty	'Income deprived'	1,138	28.0	%																+102	2006	25
	'Employment deprived'	569	23.3	%																+81		
	Workless	670	27.4	%																+87		
	JSA - Unemployment	125	5.1	%																+83		
	Households without access to car/van	944	48.1	%																+41		
	Children in workless households	395	34.1	%																+86		
	Social grade E - benefit, unemployed, lowest grade work	1,121	33.1	%																+48		
	Workplaces	55	22.5	cr3																-58		
	Employees ⁵	600	23.1	cr																-69		
Education	Primary school attendance	-	91.3	%																-4	05/06	34
	S4 Pupils with 5+ GCSE equivalents	32	52.5	%																-9		
	Adults without qualifications	1,370	44.5	%																+34		
Crime	Serious violent crime ³	9	22.2	cr4																+51	04-06	37
	Domestic abuse incidents ³	52	128.1	cr4																+50		
	Vandalism ³	145	357.2	cr4																+32		
	Drug Offenders ³	47	116.6	cr4																+16		
Housing & Transport	Housing type - tenements	n/a	n/a	%																	2006	41
	House prices	-	84,530	£																-37		
	Housing tenure - Owner Occupiers	n/a	n/a	%																		
	Overcrowding	326	16.6	%																+42		
	Travelling to work by foot/bike or public transport	1,303	52.7	%																+18		
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	59	33.7	%																+39	02-04	46
	Breastfeeding (at 6 - 8 week review)	6	12.6	%																-65		
	Low birth-weight babies (3 yrs) ²	1-4	2.6	%																+7		
	Immunisation uptake at 24 mths - MMR	-	88.6	%																-2		
	-all excl. MMR	-	98.9	%																+3		
	Dental hospital admissions for children ³	17	1.8	cr																+59		
	Teenage pregnancy - under 18 years (3 yrs) ²	27	87.4	cr3																+116		
	Road accident casualties - children ³	1-4	4.6	cr3																+64		

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.
Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.
	The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.
	n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kessington East

Key: — Kessington East - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kessington East

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Time Period	Defn
			-70	+70		
Population Demographics						
Child population (aged 0-15)	525	18.4 %		+2		
Adult population (aged 16-64)	1,798	63.0 %		-4	2006	1
Elderly population (aged 65+)	529	18.5 %		+13		
Minority ethnic groups	248	8.6 %		+329	2001	2
Asylum Seekers	n/a	n/a %			2007	3
Life expectancy - males	-	81.1 yrs		+10	01-05	4
Life expectancy - females	-	84.8 yrs		+7		
Live births	23	0.8 cr		-26	2006	5
Households - Single adults	n/a	n/a %			2005	6
Households - Single parents	n/a	n/a %				
Mortality						
Deaths all ages (5 yrs) ²	104	501.3 sr		-36		
Coronary heart disease deaths in under 75s (5 yrs) ²	0	0.0 sr		-100	01-05	7
Cancer deaths in under 75s (5 yrs) ²	19	96.5 sr		-34		
Cerebrovascular disease deaths in under 75s (5 yrs) ²	3	16.1 sr		-33		
Drugs, Alcohol and Smoking						
Alcohol related and attributable hospital patients ³	13	325.9 sr		-18	04-06	8
Alcohol related deaths (5 yrs) ²	2	9.6 sr		-65	01-05	9
Estimated smokers (16+)	262	11.1 %		-59	03-04	10
Drug related hospital patients ³	0	0.0 sr		-100	04-06	11
Drug related deaths (10 yrs) ⁴	0	0.0 cr2		-100	97-06	12
Hospitalisation & Injury						
Patients registered with cancer ³	17	449.2 sr		+7	02-04	13
Heart disease patients ³	20	458.7 sr		-36		
Cerebrovascular disease patients ³	7	140.1 sr		-26		
Emergency medical admission patients ³	135	4,018.5 sr		-36	04-06	14
Multiple admission patients ³	23	635.6 sr		-48		
Unintentional Injury patients ³	21	665.3 sr		-34		
Patients prescribed statins	588	19.1 %		+5	2006	15
Road accident casualties - adults ³	12	5.2 cr3		+29	01-04	16
Assault discharges ³	0	0.0 cr3		-100	04-06	17
Mental Health & Function						
Suicide (5 yrs) ²	1	4.9 sr		-69	01-05	18
Self assessed health (classified as "Not Good")	173	6.0 %		-41	2001	19
First hospital admission - psychiatric ³	3	93.4 sr		-64	02-04	20
Patients prescribed drugs for anxiety /depression	224	7.3 %		-10	2006	21
Incapacity Benefit & SDA Claimants	50	2.9 %		-70	2007	22
Long-term limiting illness	359	12.5 %		-39	2001	23
Social Work						
Clients aged 0-15	13	2.5 %	G*	-65		
Clients aged 16-64	33	1.8 %	G*	-59	2007	24
Clients aged 65+	41	7.8 %	G*	-56		
Prosperity - Poverty						
'Income deprived'	84	3.0 %		-79	2006	25
'Employment deprived'	81	4.9 %		-62	2006	26
Workless	85	5.0 %		-66	2006	27
JSA - Unemployment	20	1.2 %		-57	2007	28
Households without access to car/van	97	8.8 %		-74	2001	29
Children in workless households	24	3.7 %		-80	2001	30
Social grade E - benefit, unemployed, lowest grade work	248	10.5 %		-53	2001	31
Workplaces	58	34.8 cr3		-36	2005	32
Employees ⁵	400	24.5 cr		-67	2005	33
Educ-ation						
Primary school attendance	-	95.6 %		+1	05/06	34
S4 Pupils with 5+ GCSE equivalents	22	84.6 %		+46	05/06	35
Adults without qualifications	350	16.1 %		-52	2001	36
Crime						
Serious violent crime ³	1	3.6 cr4		-76	04-06	37
Domestic abuse incidents ³	3	9.5 cr4		-89	04-06	38
Vandalism ³	38	135.1 cr4		-50	04-06	39
Drug Offenders ³	1-4	8.3 cr4	G ^{CC}	-92	04-06	40
Housing & Transport						
Housing type - tenements	n/a	n/a %	G		2006	41
House prices	-	261,289 £		+95	2006	42
Housing tenure - Owner Occupiers	n/a	n/a %	G		2007	43
Overcrowding	30	2.7 %		-77	2001	44
Travelling to work by foot/bike or public transport	644	34.4 %		-23	2001	45
Child & Maternal Health						
Smoking during pregnancy (3 yrs) ²	5	7.5 %		-69	02-04	46
Breastfeeding (at 6 - 8 week review)	17	61.4 %		+69	04-06	47
Low birth-weight babies (3 yrs) ²	1-4	4.5 %		+85	02-04	48
Immunisation uptake at 24 mths - MMR	-	91.9 %		+2		
-all excl. MMR	-	98.8 %		+3	04-06	50
Dental hospital admissions for children ³	1-4	0.4 cr		-66	03-06	51
Teenage pregnancy - under 18 years (3 yrs) ²	0	0.0 cr3		-100	02-04	52
Road accident casualties - children ³	1-4	2.0 cr3		-30	01-04	16

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kessington West

Key: — Kessington West - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kessington West

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn
Population Demographics						
Child population (aged 0-15)	511	15.9 %		-12	2006	1
Adult population (aged 16-64)	1,914	59.4 %		-9		
Elderly population (aged 65+)	797	24.7 %		+51		
Minority ethnic groups	143	4.3 %		+114	2001	2
Asylum Seekers	n/a	n/a %	G		2007	3
Life expectancy - males	-	79.5 yrs		+8	01-05	4
Life expectancy - females	-	84.0 yrs		+6		
Live births	31	1.0 cr		-11	2006	5
Households - Single adults	n/a	n/a %	G		2005	6
Households - Single parents	n/a	n/a %*	G			
Mortality						
Deaths all ages (5 yrs) ²	179	472.7 sr		-40		
Coronary heart disease deaths in under 75s (5 yrs) ²	5	18.1 sr		-76	01-05	7
Cancer deaths in under 75s (5 yrs) ²	20	90.4 sr		-38		
Cerebrovascular disease deaths in under 75s (5 yrs) ²	2	7.0 sr		-71		
Drugs, Alcohol and Smoking						
Alcohol related and attributable hospital patients ³	16	276.7 sr		-30	04-06	8
Alcohol related deaths (5 yrs) ²	2	10.7 sr		-60	01-05	9
Estimated smokers (16+)	300	10.8 %		-60	03-04	10
Drug related hospital patients ³	1-4	15.4 sr		-80	04-06	11
Drug related deaths (10 yrs) ⁴	0	0.0 cr2		-100	97-06	12
Hospitalisation & Injury						
Patients registered with cancer ³	26	513.5 sr		+22	02-04	13
Heart disease patients ³	34	526.3 sr		-26		
Cerebrovascular disease patients ³	11	142.7 sr		-24		
Emergency medical admission patients ³	183	3,657.2 sr		-41	04-06	14
Multiple admission patients ³	38	581.7 sr		-52		
Unintentional Injury patients ³	29	597.1 sr		-41		
Patients prescribed statins	657	18.7 %		+3	2006	15
Road accident casualties - adults ³	9	3.2 cr3		-20	01-04	16
Assault discharges ³	1-4	0.2 cr3		-80	04-06	17
Mental Health & Function						
Suicide (5 yrs) ²	1	10.2 sr		-35	01-05	18
Self assessed health (classified as "Not Good")	183	5.5 %		-46	2001	19
First hospital admission - psychiatric ³	5	120.4 sr		-53	02-04	20
Patients prescribed drugs for anxiety /depression	233	6.6 %		-18	2006	21
Incapacity Benefit & SDA Claimants	50	2.8 %		-71	2007	22
Long-term limiting illness	524	15.8 %		-22	2001	23
Social Work						
Clients aged 0-15	8	1.6 %	G*	-78		
Clients aged 16-64	22	1.1 %	G*	-74	2007	24
Clients aged 65+	89	11.2 %	G*	-37		
Prosperity - Poverty						
'Income deprived'	87	2.7 %		-81	2006	25
'Employment deprived'	64	3.5 %		-73	2006	26
Workless	70	3.9 %		-74	2006	27
JSA - Unemployment	30	1.6 %		-41	2007	28
Households without access to car/van	116	8.9 %		-74	2001	29
Children in workless households	28	4.3 %		-77	2001	30
Social grade E - benefit, unemployed, lowest grade work	267	9.7 %		-57	2001	31
Workplaces	115	62.8 cr3		+16	2005	32
Employees ⁵	900	50.6 cr		-32	2005	33
Educ-ation						
Primary school attendance	-	94.8 %		0	05/06	34
S4 Pupils with 5+ GCSE equivalents	26	89.7 %		+55	05/06	35
Adults without qualifications	350	14.5 %		-56	2001	36
Crime						
Serious violent crime ³	1	2.0 cr4		-86	04-06	37
Domestic abuse incidents ³	3	9.2 cr4		-89	04-06	38
Vandalism ³	34	105.1 cr4	G ^{CC}	-61	04-06	39
Drug Offenders ³	1-4	11.2 cr4	G ^{CC}	-89	04-06	40
Housing & Transport						
Housing type - tenements	n/a	n/a %	G		2006	41
House prices	-	285,026 £		+113	2006	42
Housing tenure - Owner Occupiers	n/a	n/a %	G		2007	43
Overcrowding	40	3.1 %		-74	2001	44
Travelling to work by foot/bike or public transport	679	34.4 %		-23	2001	45
Child & Maternal Health						
Smoking during pregnancy (3 yrs) ²	1-4	3.2 %		-87	02-04	46
Breastfeeding (at 6 - 8 week review)	19	75.0 %		+106	04-06	47
Low birth-weight babies (3 yrs) ²	0	0.0 %		-100	02-04	48
Immunisation uptake at 24 mths - MMR	-	87.6 %		-3	04-06	50
-all excl. MMR	-	93.3 %		-3		
Dental hospital admissions for children ³	1-4	0.8 cr		-30	03-06	51
Teenage pregnancy - under 18 years (3 yrs) ²	0	0.0 cr3		-100	02-04	52
Road accident casualties - children ³	1-4	2.3 cr3		-18	01-04	16

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Keystone and Dougalston

Key: — Keystone and Dougalston - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Keystone and Dougalston

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +	Period	Time	Defn
Population Demographics	Child population (aged 0-15)	574	14.5 %	-19	2006	1
	Adult population (aged 16-64)	2,279	57.6 %	-12		
	Elderly population (aged 65+)	1,104	27.9 %	+70		
	Minority ethnic groups	115	2.8 %	+40		
	Asylum Seekers	n/a	n/a %			
	Life expectancy - males	-	75.9 yrs	+3		
	Life expectancy - females	-	85.5 yrs	+8		
Mortality	Live births	24	0.6 cr	-44	2006	5
	Households - Single adults	n/a	n/a %		2005	6
	Households - Single parents	n/a	n/a %*			
	Deaths all ages (5 yrs) ²	261	553.4 sr	-30	01-05	7
Coronary heart disease deaths in under 75s (5 yrs) ²	10	38.8 sr	-49			
Cancer deaths in under 75s (5 yrs) ²	39	134.7 sr	-8			
Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	15.4 sr	-36			
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	28	436.8 sr	-2	04-06	8
	Alcohol related deaths (5 yrs) ²	6	19.8 sr	-27	01-05	9
	Estimated smokers (16+)	521	14.9 %	-45	03-04	10
	Drug related hospital patients ³	0	0.0 sr	-100	04-06	11
	Drug related deaths (10 yrs) ⁴	1	24.4 cr2	-61	97-06	12
Hospitalisation & Injury	Patients registered with cancer ³	33	449.3 sr	+7	02-04	13
	Heart disease patients ³	45	588.1 sr	-18	04-06	14
	Cerebrovascular disease patients ³	14	160.2 sr	-15		
	Emergency medical admission patients ³	263	4,263.9 sr	-32		
	Multiple admission patients ³	53	748.6 sr	-39		
	Unintentional Injury patients ³	37	633.2 sr	-37		
	Patients prescribed statins	889	21.2 %	+16	2006	15
Road accident casualties - adults ³	21	6.1 cr3	+51	01-04	16	
Mental Health & Function	Assault discharges ³	1-4	0.5 cr3	-51	04-06	17
	Suicide (5 yrs) ²	3	19.7 sr	+25	01-05	18
	Self assessed health (classified as "Not Good")	324	7.9 %	-22	2001	19
	First hospital admission - psychiatric ³	10	222.2 sr	-13	02-04	20
	Patients prescribed drugs for anxiety /depression	265	6.3 %	-22	2006	21
	Incapacity Benefit & SDA Claimants	110	5.1 %	-47	2007	22
Social Work	Long-term limiting illness	772	18.8 %	-7	2001	23
	Clients aged 0-15	13	2.3 %	-68	2007	24
	Clients aged 16-64	88	3.9 %	-14		
Clients aged 65+	193	17.5 %	-1			
Prosperity - Poverty	'Income deprived'	291	7.4 %	-46	2006	25
	'Employment deprived'	150	7.1 %	-44	2006	26
	Workless	155	7.2 %	-51	2006	27
	JSA - Unemployment	20	1.0 %	-66	2007	28
	Households without access to car/van	491	26.5 %	-23	2001	29
	Children in workless households	37	5.0 %	-73	2001	30
	Social grade E - benefit, unemployed, lowest grade work	615	17.7 %	-21	2001	31
	Workplaces	201	95.8 cr3	+78	2005	32
	Employees ⁵	2,200	105.9 cr	+41	2005	33
Education	Primary school attendance	-	94.9 %	0	05/06	34
	S4 Pupils with 5+ GCSE equivalents	32	82.1 %	+42	05/06	35
	Adults without qualifications	621	21.2 %	-36	2001	36
Crime	Serious violent crime ³	1	2.6 cr4	-83	04-06	37
	Domestic abuse incidents ³	11	27.3 cr4	-68	04-06	38
	Vandalism ³	57	145.6 cr4	-46	04-06	39
	Drug Offenders ³	6	14.5 cr4	-86	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a %		2006	41
	House prices	-	212,419 £	+59	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a %		2007	43
	Overcrowding	125	6.7 %	-43	2001	44
	Travelling to work by foot/bike or public transport	820	35.7 %	-20	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	6	8.3 %	-66	02-04	46
	Breastfeeding (at 6 - 8 week review)	21	74.4 %	+104	04-06	47
	Low birth-weight babies (3 yrs) ²	1-4	2.8 %	+14	02-04	48
	Immunisation uptake at 24 mths - MMR	-	89.4 %	-1	04-06	50
	-all excl. MMR	-	97.9 %	+2		
	Dental hospital admissions for children ³	1-4	0.6 cr	-44	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-	-	02-04	52
Road accident casualties - children ³	1-4	1.3 cr3	-52	01-04	16	

Notes

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).

5. Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kilmardinny East

Key: — Kilmardinny East - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kilmardinny East

Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +		Time Period	Defn
				-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
Population Demographics	Child population (aged 0-15)	516	18.2	%	+1		
	Adult population (aged 16-64)	1,739	61.4	%	-6	2006	1
	Elderly population (aged 65+)	578	20.4	%	+25		
	Minority ethnic groups	114	3.8	%	+87	2001	2
	Asylum Seekers	n/a	n/a	%		2007	3
	Life expectancy - males	-	82.3	yrs	+11	01-05	4
	Life expectancy - females	-	84.6	yrs	+7		
	Live births	40	1.4	cr	+30	2006	5
Households - Single adults	n/a	n/a	%		2005	6	
	n/a	n/a	%*				
Mortality	Deaths all ages (5 yrs) ²	113	465.0	sr	-41		
	Coronary heart disease deaths in under 75s (5 yrs) ²	7	32.1	sr	-58	01-05	7
	Cancer deaths in under 75s (5 yrs) ²	25	121.5	sr	-17		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	3	13.4	sr	-45		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	11	266.6	sr	-30	04-06	8
	Alcohol related deaths (5 yrs) ²	1	4.8	sr	-82	01-05	9
	Estimated smokers (16+)	272	11.2	%	-59	03-04	10
	Drug related hospital patients ³	0	0.0	sr	-100	04-06	11
	Drug related deaths (10 yrs) ⁴	0	0.0	cr2	-100	97-06	12
Hospitalisation & Injury	Patients registered with cancer ³	14	299.6	sr	-29	02-04	13
	Heart disease patients ³	21	478.4	sr	-33		
	Cerebrovascular disease patients ³	6	105.6	sr	-44		
	Emergency medical admission patients ³	119	3,308.2	sr	-47	04-06	14
	Multiple admission patients ³	22	564.0	sr	-54		
	Unintentional Injury patients ³	18	487.9	sr	-52		
	Patients prescribed statins	602	19.2	%	+5	2006	15
	Road accident casualties - adults ³	1-4	1.3	cr3	-66	01-04	16
Mental Health & Function	Assault discharges ³	1-4	0.1	cr3	-89	04-06	17
	Suicide (5 yrs) ²	2	12.3	sr	-22	01-05	18
	Self assessed health (classified as "Not Good")	167	5.5	%	-46	2001	19
	First hospital admission - psychiatric ³	6	159.0	sr	-38	02-04	20
	Patients prescribed drugs for anxiety /depression	200	6.4	%	-21	2006	21
	Incapacity Benefit & SDA Claimants	50	3.0	%	-68	2007	22
	Long-term limiting illness	406	13.4	%	-34	2001	23
Social Work	Clients aged 0-15	0	0.0	%	-100		
	Clients aged 16-64	22	1.3	%	-72	2007	24
	Clients aged 65+	61	10.6	%	-40		
Prosperity - Poverty	'Income deprived'	80	2.8	%	-80	2006	25
	'Employment deprived'	77	4.6	%	-64	2006	26
	Workless	75	4.6	%	-69	2006	27
	JSA - Unemployment	20	1.2	%	-57	2007	28
	Households without access to car/van	121	10.2	%	-70	2001	29
	Children in workless households	21	3.1	%	-83	2001	30
	Social grade E - benefit, unemployed, lowest grade work	247	10.2	%	-55	2001	31
	Workplaces	69	41.2	cr3	-24	2005	32
Employees ⁵	300	17.9	cr	-76	2005	33	
Education	Primary school attendance	-	95.4	%	0	05/06	34
	S4 Pupils with 5+ GCSE equivalents	23	79.3	%	+37	05/06	35
	Adults without qualifications	316	14.2	%	-57	2001	36
Crime	Serious violent crime ³	1	4.6	cr4	-69	04-06	37
	Domestic abuse incidents ³	3	9.2	cr4	-89	04-06	38
	Vandalism ³	19	64.5	cr4	-76	04-06	39
	Drug Offenders ³	1-4	16.1	cr4	-84	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006	41
	House prices	-	254,217	£	+90	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007	43
	Overcrowding	28	2.4	%	-80	2001	44
	Travelling to work by foot/bike or public transport	679	35.0	%	-21	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	8	8.2	%	-66	02-04	46
	Breastfeeding (at 6 - 8 week review)	22	64.4	%	+77	04-06	47
	Low birth-weight babies (3 yrs) ²	1-4	1.1	%	-53	02-04	48
	Immunisation uptake at 24 mths - MMR	-	90.2	%	0		
	-all excl. MMR	-	97.1	%	+1	04-06	50
	Dental hospital admissions for children ³	1-4	0.2	cr	-80	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-	cr3		02-04	52
Road accident casualties - children ³	1-4	1.3	cr3	-52	01-04	16	

Notes

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).

5. Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kilmardinny West

Key: — Kilmardinny West - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kilmardinny West

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Time Period	Defn
Population Demographics						
Child population (aged 0-15)	635	18.4 %		+2	2006	1
Adult population (aged 16-64)	1,942	56.4 %		-14		
Elderly population (aged 65+)	866	25.2 %		+54	2001	2
Minority ethnic groups	140	4.0 %		+101		
Asylum Seekers	n/a	n/a %			2007	3
Life expectancy - males	-	81.5 yrs		+10	01-05	4
Life expectancy - females	-	83.3 yrs		+5		
Live births	16	0.5 cr		-57	2006	5
Households - Single adults	n/a	n/a %			2005	6
Households - Single parents	n/a	n/a %*				
Mortality						
Deaths all ages (5 yrs) ²	252	484.4 sr		-38	01-05	7
Coronary heart disease deaths in under 75s (5 yrs) ²	7	27.3 sr		-64		
Cancer deaths in under 75s (5 yrs) ²	20	93.9 sr		-36		
Cerebrovascular disease deaths in under 75s (5 yrs) ²	1	3.4 sr		-86		
Drugs, Alcohol and Smoking						
Alcohol related and attributable hospital patients ³	18	303.1 sr		-25	04-06	8
Alcohol related deaths (5 yrs) ²	4	13.5 sr		-50	01-05	9
Estimated smokers (16+)	295	10.5 %		-62	03-04	10
Drug related hospital patients ³	1-4	14.6 sr		-81	04-06	11
Drug related deaths (10 yrs) ⁴	0	0.0 cr2		-100	97-06	12
Hospitalisation & Injury						
Patients registered with cancer ³	20	283.1 sr		-33	02-04	13
Heart disease patients ³	40	575.6 sr		-19		
Cerebrovascular disease patients ³	13	144.8 sr		-23	04-06	14
Emergency medical admission patients ³	200	3,540.7 sr		-43		
Multiple admission patients ³	42	604.0 sr		-51		
Unintentional Injury patients ³	32	647.8 sr		-36		
Patients prescribed statins	677	18.3 %		0	2006	15
Road accident casualties - adults ³	7	2.3 cr3		-43	01-04	16
Assault discharges ³	1-4	0.1 cr3		-91	01-05	17
Mental Health & Function						
Suicide (5 yrs) ²	1	n/a sr			01-05	18
Self assessed health (classified as "Not Good")	240	6.9 %		-32	2001	19
First hospital admission - psychiatric ³	6	123.4 sr		-52	02-04	20
Patients prescribed drugs for anxiety /depression	216	5.9 %		-28	2006	21
Incapacity Benefit & SDA Claimants	45	2.4 %		-75	2007	22
Long-term limiting illness	642	18.5 %		-9	2001	23
Social Work						
Clients aged 0-15	6	0.9 %	G*	-87	2007	24
Clients aged 16-64	27	1.4 %	G*	-69		
Clients aged 65+	118	13.6 %	G*	-23		
Prosperity - Poverty						
'Income deprived'	154	4.4 %		-68	2006	25
'Employment deprived'	67	3.6 %		-72	2006	26
Workless	65	3.5 %		-76	2006	27
JSA - Unemployment	20	1.1 %		-61	2007	28
Households without access to car/van	235	16.8 %		-51	2001	29
Children in workless households	18	2.4 %		-87	2001	30
Social grade E - benefit, unemployed, lowest grade work	329	12.2 %		-46	2001	31
Workplaces	163	88.1 cr3		+63	2005	32
Employees ⁵	1,100	59.4 cr		-21	2005	33
Educ- ation						
Primary school attendance	-	96.0 %		+1	05/06	34
S4 Pupils with 5+ GCSE equivalents	27	77.1 %		+34	05/06	35
Adults without qualifications	274	11.7 %		-65	2001	36
Crime						
Serious violent crime ³	2	4.8 cr4		-67	04-06	37
Domestic abuse incidents ³	5	13.5 cr4		-84	04-06	38
Vandalism ³	66	190.5 cr4	G ^{SC}	-29	04-06	39
Drug Offenders ³	8	24.1 cr4	G ^{SC}	-76	04-06	40
Housing & Transport						
Housing type - tenements	n/a	n/a %	G		2006	41
House prices	-	284,625 £		+113	2006	42
Housing tenure - Owner Occupiers	n/a	n/a %	G		2007	43
Overcrowding	64	4.6 %		-61	2001	44
Travelling to work by foot/bike or public transport	731	36.4 %		-18	2001	45
Child & Maternal Health						
Smoking during pregnancy (3 yrs) ²	9	13.8 %		-43	02-04	46
Breastfeeding (at 6 - 8 week review)	13	75.5 %		+107	04-06	47
Low birth-weight babies (3 yrs) ²	1-4	3.5 %		+42	02-04	48
Immunisation uptake at 24 mths - MMR	-	89.8 %		-1	04-06	50
-all excl. MMR	-	96.6 %		+1		
Dental hospital admissions for children ³	1-4	0.3 cr		-69	03-06	51
Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-cr3			02-04	52
Road accident casualties - children ³	1-4	0.8 cr3		-72	01-04	16

- Notes**
- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
 - Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
 - Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
 - Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kirkintilloch South

Key: — Kirkintilloch South - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kirkintilloch South

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Time Period	Defn			
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70						
Population Demographics	Child population (aged 0-15)	495	15.8	%	-12	2006	1		
	Adult population (aged 16-64)	2,113	67.6	%	+3				
	Elderly population (aged 65+)	518	16.6	%	+1				
	Minority ethnic groups	50	1.6	%	-22			2001	2
	Asylum Seekers	n/a	n/a	%				2007	3
	Life expectancy - males	-	77.4	yrs	+5			01-05	4
	Life expectancy - females	-	80.2	yrs	+1				
Live births	33	1.1	cr	-3	2006	5			
Households - Single adults	n/a	n/a	%		2005	6			
	n/a	n/a	%*						
Mortality	Deaths all ages (5 yrs) ²	132	636.5	sr	-19	01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) ²	5	25.1	sr	-67				
	Cancer deaths in under 75s (5 yrs) ²	15	80.3	sr	-45				
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	28.6	sr	+18				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	26	738.6	sr	+53	04-06	8		
	Alcohol related deaths (5 yrs) ²	1	5.2	sr	-81	01-05	9		
	Estimated smokers (16+)	568	21.7	%	-20	03-04	10		
	Drug related hospital patients ³	1-4	43.0	sr	-45	04-06	11		
	Drug related deaths (10 yrs) ⁴	0	0.0	cr2	-100	97-06	12		
Hospitalisation & Injury	Patients registered with cancer ³	17	439.7	sr	+5	02-04	13		
	Heart disease patients ³	28	701.3	sr	-2				
	Cerebrovascular disease patients ³	5	134.5	sr	-29				
	Emergency medical admission patients ³	195	5,621.5	sr	-10			04-06	14
	Multiple admission patients ³	40	1,113.9	sr	-9				
	Unintentional Injury patients ³	30	926.4	sr	-8				
	Patients prescribed statins	726	21.8	%	+19			2006	15
	Road accident casualties - adults ³	11	4.1	cr3	+2			01-04	16
Assault discharges ³	1-4	0.2	cr3	-79	04-06	17			
Mental Health & Function	Suicide (5 yrs) ²	6	36.6	sr	+133	01-05	18		
	Self assessed health (classified as "Not Good")	305	9.5	%	-6	2001	19		
	First hospital admission - psychiatric ³	7	203.6	sr	-20	02-04	20		
	Patients prescribed drugs for anxiety /depression	292	8.8	%	+8	2006	21		
	Incapacity Benefit & SDA Claimants	175	8.5	%	-11	2007	22		
	Long-term limiting illness	646	20.1	%	-1	2001	23		
Social Work	Clients aged 0-15	29	5.9	%	-18	2007	24		
	Clients aged 16-64	114	5.4	%	+20				
	Clients aged 65+	69	13.3	%	-25				
Prosperity - Poverty	'Income deprived'	287	9.2	%	-33	2006	25		
	'Employment deprived'	216	10.9	%	-15	2006	26		
	Workless	240	11.7	%	-20	2006	27		
	JSA - Unemployment	40	2.0	%	-28	2007	28		
	Households without access to car/van	388	28.1	%	-18	2001	29		
	Children in workless households	72	10.4	%	-43	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	553	21.1	%	-6	2001	31		
	Workplaces	66	33.2	cr3	-38	2005	32		
	Employees ⁵	900	45.1	cr	-40	2005	33		
Education	Primary school attendance	-	94.5	%	0	05/06	34		
	S4 Pupils with 5+ GCSE equivalents	24	70.6	%	+22	05/06	35		
	Adults without qualifications	660	27.4	%	-18	2001	36		
Crime	Serious violent crime ³	4	14.0	cr4	-5	04-06	37		
	Domestic abuse incidents ³	7	23.6	cr4	-72	04-06	38		
	Vandalism ³	83	266.3	cr4	-1	04-06	39		
	Drug Offenders ³	16	52.6	cr4	-48	04-06	40		
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006	41		
	House prices	-	102,265	£	-24	2006	42		
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007	43		
	Overcrowding	156	11.3	%	-4	2001	44		
	Travelling to work by foot/bike or public transport	819	40.0	%	-10	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	17	19.3	%	-20	02-04	46		
	Breastfeeding (at 6 - 8 week review)	6	23.6	%	-35	04-06	47		
	Low birth-weight babies (3 yrs) ²	1-4	1.4	%	-45	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	83.7	%	-7	04-06	50		
	-all excl. MMR	-	98.8	%	+3				
	Dental hospital admissions for children ³	1-4	0.7	cr	-40	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) ²	9	47.6	cr3	+18	02-04	52		
Road accident casualties - children ³	1-4	5.0	cr3	+78	01-04	16			

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Kirkintilloch West

Key: — Kirkintilloch West - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Kirkintilloch West

Indicator	Number	Measure	-	- (Below) Scottish Average (%) ¹ (Above) +											Period	Defn									
				-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30			+40	+50	+60	+70					
Population Demographics	Child population (aged 0-15)	676	17.3	%																		-4			
	Adult population (aged 16-64)	2,458	62.7	%																			-4	2006	1
	Elderly population (aged 65+)	784	20.0	%																			+22		
	Minority ethnic groups	43	1.1	%																			-46	2001	2
	Asylum Seekers	n/a	n/a	%																				2007	3
	Life expectancy - males	-	73.4	yrs																			-1	01-05	4
	Life expectancy - females	-	78.0	yrs																			-1		
	Live births	43	1.1	cr																			+1	2006	5
	Households - Single adults	n/a	n/a	%																				2005	6
	Households - Single parents	n/a	n/a	%*																					
Mortality	Deaths all ages (5 yrs) ²	294	877.6	sr																			+12		
	Coronary heart disease deaths in under 75s (5 yrs) ²	10	40.9	sr																			-47	01-05	7
	Cancer deaths in under 75s (5 yrs) ²	32	141.9	sr																			-3		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	11	46.4	sr																			+92		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	36	764.4	sr																			+51	04-06	8
	Alcohol related deaths (5 yrs) ²	6	29.8	sr																			+10	01-05	9
	Estimated smokers (16+)	705	21.2	%																			-22	03-04	10
	Drug related hospital patients ³	1-4	34.5	sr																			-56	04-06	11
	Drug related deaths (10 yrs) ⁴	3	75.5	cr ²																			+20	97-06	12
Hospitalisation & Injury	Patients registered with cancer ³	26	463.2	sr																			+10	02-04	13
	Heart disease patients ³	36	624.4	sr																			-12		
	Cerebrovascular disease patients ³	8	127.8	sr																			-32		
	Emergency medical admission patients ³	280	5,558.2	sr																			-11	04-06	14
	Multiple admission patients ³	55	959.0	sr																			-21		
	Unintentional Injury patients ³	45	1,009.8	sr																			0		
	Patients prescribed statins	934	22.0	%																			+21	2006	15
	Road accident casualties - adults ³	18	5.4	cr ³																			+35	01-04	16
	Assault discharges ³	6	1.5	cr ³																			+46	04-06	17
Mental Health & Function	Suicide (5 yrs) ²	5	25.7	sr																			+64	01-05	18
	Self assessed health (classified as "Not Good")	483	12.2	%																			+20	2001	19
	First hospital admission - psychiatric ³	11	251.6	sr																			-2	02-04	20
	Patients prescribed drugs for anxiety /depression	399	9.4	%																			+16	2006	21
	Incapacity Benefit & SDA Claimants	230	9.8	%																			+2	2007	22
	Long-term limiting illness	841	21.2	%																			+4	2001	23
Social Work	Clients aged 0-15	24	3.6	%																			-50		
	Clients aged 16-64	151	6.1	%																			+37	2007	24
	Clients aged 65+	158	20.2	%																			+14		
Prosperity - Poverty	'Income deprived'	438	11.0	%																			-21	2006	25
	'Employment deprived'	296	12.4	%																			-3	2006	26
	Workless	330	14.1	%																			-4	2006	27
	JSA - Unemployment	55	2.3	%																			-17	2007	28
	Households without access to car/van	526	28.4	%																			-17	2001	29
	Children in workless households	69	9.6	%																			-48	2001	30
	Social grade E - benefit, unemployed, lowest grade work	570	17.7	%																			-21	2001	31
	Workplaces	421	176.5	cr ³																			+227	2005	32
	Employees ⁵	4,800	201.2	cr																			+168	2005	33
Educ-ation	Primary school attendance	-	94.6	%																			0	05/06	34
	S4 Pupils with 5+ GCSE equivalents	27	65.9	%																			+14	05/06	35
	Adults without qualifications	704	23.5	%																			-29	2001	36
Crime	Serious violent crime ³	10	25.2	cr ⁴																			+72	04-06	37
	Domestic abuse incidents ³	25	63.0	cr ⁴																			-26	04-06	38
	Vandalism ³	119	300.6	cr ⁴																			+11	04-06	39
	Drug Offenders ³	14	34.4	cr ⁴																			-66	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a	%																				2006	41
	House prices	-	120,798	£																			-10	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a	%																				2007	43
	Overcrowding	180	9.7	%																			-17	2001	44
	Travelling to work by foot/bike or public transport	843	34.6	%																			-22	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	23	17.8	%																			-27	02-04	46
	Breastfeeding (at 6 - 8 week review)	13	32.8	%																			-10	04-06	47
	Low birth-weight babies (3 yrs) ²	1-4	1.7	%																			-31	02-04	48
	Immunisation uptake at 24 mths - MMR	-	90.3	%																			0	04-06	50
	-all excl. MMR	-	97.8	%																			+2		
	Dental hospital admissions for children ³	7	1.0	cr																			-9	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	6	38.5	cr ³																			-5	02-04	52
	Road accident casualties - children ³	1-4	5.0	cr ³																			+81	01-04	16

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).

5. Employee numbers based on location of business, not residence area of employees.









cr - crude rate per 100 population; cr² - crude rate per 100,000 population; cr³ - crude rate per 1,000 resident population; cr⁴ - crude rate per 10,000 resident population; cr⁵ - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Lennoxtown

Key: — Lennoxtown - - - - 95% Confidence Intervals — Scotland











NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Lennoxtown									
Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +	Period	Time	Defn		
								-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70	
Population Demographics	Child population (aged 0-15)	859	19.6	%	+9				
	Adult population (aged 16-64)	2,862	65.4	%	0	2006	1		
	Elderly population (aged 65+)	655	15.0	%	-9				
	Minority ethnic groups	47	1.1	%	-47	2001	2		
	Asylum Seekers	n/a	n/a	%	G	2007	3		
	Life expectancy - males	-	73.8	yrs	0	01-05	4		
	Life expectancy - females	-	77.5	yrs	-2				
	Live births	44	1.0	cr	-7	2006	5		
Households - Single adults	n/a	n/a	%	G					
	n/a	n/a	%*	G	2005	6			
Mortality	Deaths all ages (5 yrs) ²	252	843.4	sr	+7				
	Coronary heart disease deaths in under 75s (5 yrs) ²	19	88.0	sr	+15	01-05	7		
	Cancer deaths in under 75s (5 yrs) ²	32	148.3	sr	+1				
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	7	30.7	sr	+27				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	41	874.8	sr	+66	04-06	8		
	Alcohol related deaths (5 yrs) ²	6	27.0	sr	0	01-05	9		
	Estimated smokers (16+)	930	26.8	%	-2	03-04	10		
	Drug related hospital patients ³	1-4	55.1	sr	-29	04-06	11		
	Drug related deaths (10 yrs) ⁴	4	90.3	cr2	+43	97-06	12		
Hospitalisation & Injury	Patients registered with cancer ³	19	371.1	sr	-12	02-04	13		
	Heart disease patients ³	35	648.1	sr	-9				
	Cerebrovascular disease patients ³	8	131.4	sr	-30				
	Emergency medical admission patients ³	255	5,390.5	sr	-14	04-06	14		
	Multiple admission patients ³	47	971.1	sr	-20				
	Unintentional Injury patients ³	46	996.1	sr	-1				
	Patients prescribed statins	822	18.9	%	+3	2006	15		
	Road accident casualties - adults ³	15	4.1	cr3	+3	01-04	16		
	Assault discharges ³	1-4	0.7	cr3	-34	04-06	17		
Mental Health & Function	Suicide (5 yrs) ²	0	0.0	sr	-100	01-05	18		
	Self assessed health (classified as "Not Good")	462	10.5	%	+3	2001	19		
	First hospital admission - psychiatric ³	8	154.9	sr	-39	02-04	20		
	Patients prescribed drugs for anxiety /depression	332	7.6	%	-6	2006	21		
	Incapacity Benefit & SDA Claimants	245	8.8	%	-9	2007	22		
	Long-term limiting illness	940	21.3	%	+5	2001	23		
Social Work	Clients aged 0-15	46	5.4	%	G*	-25			
	Clients aged 16-64	155	5.4	%	G*	+21	2007	24	
	Clients aged 65+	107	16.3	%	G*	-8			
Prosperity - Poverty	'Income deprived'	541	12.3	%	-12	2006	25		
	'Employment deprived'	320	11.5	%	-11	2006	26		
	Workless	370	13.2	%	-10	2006	27		
	JSA - Unemployment	85	3.0	%	+9	2007	28		
	Households without access to car/van	495	28.7	%	-16	2001	29		
	Children in workless households	136	13.0	%	-29	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	704	21.6	%	-4	2001	31		
	Workplaces	92	33.0	cr3	-39	2005	32		
	Employees ⁵	700	23.9	cr	-68	2005	33		
Education	Primary school attendance	-	93.1	%	-2	05/06	34		
	S4 Pupils with 5+ GCSE equivalents	42	62.7	%	+9	05/06	35		
	Adults without qualifications	1,073	33.4	%	+1	2001	36		
Crime	Serious violent crime ³	6	12.9	cr4	-12	04-06	37		
	Domestic abuse incidents ³	23	51.4	cr4	-40	04-06	38		
	Vandalism ³	110	250.4	cr4	-7	04-06	39		
	Drug Offenders ³	16	36.3	cr4	G ^{cc}	-64	04-06	40	
Housing & Transport	Housing type - tenements	n/a	n/a	%	G	2006	41		
	House prices	-	125,176	£	-6	2006	42		
	Housing tenure - Owner Occupiers	n/a	n/a	%	G	2007	43		
	Overcrowding	188	10.9	%	-7	2001	44		
	Travelling to work by foot/bike or public transport	1,010	36.9	%	-17	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	45	31.5	%	+30	02-04	46		
	Breastfeeding (at 6 - 8 week review)	13	30.8	%	-16	04-06	47		
	Low birth-weight babies (3 yrs) ²	1-4	0.7	%	-71	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	91.2	%	+1	04-06	50		
	-all excl. MMR	-	95.9	%	0				
	Dental hospital admissions for children ³	11	1.2	cr	+7	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) ²	11	47.0	cr3	+16	02-04	52		
Road accident casualties - children ³	1-4	3.8	cr3	+35	01-04	16			

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.
Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.
	The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used. n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Lenzie North

Key: — Lenzie North - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Lenzie North

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn		
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70	+				
Population Demographics	Child population (aged 0-15)	1,004	17.5 %	-3	2006	1		
	Adult population (aged 16-64)	3,698	64.4 %	-2				
	Elderly population (aged 65+)	1,036	18.1 %	+10	2001	2		
	Minority ethnic groups	118	2.0 %	0				
	Asylum Seekers	n/a	n/a %	G	2007	3		
	Life expectancy - males	-	81.5 yrs	+10	01-05	4		
	Life expectancy - females	-	81.5 yrs	+3				
	Live births	51	0.9 cr	-18	2006	5		
	Households - Single adults	n/a	n/a %	G	2005	6		
	Single parents	n/a	n/a %	G				
Mortality	Deaths all ages (5 yrs) ²	238	534.6 sr	-32	01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) ²	18	48.7 sr	-36				
	Cancer deaths in under 75s (5 yrs) ²	47	132.6 sr	-10				
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	14.4 sr	-41				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	32	452.8 sr	-9	04-06	8		
	Alcohol related deaths (5 yrs) ²	4	5.4 sr	-80	01-05	9		
	Estimated smokers (16+)	841	17.5 %	-36	03-04	10		
	Drug related hospital patients ³	1-4	26.4 sr	-66	04-06	11		
	Drug related deaths (10 yrs) ⁴	3	51.0 cr2	-19	97-06	12		
	Patients registered with cancer ³	30	368.8 sr	-12	02-04	13		
Hospitalisation & Injury	Heart disease patients ³	52	667.5 sr	-6	04-06	14		
	Cerebrovascular disease patients ³	6	69.8 sr	-63				
	Emergency medical admission patients ³	310	4,521.0 sr	-28				
	Multiple admission patients ³	53	707.7 sr	-42				
	Unintentional Injury patients ³	37	581.7 sr	-42				
	Patients prescribed statins	1,282	21.6 %	+18			2006	15
	Road accident casualties - adults ³	16	3.2 cr3	-19			01-04	16
	Assault discharges ³	1-4	0.5 cr3	-55			04-06	17
Mental Health & Function	Suicide (5 yrs) ²	3	8.7 sr	-45	01-05	18		
	Self assessed health (classified as "Not Good")	496	8.4 %	-17	2001	19		
	First hospital admission - psychiatric ³	10	138.6 sr	-46	02-04	20		
	Patients prescribed drugs for anxiety /depression	515	8.7 %	+7	2006	21		
	Incapacity Benefit & SDA Claimants	195	5.5 %	-42	2007	22		
	Long-term limiting illness	1,021	17.3 %	-15	2001	23		
	Social Work	Clients aged 0-15	35	3.5 %	G*	2007	24	
Clients aged 16-64		109	2.9 %	G*				
Clients aged 65+		113	10.9 %	G*				
Prosperity - Poverty	'Income deprived'	331	5.8 %	-58	2006	25		
	'Employment deprived'	273	7.8 %	-40	2006	26		
	Workless	260	7.4 %	-50	2006	27		
	JSA - Unemployment	50	1.4 %	-49	2007	28		
	Households without access to car/van	378	17.6 %	-49	2001	29		
	Children in workless households	78	6.2 %	-66	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	749	16.5 %	-27	2001	31		
	Workplaces	129	36.6 cr3	-32	2005	32		
	Employees ⁵	2,200	61.6 cr	-18	2005	33		
	Education	Primary school attendance	-	95.3 %	0	05/06	34	
S4 Pupils with 5+ GCSE equivalents		61	84.7 %	+47	05/06	35		
Adults without qualifications		1,080	24.6 %	-26	2001	36		
Crime	Serious violent crime ³	5	8.7 cr4	-40	04-06	37		
	Domestic abuse incidents ³	13	22.7 cr4	-73	04-06	38		
	Vandalism ³	66	114.7 cr4	-58	04-06	39		
	Drug Offenders ³	13	22.1 cr4	G ^{CC}	04-06	40		
Housing & Transport	Housing type - tenements	n/a	n/a %	G	2006	41		
	House prices	-	175,124 £	+31	2006	42		
	Housing tenure - Owner Occupiers	n/a	n/a %	G	2007	43		
	Overcrowding	115	5.4 %	-54	2001	44		
	Travelling to work by foot/bike or public transport	1,485	40.7 %	-9	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	16	12.8 %	-47	02-04	46		
	Breastfeeding (at 6 - 8 week review)	25	53.2 %	+46	04-06	47		
	Low birth-weight babies (3 yrs) ²	1-4	1.8 %	-28	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	91.0 %	+1	04-06	50		
	-all excl. MMR	-	99.3 %	+3				
	Dental hospital admissions for children ³	6	0.6 cr	-46	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-cr3	-	02-04	52		
Road accident casualties - children ³	1-4	3.8 cr3	+37	01-04	16			

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.









Key

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources. The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Lenzie South

Key: — Lenzie South - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Lenzie South																				
Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +							Time Period	Defn									
			-70	-60	-50	-40	-30	-20	-10			0	+10	+20	+30	+40	+50	+60	+70	
Population Demographics	Child population (aged 0-15)	675	19.0	%														+6	2006	1
	Adult population (aged 16-64)	2,402	67.8	%														+3		
	Elderly population (aged 65+)	468	13.2	%														-19		
	Minority ethnic groups	89	2.4	%														+22		
	Asylum Seekers	n/a	n/a	%	G															
	Life expectancy - males	-	84.3	yrs														+14		
	Life expectancy - females	-	85.4	yrs														+8		
	Live births	32	0.9	cr														-17		
Households - Single adults	n/a	n/a	%	G																
	n/a	n/a	%*	G																
Mortality	Deaths all ages (5 yrs) ²	75	398.6	sr														-49	01-05	7
	Coronary heart disease deaths in under 75s (5 yrs) ²	3	16.5	sr														-78		
	Cancer deaths in under 75s (5 yrs) ²	17	91.0	sr														-38		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	0	0.0	sr														-100		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	14	357.5	sr														-12	04-06	8
	Alcohol related deaths (5 yrs) ²	3	13.7	sr														-49	01-05	9
	Estimated smokers (16+)	370	12.8	%														-53	03-04	10
	Drug related hospital patients ³	0	0.0	sr														-100	04-06	11
	Drug related deaths (10 yrs) ⁴	1	27.6	cr2														-56	97-06	12
Hospitalisation & Injury	Patients registered with cancer ³	15	430.1	sr														+2	02-04	13
	Heart disease patients ³	21	462.6	sr														-35	04-06	14
	Cerebrovascular disease patients ³	4	108.4	sr														-42		
	Emergency medical admission patients ³	150	4,099.5	sr														-34		
	Multiple admission patients ³	22	570.9	sr														-53		
	Unintentional Injury patients ³	16	464.9	sr														-54		
	Patients prescribed statins	814	21.7	%														+19	2006	15
	Road accident casualties - adults ³	11	3.7	cr3														-9	01-04	16
Assault discharges ³	14	0.1	cr3														-91	04-06	17	
Mental Health & Function	Suicide (5 yrs) ²	3	15.9	sr														+1	01-05	18
	Self assessed health (classified as "Not Good")	177	4.9	%														-52	2001	19
	First hospital admission - psychiatric ³	3	70.0	sr														-73	02-04	20
	Patients prescribed drugs for anxiety /depression	326	8.7	%														+8	2006	21
	Incapacity Benefit & SDA Claimants	75	3.3	%														-66	2007	22
Long-term limiting illness	414	11.4	%														-44	2001	23	
Social Work	Clients aged 0-15	5	0.7	%	G*													-90	2007	24
	Clients aged 16-64	27	1.1	%	G*													-75		
	Clients aged 65+	48	10.3	%	G*													-42		
Prosperity - Poverty	'Income deprived'	74	2.1	%														-85	2006	25
	'Employment deprived'	102	4.4	%														-66	2006	26
	Workless	110	4.8	%														-67	2006	27
	JSA - Unemployment	15	0.6	%														-77	2007	28
	Households without access to car/van	101	7.6	%														-78	2001	29
	Children in workless households	14	1.6	%														-91	2001	30
	Social grade E - benefit, unemployed, lowest grade work	196	6.8	%														-70	2001	31
	Workplaces	68	29.4	cr3														-45	2005	32
	Employees ⁵	300	14.1	cr														-81	2005	33
Education	Primary school attendance	-	96.5	%														+2	05/06	34
	S4 Pupils with 5+ GCSE equivalents	41	93.2	%														+61	05/06	35
	Adults without qualifications	358	13.0	%														-61	2001	36
Crime	Serious violent crime ³	0	0.0	cr4														-100	04-06	37
	Domestic abuse incidents ³	4	11.2	cr4														-87	04-06	38
	Vandalism ³	34	95.6	cr4	G ^{CC}													-65	04-06	39
	Drug Offenders ³	6	16.9	cr4	G ^{CC}													-83	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a	%	G															
	House prices	-	227,883	£														+70	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a	%	G															
	Overcrowding	40	3.0	%														-74	2001	44
	Travelling to work by foot/bike or public transport	1,035	39.6	%														-11	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	7	8.0	%														-67	02-04	46
	Breastfeeding (at 6 - 8 week review)	21	71.3	%														+96	04-06	47
	Low birth-weight babies (3 yrs) ²	14	3.6	%														+47	02-04	48
	Immunisation uptake at 24 mths - MMR	-	89.9	%														0		
	-all excl. MMR	-	98.9	%														+3	04-06	50
	Dental hospital admissions for children ³	14	0.6	cr														-49	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	14	-	cr3														-	02-04	52
	Road accident casualties - children ³	14	0.3	cr3														-88	01-04	16

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Milton of Campsie

Key: — Milton of Campsie - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Milton of Campsie









Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +													Period	Defn					
			-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30	+40	+50			+60	+70			
Population Demographics	Child population (aged 0-15)	771	19.2	%																+7	2006	1
	Adult population (aged 16-64)	2,665	66.4	%																+1		
	Elderly population (aged 65+)	579	14.4	%																-12		
	Minority ethnic groups	20	0.5	%																-76		
	Asylum Seekers	n/a	n/a	%																		
	Life expectancy - males	-	74.0	yrs																0	01-05	4
	Life expectancy - females	-	78.5	yrs																-1		
	Live births	38	0.9	cr																-13	2006	5
Households - Single adults	n/a	n/a	%																	2005	6	
	n/a	n/a	%*																			
Mortality	Deaths all ages (5 yrs) ²	227	857.0	sr															+9	01-05	7	
	Coronary heart disease deaths in under 75s (5 yrs) ²	14	68.0	sr															-11			
	Cancer deaths in under 75s (5 yrs) ²	28	135.6	sr															-7			
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	10	47.5	sr															+96			
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	27	584.6	sr															+22	04-06	8	
	Alcohol related deaths (5 yrs) ²	5	19.6	sr															-28	01-05	9	
	Estimated smokers (16+)	585	17.7	%															-35	03-04	10	
	Drug related hospital patients ³	1-4	13.2	sr															-83	04-06	11	
	Drug related deaths (10 yrs) ⁴	0	0.0	cr ²															-100	97-06	12	
Hospitalisation & Injury	Patients registered with cancer ³	20	394.0	sr															-6	04-06	14	
	Heart disease patients ³	26	515.1	sr															-28			
	Cerebrovascular disease patients ³	8	145.6	sr															-23			
	Emergency medical admission patients ³	238	5,227.0	sr															-16			
	Multiple admission patients ³	46	973.8	sr															-20			
	Unintentional Injury patients ³	41	909.6	sr															-10			
	Patients prescribed statins	898	21.3	%															+17			
	Road accident casualties - adults ³	7	2.1	cr ³															-48			
Mental Health & Function	Assault discharges ³	1-4	0.5	cr ³															-52	04-06	17	
	Suicide (5 yrs) ²	3	14.0	sr															-11	01-05	18	
	Self assessed health (classified as "Not Good")	332	7.9	%															-22	2001	19	
	First hospital admission - psychiatric ³	7	173.6	sr															-32	02-04	20	
	Patients prescribed drugs for anxiety /depression	371	8.8	%															+9	2006	21	
	Incapacity Benefit & SDA Claimants	145	5.6	%															-42	2007	22	
	Long-term limiting illness	670	16.0	%															-21	2001	23	
Social Work	Clients aged 0-15	17	2.2	%															-69	2007	24	
	Clients aged 16-64	88	3.3	%															-26			
	Clients aged 65+	87	15.0	%															-15			
Prosperity - Poverty	'Income deprived'	245	6.1	%															-56	2006	25	
	'Employment deprived'	176	6.8	%															-47	2006	26	
	Workless	210	8.1	%															-45	2006	27	
	JSA - Unemployment	35	1.4	%															-51	2007	28	
	Households without access to car/van	263	16.8	%															-51	2001	29	
	Children in workless households	96	9.3	%															-49	2001	30	
	Social grade E - benefit, unemployed, lowest grade work	403	12.4	%															-45	2001	31	
	Workplaces	58	22.5	cr ³															-58	2005	32	
	Employees ⁵	400	16.5	cr															-78	2005	33	
	Education	Primary school attendance	-	94.4	%															-1	05/06	34
S4 Pupils with 5+ GCSE equivalents		37	68.5	%															+19	05/06	35	
Adults without qualifications		690	22.5	%															-32	2001	36	
Crime	Serious violent crime ³	2	4.1	cr ⁴															-72	04-06	37	
	Domestic abuse incidents ³	11	27.2	cr ⁴															-68	04-06	38	
	Vandalism ³	59	144.9	cr ⁴															-46	04-06	39	
	Drug Offenders ³	13	31.3	cr ⁴															-69	04-06	40	
Housing & Transport	Housing type - tenements	n/a	n/a	%																2006	41	
	House prices	-	139,338	£															+4	2006	42	
	Housing tenure - Owner Occupiers	n/a	n/a	%																2007	43	
	Overcrowding	95	6.1	%															-48	2001	44	
	Travelling to work by foot/bike or public transport	1,012	35.3	%															-21	2001	45	
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	13	12.6	%															-48	02-04	46	
	Breastfeeding (at 6 - 8 week review)	13	41.2	%															+13	04-06	47	
	Low birth-weight babies (3 yrs) ²	1-4	3.2	%															+30	02-04	48	
	Immunisation uptake at 24 mths - MMR	-	94.3	%															+4	04-06	50	
		-all excl. MMR	-	99.1	%														+3			
	Dental hospital admissions for children ³	8	1.0	cr															-11	03-06	51	
	Teenage pregnancy - under 18 years (3 yrs) ²	9	38.0	cr ³															-6	02-04	52	
	Road accident casualties - children ³	1-4	1.8	cr ³															-35	01-04	16	

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.

Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.
	The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.
	n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

North Castlehill and Thorn

Key: — North Castlehill and Thorn - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

North Castlehill and Thorn

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn
Population Demographics						
Child population (aged 0-15)	929	20.5 %		+14		
Adult population (aged 16-64)	2,952	65.0 %		-1	2006	1
Elderly population (aged 65+)	658	14.5 %		-11		
Minority ethnic groups	322	7.0 %		+246	2001	2
Asylum Seekers	n/a	n/a %	G		2007	3
Life expectancy - males	-	79.7 yrs		+8	01-05	4
Life expectancy - females	-	79.3 yrs		0		
Live births	31	0.7 cr		-37	2006	5
Households - Single adults	n/a	n/a %	G			
Households - Single parents	n/a	n/a %*	G		2005	6
Mortality						
Deaths all ages (5 yrs) ²	214	630.2 sr		-20		
Coronary heart disease deaths in under 75s (5 yrs) ²	7	35.0 sr		-54	01-05	7
Cancer deaths in under 75s (5 yrs) ²	22	107.6 sr		-27		
Cerebrovascular disease deaths in under 75s (5 yrs) ²	1	5.2 sr		-78		
Drugs, Alcohol and Smoking						
Alcohol related and attributable hospital patients ³	14	245.7 sr		-39	04-06	8
Alcohol related deaths (5 yrs) ²	2	9.0 sr		-67	01-05	9
Estimated smokers (16+)	471	13.3 %		-51	03-04	10
Drug related hospital patients ³	0	0.0 sr		-100	04-06	11
Drug related deaths (10 yrs) ⁴	0	0.0 cr2		-100	97-06	12
Hospitalisation & Injury						
Patients registered with cancer ³	14	303.8 sr		-28	02-04	13
Heart disease patients ³	32	630.6 sr		-12		
Cerebrovascular disease patients ³	7	113.3 sr		-40		
Emergency medical admission patients ³	180	3,491.9 sr		-44	04-06	14
Multiple admission patients ³	31	586.7 sr		-52		
Unintentional Injury patients ³	27	517.6 sr		-49		
Patients prescribed statins	868	18.9 %		+4	2006	15
Road accident casualties - adults ³	1-4	1.0 cr3		-76	01-04	16
Assault discharges ³	1-4	0.6 cr3		-43	04-06	17
Mental Health & Function						
Suicide (5 yrs) ²	4	19.2 sr		+22	01-05	18
Self assessed health (classified as "Not Good")	224	4.8 %		-52	2001	19
First hospital admission - psychiatric ³	7	134.9 sr		-47	02-04	20
Patients prescribed drugs for anxiety /depression	297	6.5 %		-20	2006	21
Incapacity Benefit & SDA Claimants	70	2.4 %		-75	2007	22
Long-term limiting illness	472	10.2 %		-50	2001	23
Social Work						
Clients aged 0-15	11	1.2 %	G*	-83		
Clients aged 16-64	32	1.1 %	G*	-76	2007	24
Clients aged 65+	63	9.6 %	G*	-46		
Prosperity - Poverty						
'Income deprived'	108	2.4 %		-83	2006	25
'Employment deprived'	104	3.6 %		-72	2006	26
Workless	105	3.7 %		-75	2006	27
JSA - Unemployment	25	0.9 %		-69	2007	28
Households without access to car/van	94	6.1 %		-82	2001	29
Children in workless households	34	2.9 %		-84	2001	30
Social grade E - benefit, unemployed, lowest grade work	239	7.1 %		-68	2001	31
Workplaces	77	26.9 cr3		-50	2005	32
Employees ⁵	400	15.0 cr		-80	2005	33
Educ-ation						
Primary school attendance	-	95.7 %		+1	05/06	34
S4 Pupils with 5+ GCSE equivalents	43	78.2 %		+35	05/06	35
Adults without qualifications	497	14.7 %		-56	2001	36
Crime						
Serious violent crime ³	1	1.5 cr4		-90	04-06	37
Domestic abuse incidents ³	2	4.4 cr4		-95	04-06	38
Vandalism ³	40	87.0 cr4	G ^{cc}	-68	04-06	39
Drug Offenders ³	1-4	4.4 cr4	G ^{cc}	-96	04-06	40
Housing & Transport						
Housing type - tenements	n/a	n/a %	G		2006	41
House prices	-	204,108 £		+52	2006	42
Housing tenure - Owner Occupiers	n/a	n/a %	G		2007	43
Overcrowding	92	5.9 %		-49	2001	44
Travelling to work by foot/bike or public transport	1,174	34.8 %		-22	2001	45
Child & Maternal Health						
Smoking during pregnancy (3 yrs) ²	16	11.7 %		-52	02-04	46
Breastfeeding (at 6 - 8 week review)	20	50.8 %		+40	04-06	47
Low birth-weight babies (3 yrs) ²	1-4	0.8 %		-68	02-04	48
Immunisation uptake at 24 mths - MMR	-	90.2 %		0		
-all excl. MMR	-	99.3 %		+3	04-06	50
Dental hospital admissions for children ³	8	0.8 cr		-27	03-06	51
Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-cr3			02-04	52
Road accident casualties - children ³	1-4	1.3 cr3		-54	01-04	16

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Rosebank and Waterside









Key: — Rosebank and Waterside - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

South Castlehill and Thorn

Key: — South Castlehill and Thorn - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

South Castlehill and Thorn

		Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +	Period	Defn
Indicator				-70 -60 -50 -40 -30 -20 -10 0 +10+20+30 +40 +50+60 +70		
Population Demographics	Child population (aged 0-15)	992	22.9 %	+27		
	Adult population (aged 16-64)	2,644	61.1 %	-7	2006	1
	Elderly population (aged 65+)	692	16.0 %	-2		
	Minority ethnic groups	185	4.1 %	+105	2001	2
	Asylum Seekers	n/a	n/a %		2007	3
	Life expectancy - males	-	82.0 yrs	+11	01-05	4
	Life expectancy - females	-	87.4 yrs	+11		
	Live births	29	0.7 cr	-38	2006	5
Households - Single adults	n/a	n/a %				
	n/a	n/a %*		2005	6	
Mortality	Deaths all ages (5 yrs) ²	116	420.7 sr	-47		
	Coronary heart disease deaths in under 75s (5 yrs) ²	7	29.2 sr	-62	01-05	7
	Cancer deaths in under 75s (5 yrs) ²	21	84.3 sr	-42		
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	3	11.6 sr	-52		
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	18	374.8 sr	-13	04-06	8
	Alcohol related deaths (5 yrs) ²	4	15.2 sr	-44	01-05	9
	Estimated smokers (16+)	440	12.9 %	-52	03-04	10
	Drug related hospital patients ³	1-4	18.2 sr	-77	04-06	11
	Drug related deaths (10 yrs) ⁴	1	22.2 cr2	-65	97-06	12
Hospitalisation & Injury	Patients registered with cancer ³	19	346.5 sr	-18	02-04	13
	Heart disease patients ³	26	486.1 sr	-32		
	Cerebrovascular disease patients ³	7	123.5 sr	-34		
	Emergency medical admission patients ³	192	4,043.9 sr	-35	04-06	14
	Multiple admission patients ³	33	653.9 sr	-46		
	Unintentional Injury patients ³	28	675.9 sr	-33		
	Patients prescribed statins	868	18.2 %	0	2006	15
	Road accident casualties - adults ³	7	2.1 cr3	-48	01-04	16
Mental Health & Function	Assault discharges ³	1-4	0.2 cr3	-85	04-06	17
	Suicide (5 yrs) ²	0	0.0 sr	-100	01-05	18
	Self assessed health (classified as "Not Good")	233	5.2 %	-49	2001	19
	First hospital admission - psychiatric ³	9	181.4 sr	-29	02-04	20
	Patients prescribed drugs for anxiety /depression	283	5.9 %	-27	2006	21
	Incapacity Benefit & SDA Claimants	100	3.9 %	-59	2007	22
	Long-term limiting illness	503	11.2 %	-45	2001	23
Social Work	Clients aged 0-15	22	2.2 %	-69		
	Clients aged 16-64	82	3.1 %	-31	2007	24
	Clients aged 65+	85	12.3 %	-31		
Prosperity - Poverty	'Income deprived'	233	5.4 %	-61	2006	25
	'Employment deprived'	129	5.1 %	-60	2006	26
	Workless	155	6.1 %	-58	2006	27
	JSA - Unemployment	30	1.2 %	-57	2007	28
	Households without access to car/van	188	11.7 %	-66	2001	29
	Children in workless households	127	10.1 %	-45	2001	30
	Social grade E - benefit, unemployed, lowest grade work	344	10.2 %	-54	2001	31
	Workplaces	105	41.6 cr3	-23	2005	32
	Employees ⁵	400	16.9 cr	-77	2005	33
Education	Primary school attendance	-	95.0 %	0	05/06	34
	S4 Pupils with 5+ GCSE equivalents	46	82.1 %	+42	05/06	35
	Adults without qualifications	448	14.2 %	-57	2001	36
Crime	Serious violent crime ³	2	5.4 cr4	-63	04-06	37
	Domestic abuse incidents ³	12	27.7 cr4	-68	04-06	38
	Vandalism ³	64	148.3 cr4	-45	04-06	39
	Drug Offenders ³	17	39.9 cr4	-60	04-06	40
Housing & Transport	Housing type - tenements	n/a	n/a %		2006	41
	House prices	-	292,090 £	+118	2006	42
	Housing tenure - Owner Occupiers	n/a	n/a %		2007	43
	Overcrowding	82	5.1 %	-56	2001	44
	Travelling to work by foot/bike or public transport	1,192	40.1 %	-10	2001	45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	15	14.7 %	-39	02-04	46
	Breastfeeding (at 6 - 8 week review)	23	66.3 %	+82	04-06	47
	Low birth-weight babies (3 yrs) ²	0	0.0 %	-100	02-04	48
	Immunisation uptake at 24 mths - MMR	-	88.5 %	-2	04-06	50
	-all excl. MMR	-	96.2 %	0		
	Dental hospital admissions for children ³	8	0.8 cr	-32	03-06	51
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-cr3	-100	02-04	52
Road accident casualties - children ³	0	0.0 cr3	-100	01-04	16	

Notes

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

Key









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Torrance and Balmore









Key: — Torrance and Balmore - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Twechar and Harestanes East

Key: — Twechar and Harestanes East - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.









Twechar and Harestanes East

Indicator	Number	Measure	- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
Population Demographics	Child population (aged 0-15)	539	18.0	%	0	
	Adult population (aged 16-64)	2,093	69.9	%	+7	2006 1
	Elderly population (aged 65+)	362	12.1	%	-26	
	Minority ethnic groups	14	0.4	%	-78	2001 2
	Asylum Seekers	n/a	n/a	%		2007 3
	Life expectancy - males	-	73.1	yrs	-1	01-05 4
	Life expectancy - females	-	75.0	yrs	-5	
	Live births	28	0.9	cr	-14	2006 5
Households - Single adults	n/a	n/a	%			
	n/a	n/a	%*		2005 6	
Mortality	Deaths all ages (5 yrs) ²	156	999.0	sr	+27	
	Coronary heart disease deaths in under 75s (5 yrs) ²	21	141.8	sr	+85	01-05 7
	Cancer deaths in under 75s (5 yrs) ²	35	220.1	sr	+50	
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	30.1	sr	+24	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	25	803.3	sr	+68	04-06 8
	Alcohol related deaths (5 yrs) ²	4	22.0	sr	-19	01-05 9
	Estimated smokers (16+)	904	35.2	%	+29	03-04 10
	Drug related hospital patients ³	1-4	79.9	sr	+3	04-06 11
	Drug related deaths (10 yrs) ⁴	1	31.2	cr2	-51	97-06 12
	Hospitalisation & Injury	Patients registered with cancer ³	15	438.7	sr	+4
Heart disease patients ³		25	766.2	sr	+7	
Cerebrovascular disease patients ³		7	223.0	sr	+18	
Emergency medical admission patients ³		207	6,794.5	sr	+9	04-06 14
Multiple admission patients ³		40	1,317.9	sr	+8	
Unintentional Injury patients ³		27	905.0	sr	-10	
Patients prescribed statins		723	22.6	%	+24	2006 15
Road accident casualties - adults ³		7	2.5	cr3	-37	01-04 16
Assault discharges ³		1-4	1.1	cr3	+7	04-06 17
Mental Health & Function	Suicide (5 yrs) ²	3	18.0	sr	+15	01-05 18
	Self assessed health (classified as "Not Good")	402	12.5	%	+23	2001 19
	First hospital admission - psychiatric ³	10	331.6	sr	+30	02-04 20
	Patients prescribed drugs for anxiety /depression	298	9.3	%	+15	2006 21
	Incapacity Benefit & SDA Claimants	235	11.7	%	+21	2007 22
	Long-term limiting illness	703	21.8	%	+7	2001 23
	Social Work	Clients aged 0-15	50	9.3	%	+30
Clients aged 16-64		138	6.6	%	+47	2007 24
Clients aged 65+		83	22.9	%	+30	
Prosperity - Poverty	'Income deprived'	418	13.8	%	0	2006 25
	'Employment deprived'	311	15.4	%	+20	2006 26
	Workless	365	18.1	%	+23	2006 27
	JSA - Unemployment	60	3.0	%	+6	2007 28
	Households without access to car/van	461	34.8	%	+2	2001 29
	Children in workless households	125	17.0	%	-7	2001 30
	Social grade E - benefit, unemployed, lowest grade work	628	24.4	%	+9	2001 31
	Workplaces	38	18.8	cr3	-65	2005 32
	Employees ⁵	300	15.3	cr	-80	2005 33
Education	Primary school attendance	-	92.5	%	-3	05/06 34
	S4 Pupils with 5+ GCSE equivalents	26	55.3	%	-4	05/06 35
	Adults without qualifications	971	39.6	%	+19	2001 36
Crime	Serious violent crime ³	4	12.1	cr4	-17	04-06 37
	Domestic abuse incidents ³	10	32.0	cr4	-63	04-06 38
	Vandalism ³	55	181.9	cr4	-33	04-06 39
	Drug Offenders ³	22	71.7	cr4	-29	04-06 40
Housing & Transport	Housing type - tenements	n/a	n/a	%		2006 41
	House prices	-	98,307	£	-27	2006 42
	Housing tenure - Owner Occupiers	n/a	n/a	%		2007 43
	Overcrowding	182	13.7	%	+17	2001 44
	Travelling to work by foot/bike or public transport	875	42.4	%	-5	2001 45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	31	35.2	%	+45	02-04 46
	Breastfeeding (at 6 - 8 week review)	4	19.4	%	-47	04-06 47
	Low birth-weight babies (3 yrs) ²	1-4	3.7	%	+50	02-04 48
	Immunisation uptake at 24 mths - MMR	-	84.4	%	-6	
	-all excl. MMR	-	98.9	%	+3	04-06 50
	Dental hospital admissions for children ³	12	2.2	cr	+89	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) ²	11	48.9	cr3	+21	02-04 52
Road accident casualties - children ³	1-4	2.6	cr3	-9	01-04 16	

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.
Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.
	The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used. n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

West Clober and Mains Estate

Key: — West Clober and Mains Estate - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.









West Clober and Mains Estate

Indicator	Number	Measure		- (Below) Scottish Average (%) ¹ (Above) +		Period	Defn
				-70 -60 -50 -40 -30 -20 -10 0 +10+20+30 +40 +50+60 +70			
Population Demographics	Child population (aged 0-15)	736	24.2	%		+35	
	Adult population (aged 16-64)	2,004	66.0	%		+1	2006 1
	Elderly population (aged 65+)	297	9.8	%		-40	
	Minority ethnic groups	86	2.9	%		+43	2001 2
	Asylum Seekers	n/a	n/a	%	G		2007 3
	Life expectancy - males	-	81.7	yrs		+11	01-05 4
	Life expectancy - females	-	82.8	yrs		+5	
	Live births	26	0.9	cr		-21	2006 5
Households - Single adults	n/a	n/a	%	G			2005 6
	n/a	n/a	%*	G			
Mortality	Deaths all ages (5 yrs) ²	46	469.7	sr		-40	
	Coronary heart disease deaths in under 75s (5 yrs) ²	2	13.4	sr		-83	01-05 7
	Cancer deaths in under 75s (5 yrs) ²	12	95.5	sr		-35	
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	1	5.1	sr		-79	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	9	361.2	sr		+15	04-06 8
	Alcohol related deaths (5 yrs) ²	2	12.5	sr		-54	01-05 9
	Estimated smokers (16+)	447	20.6	%		-24	03-04 10
	Drug related hospital patients ³	1-4	10.1	sr		-87	04-06 11
	Drug related deaths (10 yrs) ⁴	0	0.0	cr2		-100	97-06 12
	Hospitalisation & Injury	Patients registered with cancer ³	9	343.0	sr		-18
Heart disease patients ³		10	371.6	sr		-48	
Cerebrovascular disease patients ³		2	124.1	sr		-34	
Emergency medical admission patients ³		88	3,328.9	sr		-47	04-06 14
Multiple admission patients ³		10	372.4	sr		-69	
Unintentional Injury patients ³		15	571.9	sr		-43	
Patients prescribed statins		633	20.9	%		+15	2006 15
Road accident casualties - adults ³		1-4	1.6	cr3		-61	01-04 16
Assault discharges ³		0	0.0	cr3		-100	04-06 17
Mental Health & Function		Suicide (5 yrs) ²	3	17.3	sr		+10
	Self assessed health (classified as "Not Good")	119	4.0	%		-61	2001 19
	First hospital admission - psychiatric ³	3	98.0	sr		-62	02-04 20
	Patients prescribed drugs for anxiety /depression	191	6.3	%		-22	2006 21
	Incapacity Benefit & SDA Claimants	50	2.6	%		-73	2007 22
	Long-term limiting illness	254	8.5	%		-58	2001 23
	Social Work	Clients aged 0-15	17	2.3	%	G*	-68
Clients aged 16-64		41	2.0	%	G*	-54	2007 24
Clients aged 65+		14	4.7	%	G*	-73	
Prosperity - Poverty	'Income deprived'	67	2.2	%		-84	2006 25
	'Employment deprived'	71	3.7	%		-71	2006 26
	Workless	85	4.3	%		-70	2006 27
	JSA - Unemployment	15	0.8	%		-72	2007 28
	Households without access to car/van	74	7.1	%		-79	2001 29
	Children in workless households	30	3.3	%		-82	2001 30
	Social grade E - benefit, unemployed, lowest grade work	144	6.6	%		-70	2001 31
	Workplaces	61	31.6	cr3		-42	2005 32
	Employees ⁵	300	14.1	cr		-81	2005 33
	Education	Primary school attendance	-	95.4	%		0
S4 Pupils with 5+ GCSE equivalents		44	84.6	%		+46	05/06 35
Adults without qualifications		301	14.3	%		-57	2001 36
Crime	Serious violent crime ³	0	0.0	cr4		-100	04-06 37
	Domestic abuse incidents ³	6	18.5	cr4		-78	04-06 38
	Vandalism ³	44	143.9	cr4	G ^{cc}	-47	04-06 39
	Drug Offenders ³	8	26.2	cr4	G ^{cc}	-74	04-06 40
Housing & Transport	Housing type - tenements	n/a	n/a	%	G		2006 41
	House prices	-	211,764	£		+58	2006 42
	Housing tenure - Owner Occupiers	n/a	n/a	%	G		2007 43
	Overcrowding	40	3.8	%		-67	2001 44
	Travelling to work by foot/bike or public transport	676	31.3	%		-30	2001 45
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	15	15.5	%		-36	02-04 46
	Breastfeeding (at 6 - 8 week review)	12	49.3	%		+35	04-06 47
	Low birth-weight babies (3 yrs) ²	1-4	1.1	%		-56	02-04 48
	Immunisation uptake at 24 mths - MMR	-	93.9	%		+4	04-06 50
	-all excl. MMR	-	96.9	%		+1	
	Dental hospital admissions for children ³	1-4	0.4	cr		-63	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-	cr3			02-04 52
	Road accident casualties - children ³	1-4	0.3	cr3		-89	01-04 16

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.
Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources. The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.
	n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Westerton East

Key: — Westerton East - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.









Westerton East

Indicator	Number	Measure	-	(Below) Scottish Average (%) ¹ (Above) +											+	Period	Time	Defn			
				-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30					+40	+50	+60
Population Demographics	Child population (aged 0-15)	663	20.6	%															+14	2006	1
	Adult population (aged 16-64)	2,007	62.4	%															-5		
	Elderly population (aged 65+)	547	17.0	%															+4		
	Minority ethnic groups	224	6.9	%															+245		
	Asylum Seekers	n/a	n/a	%																	
	Life expectancy - males	-	77.3	yrs															+5		
	Life expectancy - females	-	80.5	yrs															+2		
	Live births	37	1.2	cr															+6		
Households - Single adults	n/a	n/a	%																2005	6	
	n/a	n/a	%*																		
Mortality	Deaths all ages (5 yrs) ²	215	742.1	sr														-6	01-05	7	
	Coronary heart disease deaths in under 75s (5 yrs) ²	8	35.5	sr														-54			
	Cancer deaths in under 75s (5 yrs) ²	18	95.5	sr														-35			
	Cerebrovascular disease deaths in under 75s (5 yrs) ²	5	25.7	sr														+6			
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients ³	11	268.7	sr														-27	04-06	8	
	Alcohol related deaths (5 yrs) ²	2	8.5	sr														-69	01-05	9	
	Estimated smokers (16+)	359	14.0	%														-49	03-04	10	
	Drug related hospital patients ³	0	0.0	sr														-100	04-06	11	
	Drug related deaths (10 yrs) ⁴	0	0.0	cr2														-100	97-06	12	
	Patients registered with cancer ³	15	333.9	sr														-21	02-04	13	
Hospitalisation & Injury	Heart disease patients ³	23	512.3	sr														-28	04-06	14	
	Cerebrovascular disease patients ³	6	122.7	sr														-35			
	Emergency medical admission patients ³	155	3,980.4	sr														-36			
	Multiple admission patients ³	28	593.9	sr														-51			
	Unintentional Injury patients ³	23	564.8	sr														-44			
	Patients prescribed statins	643	18.9	%														+4			
	Road accident casualties - adults ³	8	3.2	cr3														-19			
	Assault discharges ³	1-4	0.3	cr3														-70			
Mental Health & Function	Suicide (5 yrs) ²	1	5.0	sr														-68	01-05	18	
	Self assessed health (classified as "Not Good")	200	6.2	%														-39	2001	19	
	First hospital admission - psychiatric ³	3	54.0	sr														-79	02-04	20	
	Patients prescribed drugs for anxiety /depression	262	7.7	%														-5	2006	21	
	Incapacity Benefit & SDA Claimants	50	2.6	%														-73	2007	22	
	Long-term limiting illness	468	14.5	%														-29	2001	23	
Social Work	Clients aged 0-15	11	1.7	%														-77	2007	24	
	Clients aged 16-64	30	1.5	%														-67			
	Clients aged 65+	60	11.0	%														-38			
Prosperity - Poverty	'Income deprived'	83	2.6	%														-81	2006	25	
	'Employment deprived'	71	3.7	%														-71	2006	26	
	Workless	65	3.4	%														-77	2006	27	
	JSA - Unemployment	10	0.5	%														-81	2007	28	
	Households without access to car/van	132	11.2	%														-67	2001	29	
	Children in workless households	34	4.4	%														-76	2001	30	
	Social grade E - benefit, unemployed, lowest grade work	212	8.6	%														-62	2001	31	
	Workplaces	75	39.4	cr3														-27	2005	32	
	Employees ⁵	300	16.5	cr														-78	2005	33	
Education	Primary school attendance	-	95.8	%														+1	05/06	34	
	S4 Pupils with 5+ GCSE equivalents	26	83.9	%														+45	05/06	35	
	Adults without qualifications	375	16.3	%														-51	2001	36	
Crime	Serious violent crime ³	1	3.1	cr4														-79	04-06	37	
	Domestic abuse incidents ³	5	15.6	cr4														-82	04-06	38	
	Vandalism ³	60	186.5	cr4														-31	04-06	39	
	Drug Offenders ³	1-4	10.4	cr4														-90	04-06	40	
Housing & Transport	Housing type - tenements	n/a	n/a	%															2006	41	
	House prices	-	250,490	£														+87	2006	42	
	Housing tenure - Owner Occupiers	n/a	n/a	%															2007	43	
	Overcrowding	22	1.9	%														-84	2001	44	
	Travelling to work by foot/bike or public transport	730	35.3	%														-21	2001	45	
Child & Maternal Health	Smoking during pregnancy (3 yrs) ²	8	8.8	%														-64	02-04	46	
	Breastfeeding (at 6 - 8 week review)	18	58.1	%														+59	04-06	47	
	Low birth-weight babies (3 yrs) ²	0	0.0	%														-100	02-04	48	
	Immunisation uptake at 24 mths - MMR	-	93.5	%														+3	04-06	50	
	-all excl. MMR	-	99.1	%														+3			
	Dental hospital admissions for children ³	1-4	0.3	cr														-70	03-06	51	
	Teenage pregnancy - under 18 years (3 yrs) ²	1-4	-	cr3															02-04	52	
Road accident casualties - children ³	1-4	1.6	cr3														-44	01-04	16		

Notes	1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
	2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
	3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
	5. Employee numbers based on location of business, not residence area of employees.
Key	cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %* - single parent households as % of households with children. Defn - see table of definitions & sources.
	The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.
	n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

Westerton West









Key: — Westerton West - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Woodhill East









Key: — Woodhill East - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Woodhill West

Key: — Woodhill West - - - - 95% Confidence Intervals — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

Definitions and Sources

NB More detailed definitions are available in excel files for each indicator on the GCPH website¹

Definition	Indicator	Description	Time Period	Source ²
1	Population	Number and percentage of total population in each age band (0-15; 16-64; 65+)	2006	GRO(S)
2	Minority ethnic groups	Number and percentage of total population categorised as being from a minority ethnic group	2001	Census
3	Asylum seekers	Number and percentage of asylum seekers in the population (Glasgow CH(C)Ps only) * Data originates from the Home Office	2007	COSLA Strategic Migration Partnership*
4	Life expectancy	Estimated male and female life expectancy at birth in years (using Chiang (II) method) ³	1994-98 to 2001-05	GRO(S)
5	Live births	Live births in the period expressed as a number and percentage of the total population	2006	GRO(S)
6	Households	Single adult households (expressed as a number and percentage of all households); single parent households (expressed as a number and percentage of all households with children) (Glasgow CH(C)Ps only)	2005	DRS, GCC
7	Deaths	Deaths from all causes (all ages), coronary heart disease ⁴ , cancer ⁵ and cerebrovascular disease ⁶ (for under 75s) over the period, expressed as a 5 year total and a directly age-sex standardised annualised rate per 100,000 population ³	2001-05	GRO(S)
8	Alcohol attributable and related hospital patients	Patients admitted to hospital with alcohol attributable and related conditions: 3 year annual average numbers & age/sex standardised rates per 100,000 population ⁷	1997-99 to 2004-06	ISD Scotland (SMR1/01, Linked Database)
9	Alcohol related deaths	Deaths from alcohol related causes ⁷ (all ages) over the period, expressed as a 5 year total number and a directly age-sex standardised annualised rate per 100,000 population ³	2001-05	GRO(S)
10	Estimated smokers (16+)	Modelled estimates of smoking prevalence, expressed as a number and percentage of the adult population	2003-04	NHS Health Scotland
11	Drug related hospital patients	Patients admitted to hospital with drug related conditions ⁸ expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	2004-06	ISD Scotland (SMR1/01, Linked Database)

1 www.gcph.co.uk/communityprofiles

2 In some cases this indicates the source of original raw datasets, with that data then manipulated by GCPH to calculate required measures (e.g. life expectancy at birth, mortality)

3 For life expectancy and measures based on standardised rates, 95% confidence intervals are available on request

4 Coronary Heart disease: ICD9: 410-414; ICD10: I20-I25 (principal diagnosis only)

5 All malignant neoplasms: ICD9: 140-208; ICD10: C00-C97 (principal diagnosis only)

6 Cerebrovascular disease: ICD9: 430-438; ICD10: I60-I69, G45 (principal diagnosis only)

7 For a detailed definition refer to the excel workbook for this indicator on the GCPH web site: www.gcph.co.uk/communityprofiles

8 Drug related conditions: ICD9 292, 304, 305.2-305.9; ICD10 F11-F19 (exc. F17), (all diagnostic positions)

Definition	Indicator	Description	Time Period	Source ²
12	Drug related deaths	Deaths from drug related conditions ⁹ expressed as the total number of deaths over the period (10 years) and a crude rate per 100,000 population	1997-2006	GRO(S)
13	Patients registered with cancer	Patients registered with cancer ¹⁰ expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	2002-04	ISD Scotland, Socrates
14	Hospital Patients	Patients discharged from hospital in particular circumstances and for specific conditions (heart disease ¹¹ , cerebrovascular disease ⁶ , emergency medical admission ⁷ , multiple admission ⁷ and unintentional injury ⁷), expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	1997-99 to 2004-06	ISD Scotland (SMR1/01, Linked Database)
15	Patients prescribed statins	Estimated number and percentage of people being prescribed statins (Atorvastatin, Fluvastatin, Pravastatin, Rosuvastatin and Simvastatin) ⁷	2006	ISD Scotland (Prescribing Information System)
16	Road accident casualties - adults and children	Child (under 16) and adult (16+) road accident casualties, expressed as an annual average number and rate per 1,000 population	2001-04	Strathclyde Police/PEACH Unit & SG
17	Assault discharges	Assault discharges ¹² (after a hospital admission) expressed as a three year annual average number and rate per 1,000 population	2004/05-2006/07	ISD Scotland (SMR1/01)
18	Suicides	Deaths from suicide ¹³ (all ages) over the period, expressed as a 5 year total number and a directly age-sex standardised annualised rate per 100,000 population	2001-05	GRO(S)
19	Self-assessed health	Number and percentage of people who rated their health as "Not Good"	2001	Census
20	First hospital admissions – psychiatric	Average annual numbers and directly age-sex standardised rates for all first (in 3 year period) psychiatric inpatient episodes (mental health)	2002-04	ISD Scotland (SMR4)
21	Patients prescribed drugs for anxiety, depression or psychosis	Estimated number and percentage of people being prescribed drugs for anxiety, depression or psychosis ⁷	2006	ISD Scotland (Prescribing Information System)
22	Incapacity Benefit and SDA claimants	Incapacity Benefit and SDA claimants, expressed as a number and percentage of the working age population	2007	DWP
23	Long term limiting illness	Number and percentage of individuals with a long term limiting illness, health problem or disability which limits their daily activities or the work they can do; includes problems due to old age	2001	Census

9 For a definition refer to GRO(S) website: <http://www.gro-scotland.gov.uk/files1/stats/drug-related-deaths-2006/j883605.htm>

10 Cancer registrations: ICD10 C00-C96 excludes C44 (principal diagnosis only)

11 Heart disease: ICD9 390-429; ICD10 I00-I52 (principal diagnosis only)

12 Assault diagnoses: ICD9 E960 - E969; ICD10 X85 - Y09 in any of the six diagnostic positions on SMR1/01

13 Suicide: ICD9 E950-E959; E980-E989 ; ICD10 X60-X84,Y870; Y10-Y34,Y872 (principal diagnosis only)

Definition	Indicator	Description	Time Period	Source ²
24	Social work clients	Child (0-15), adult (16-64) and elderly (65+) social work clients, expressed as a number and percentage. (No data for Inverclyde)	2007	Council Social Work departments
25	Income deprived	The population defined as 'income deprived' ⁷ , expressed as a number and percentage of the population	2006	SIMD, SG
26	Employment deprived	Adults defined as 'employment deprived' ⁷ , expressed as a number and percentage of the working age population	2006	SIMD, SG
27	Workless	Workless adults ⁷ , expressed as a number and percentage of working age adults	2006	SNS
28	Unemployment	JSA unemployed expressed as a number and percentage of the working age population	2007	NOMIS
29	Households without a car	Number and percentage of households without access to a car or van	2001	Census
30	Children in workless households	Number and percentage of dependent children living in households where no-one is in employment	2001	Census
31	Social Grade	Number and percentage of adults (16+) in households classified as E (On state benefit, unemployed, lowest grade workers)	2001	Census
32	Workplaces	Workplaces, expressed as a number and rate per 1000 working age population	2005	ABI, DWP
33	Employees	Total employees expressed as a number and rate per 100 working age residents. NB employees assigned to place of work rather than residence	2005	ABI, DWP
34	Primary School attendance	Primary School attendance rate, expressed as a percentage (based on pupil residence)	2005/06	SG
35	S4 Pupils with 5+GCSE equivalents	S4 pupils achieving five or more GCSE equivalent passes, expressed as a number and percentage (based on pupil residence)	2005/06	SG
36	Adults with no qualifications	Number and percentage of all adults aged 16-74 with no qualifications	2001	Census
37	Serious violent crime	Serious Violent Crime (including serious assault, attempted murder, murder and culpable homicide), expressed as an annual average number and rate per 10,000 population	2004-06	VRU, Strathclyde Police
38	Domestic abuse incidents	Domestic abuse incidents, expressed as an annual average number and rate per 10,000 population	2004-06	VRU, Strathclyde Police
39	Vandalism	Crimes of vandalism, expressed as an annual average number and rate per 10,000 population	2004-06	Strathclyde Police
40	Drug Offenders	Drug offenders, expressed as an annual average number and rate per 10,000 population	2004-06	Strathclyde Police
41	Housing type - tenements	Tenemental properties, expressed as a number and percentage of all dwellings (Glasgow CH(C)Ps only)	2006	DRS, GCC
42	House prices	Annual average house sale prices (in pounds Sterling)	2006	SNS

Definition	Indicator	Description	Time Period	Source ²
43	Housing tenure -Owner occupiers	Dwellings that are owner occupied, expressed as a number and percentage of all dwellings (Glasgow CH(C)Ps only)	2007	DRS, GCC
44	Overcrowding	Number and percentage of all households termed as "overcrowded" ¹⁴	2001	Census
45	Travel to work/ study by foot/ bike/public transport	Number and percentage of people travelling to work/place of study by public transport (bus, train, underground), bicycle or on foot	2001	Census
46	Smoking during pregnancy	Maternal smoking recorded at booking (totalled over 3 years), expressed as a number and percentage of all admissions	2002-04	ISD (SMR02)
47	Breastfeeding at 6-8 weeks	Children being breastfed at 6-8 week review, expressed as an average annual number and percentage	2004-06	ISD Scotland
48	Low birth weight babies	Low weight live full term singleton births (<2500g), expressed as a number (totalled over 3 years) and percentage of all live singleton births in the period	2002-04	ISD Scotland
49	Infant mortality	Deaths within the first year of life, expressed as a number (totalled over 5 years) and crude rate per 1000 live births	2001-05	GRO(S)
50	Immunisation uptake	Average annual immunisation uptake rate at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella)	2004-06	ISD Scotland (SIRS)
51	Dental hospital admissions among children	Children (0-15) admitted to hospital with dental related conditions ¹⁵ , expressed as number and annual average crude rate per 100 population	2003-06	ISD Scotland (SMR01)
52	Teenage pregnancies	Teenage (<18) pregnancies (totalled over 3 years) expressed as a number and crude rate per 1000 females aged 15-17	2002-04	ISD Scotland

Abbreviations

ABI:	Annual Business Inquiry
BMI:	Body Mass Index
COSLA:	Convention of Scottish Local Authorities
CHSP-PS:	Child Health Surveillance Programme – Pre-School
DRS:	Development and Regeneration Services
DWP:	Department of Work and Pensions
GCC:	Glasgow City Council
GRO(S):	General Register Office for Scotland
ISD:	Information and Statistics Division (of NHSScotland)
SDA:	Severe Disability Allowance
SG:	Scottish Government
SIMD:	Scottish Index of Multiple Deprivation
SIRS:	Standard Immunisation Recall System
SMR1/2/4:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
VRU:	Violence Reduction Unit

¹⁴ Relates the actual number of rooms in a household space to the number of rooms 'required' by the members of the household (based on the relationships between them and their ages)

¹⁵ Dental related conditions: ICD10 K00-K12 (except K00.3, .5, .7, K05.0, .2, K100) (principal diagnosis only)

