

# A Community Health and Wellbeing Profile for East Glasgow



Published by  
Glasgow Centre for Population Health  
Level 6  
39 St Vincent Place  
Glasgow  
G1 2ER

For further information please contact:

Bruce Whyte, Glasgow Centre for Population Health  
Tel: 0141 221 9439  
Email: [bruce.whyte@drs.glasgow.gov.uk](mailto:bruce.whyte@drs.glasgow.gov.uk)  
Web: [www.gcph.co.uk/communityprofiles](http://www.gcph.co.uk/communityprofiles)



# Contents

<b>Introduction</b>	<b>1</b>
Purpose	1
Geographical coverage	2
Content	2
Notes and caveats	4
Local action to improve health and reduce inequalities	5
Evaluation	5
Acknowledgements	5
Web	6
Interpretation	6
<b>Maps</b>	<b>9</b>
Community Health Partnership Area Map	11
Greenspace Map	13
Air Quality Map	15
Fuel Poverty Map	17
<b>Trend and Spine Graphs</b>	<b>19</b>
<b>Definitions and Sources</b>	<b>45</b>





## Introduction

This profile is one of ten new community health and wellbeing profiles that have been compiled by the Glasgow Centre for Population Health (GCPH) for the Greater Glasgow and Clyde NHS Board area. Each profile provides indicators for a range of health outcomes (e.g. life expectancy, mortality, hospitalisation) and health determinants (e.g. smoking levels, breastfeeding, income, employment, crime, education).

These profiles build on the success of both the 2004 community health profiles published by NHS Health Scotland ([www.scotpho.org.uk/communityprofiles](http://www.scotpho.org.uk/communityprofiles)), and of the 'Let Glasgow Flourish' report published by GCPH in April 2006 ([www.gcph.co.uk/content/view/17/34/](http://www.gcph.co.uk/content/view/17/34/)). Whilst these sources continue to be useful, there has been recognition of the need for more up-to-date health data and for information pertaining to the new Community Health (and Care) Partnership (CH(C)P) administrative structures.

It is also worth noting that ISD Scotland plans to publish similar profiles for CH(C)Ps in the rest of Scotland later in 2008, and that staff in NHS Health Scotland are working on children's health profiles, which are also to be published later in the year.



Cineworld



Community Art

## Purpose

This community health and wellbeing profile is intended to inform service providers, planners, policy makers and the public about public health issues, both locally and at national level. Specifically, we have designed each profile to:

- provide organisations and communities with up-to-date and locally-relevant public health intelligence;
- highlight health and social inequalities;
- show trends in key indicators;
- provide local level information to aid priority-setting and the targeting of resources; and
- develop knowledge of the complex nature of health and its determinants.

While the profile information may prove valuable for a variety of planning processes, it is not the intention that these data are seen as part of any formal performance monitoring system. Rather, we hope this type of health intelligence will help inform planning priorities and illuminate emergent issues.



## Geographical coverage

Each profile covers a Community Health (and Care) Partnership area within NHS Greater Glasgow and Clyde. Health indicators are presented for the overall 'community' but also for smaller areas within each CH(C)P. In Glasgow City, these smaller areas are 'neighbourhood'<sup>1</sup> localities, while outside Glasgow – in the rest of the Greater Glasgow and Clyde area – intermediate zone geographies<sup>2</sup> are used<sup>3</sup>. These localities were chosen through consultation and enable geographical inequalities in social circumstances and health within each CH(C)P area to be investigated.

Table 1 describes the neighbourhoods within the East Glasgow community and their populations.

**Table 1:** Neighbourhoods within the East Glasgow community and their populations

Neighbourhood	Population (2006)
Baillieston and Garrowhill	17,670
Calton and Bridgeton	12,960
Dennistoun	10,816
Easterhouse	9,239
Haghill and Carntyne	8,490
Mount Vernon and East Shettleston	12,203
Parkhead and Dalrnarnock	6,200
Riddrie and Cranhill	10,749
Ruchazie and Garthamlock	6,929
Springboig and Barlanark	13,271
Tollcross and West Shettleston	15,297

## Content

Each community profile comprises a series of maps, together with trend and 'spine' graphs of health indicators for each neighbourhood/intermediate zone in a community and for the community as a whole. The indicators used are similar to those used in the 2004 profiles, although many of those used previously have new and slightly different definitions, and thus are not directly comparable with the previous profiles. A number of new indicators have also been included. Please refer to the notes pages for detailed information about all the indicators used in this profile.

## Maps

There are three or four maps included in each profile, depending on the community covered:

- a large map of the whole community, showing the locations of GP practices, Social Work offices and hospitals, and the boundaries (and names) of the neighbourhood/intermediate zones within;
- a map of urban greenspace;
- smaller maps showing PM10 and NO2 concentrations<sup>4</sup> in the Greater Glasgow and Clyde area; and
- a fuel poverty map (only for Glasgow CHCPs).

1 There are 55 'neighbourhood' areas (as defined for Housing Forums) within Glasgow City, ranging in population size from 1,400 to 19,500.

2 The intermediate zones are aggregations of data zones within local authorities and contain between 2,500 and 6,000 people.

3 For both neighbourhoods and intermediate zones, and for CH(C)Ps, data can be built up by aggregating from data zone level. More information on data zones can be obtained at [www.scotland.gov.uk/Publications/2004/02/18917/33243](http://www.scotland.gov.uk/Publications/2004/02/18917/33243).

4 PM10: particles in ambient air smaller than 10 micrometres across; NO2: Nitrogen Dioxide.

## Graphs

The **trend graphs** show trends over time for the following indicators:

- male life expectancy;
- female life expectancy;
- population age groups;
- worklessness;
- breastfeeding; and
- rates of hospital admissions for alcohol related and attributable conditions, heart disease and medical emergencies.

The **spine graphs** show how an area compares to Scotland<sup>5</sup> on a range of indicators covering the following broad domains:

- population demographics;
- mortality;
- drugs, alcohol and smoking;
- hospitalisation and injury;
- mental health and function;
- Social Work;
- prosperity/poverty;
- education;
- crime;
- housing and transport; and
- child and maternal health.

For each of the 67 indicators included within these domains the percentage difference from the Scottish figure is displayed graphically, alongside the value of the indicator itself shown both as a number (e.g. a population of 19,982 children) and as a percentage or rate (e.g. children as a percentage of the total population). A summary table with definitions and sources of each indicator used is provided at the end of the profile. More detailed notes accompany excel workbooks for each indicator, which are available on-line at [www.gcph.co.uk/communityprofiles](http://www.gcph.co.uk/communityprofiles).

---

<sup>5</sup> For some indicators, where national information is not available, the comparator used is not Scotland but Greater Glasgow and Clyde or Glasgow City. This is marked on a column adjacent to the graph e.g. G for Glasgow City, etc.



Low Rise Housing



Terracotta Fountain



General Store

## Notes and caveats

We would ask the reader to consider the following points when using this profile:

- Some rates are based on small numbers, particularly in areas with small populations. Large above/below average percentages for these variables should be interpreted with caution and knowledge of local circumstances should be applied to aid interpretation.
- In the main, annualised figures and rates are shown. However, where necessary, an indicator may have been based on more than one year of data to provide more robust figures for small areas. The notes box at the bottom of each spine chart provides further explanation in relation to specific indicators.
- To avoid disclosure of personal information we have in some instances suppressed figures representing less than five cases but not zero (e.g. between one and four), although in most instances we have shown a rate for the same indicator if this is a standardised rate. Thereby, the original number of cases cannot be derived.
- Some of the variations seen may be due to the structure of the population within an area. Please refer to the top three population indicators in a spine graph for an area to compare the age structure of each local population with the national average.
- Variations in recording/coding practice and proximity to services, particularly in relation to hospital admissions, may account for some of the differences in rates observed between different areas.
- Our approach has been to use, in the first instance, nationally available, comparable data within each profile. However, in addition, we have included other relevant information from local sources (e.g. some of the crime figures, Social Work clients, and small area household estimates). Despite this there are still significant 'data gaps', where data sources are either not sufficiently accurate or data are not recorded in enough geographic detail to be shown at a small area level (e.g. homelessness, physical activity, and obesity).
- The indicators used cover different periods (the chart axis labels and notes pages will provide details) and we have derived several indicators from the 2001 Census if suitable and more up-to-date measures were not available and the indicator was felt to be of sufficient importance (e.g. percentage of population from a minority ethnic group).
- It should be noted that the indicators used in the profile are summary indicators. More detailed analysis of each would be possible, for example producing breakdowns by gender or age or examining trends. If you wish to analyse particular themes in more detail please contact GCPH directly by emailing [gcpmail@drs.glasgow.gov.uk](mailto:gcpmail@drs.glasgow.gov.uk) or telephoning 0141 221 9439.

Finally, any factual inaccuracy in the information presented in this profile is the sole responsibility of GCPH.



## Local action to improve health and reduce health inequalities

We have not attempted to describe the range of policies, priorities, services and local health improvement initiatives that are relevant to each community. Rather, the intention behind publishing these profiles is to generate a debate on local priorities, currently and for the future, and on the directing of resources towards areas of greatest need. The content of each profile is therefore limited to the presentation and interpretation of key health indicators and trends. 'A Call to Debate: a Call to Action', the 2007/2008 Director of Public Health report ([www.nhsggc.org.uk/content/default.asp?page=s1009](http://www.nhsggc.org.uk/content/default.asp?page=s1009)) was however designed to be a response to Greater Glasgow and Clyde's well-known health problems, and does highlight a range of health improvement actions currently in place across NHS Greater Glasgow and Clyde.

## Evaluation

We plan to disseminate the information in each profile widely using a range of approaches including distribution of the paper-based profiles, provision of additional information on our website, and through a series of presentations and workshops. As part of this process we intend to evaluate their impact, utility and effectiveness and will seek to find out to what extent the profiles have fulfilled their purpose. This will help us to improve and develop this type of resource in the future.

## Acknowledgements

While GCPH has designed and created these reports, the compilation of data would not have been possible without the help of many colleagues within a range of other organisations. In particular we would like to acknowledge the significant contributions of staff from ISD Scotland, particularly the ScotPHO team, and from NHS Greater Glasgow and Clyde.

We do not have the space to mention individually everyone who has helped but we would especially like to thank: Rosalia Munoz-Arroyo (ISD ScotPHO team) for coordinating the provision of much of the NHS data; Annette Little (NHS Greater Glasgow and Clyde) for providing Census data and checking many of the indicator datasets; Paula Barton, (NHS Greater Glasgow and Clyde) for providing a range of maps for the profiles; and Iain MacDonald (Glasgow and Clyde Valley (GCV) Structure Plan Team) for creating the Greenspace maps.

Many organisations have contributed data and advice during this work. We would particularly like to acknowledge the contribution of the following: ISD Scotland, especially the ScotPHO team; the General Register Office for Scotland; COSLA Strategic Migration Partnership; DRS, Glasgow City Council; the Violence Reduction Unit and Community Safety, Strathclyde Police; Scottish Neighbourhood Statistics; Pupil, Teacher and School Statistics, Scottish Government; the Analytical Services Department of the Department of Work and Pensions (DWP); the Office for National Statistics (ONS); the Lord Chancellor's Department; Professor Graham Moon and colleagues at the University of Portsmouth; Judith Brown, University of Glasgow; Susanne Jeffrey, PEACH Unit; Social Work contacts from each local council.

We would also like to thank Laura Kemp, Siobhan Harkin and young people from the East End Schools Mentoring Project for the pictures included in this profile.

## Web

This profile and those for the other nine communities are available to download as PDF files, and as Excel spreadsheets (for specific indicators), on the GCPH website at [www.gcph.co.uk/communityprofiles](http://www.gcph.co.uk/communityprofiles).

## Interpretation

The following brief overview is intended to provide a flavour of what the profile indicators tell us. While we draw on many of the indicators in the report, this is a partial and selective summary. Please note that the figures quoted below are generally approximations of the more exact figures presented in the graphs and tables e.g. the populations quoted are rounded into thousands and the exact period that each indicator covers is not given, but can be found in the notes. Where a comparison to a 'national average' is quoted this means to the Scottish average.

## East Glasgow Population

East Glasgow has a population of approximately 124,000 people, of whom nearly 18% are children, 66% are young and middle-aged adults and nearly 16% are older people. There has been a fall of approximately 11,500 in the size of the overall population in the last ten years. The main reasons for this were falls in the number of children (down by 7,200), young adults (down by 2,900) and older people (down by 1,300) over the period. Approximately 720 asylum seekers live in the area. The proportion of the population from a minority ethnic community (1.5%) is lower than the Scottish average. There were over 1,300 live births in 2006.

There are nearly 60,000 households in East Glasgow, of which over 23,900 (40%) are single adult households. Single parent households, of which there are 6,500, make up 39% of all households containing children.

## Life expectancy and mortality

For men, life expectancy (at birth) is estimated to be 68.1 years, over five years lower than the Scottish average, and has risen by less than a year in the period 1994-98 to 2001-05. Female life expectancy (76.0 years) has risen by 1.4 years in the same period and is approximately three years lower than the Scottish average. Comparing different areas of the community, there is a gap in life expectancy across the neighbourhoods of over 11 years for men and over 4 years for women. In many neighbourhoods with lower than average life expectancy, life expectancy appears to have remained static or may even have fallen.

All-cause mortality and mortality rates from cancer, coronary heart disease and cerebrovascular disease (in the under 75s) are all above the Scottish average but mortality from coronary heart disease and cerebrovascular disease has fallen considerably in recent years.

## Behaviour

Over 1,960 patients are admitted to hospital annually for alcohol related or attributable causes and there have been over 420 deaths due to alcohol in the last five years. An estimated 38,400 of adults smoke: 37.5%, compared to 27% nationally. There have been 264 drug related deaths in East Glasgow over the last ten years.

## Hospitalisation/Social Work

Approximately 800 new cancer cases are registered annually and 1,400 heart disease patients are admitted to hospital each year. There are over 10,900 patients admitted as a medical emergency annually. There are nearly 12,000 Social Work clients, nearly 2,200 of whom are children and 4,400 of whom are older people.

## **Mental health and function**

There were 140 suicides in the period 2001-2005 and there are 420 new in-patient admissions to psychiatric specialties annually.

## **Prosperity/poverty**

Over 36,000 people, 30% of the population, are defined to be income deprived and nearly 20,000 adults, 25% of the working age population, are employment deprived<sup>6</sup>. There are over 3,200 workplaces in East Glasgow, employing over 44,200 people.

## **Crime**

In recent years over 490 serious assaults have been recorded in the area annually, as well as over 1,600 domestic abuse incidents and around 360 assault episodes (for residents) requiring overnight hospital treatment.

## **Child and maternal health**

Compared to 24% nationally, 32% of women smoke during pregnancy, while 21% of mothers breast feed at six to eight weeks following birth (36% nationally). Primary immunisation rates are close to the national average. The rate of low birth-weight babies is 62% above the Scottish average, while the teenage pregnancy rate is 42% above the national average. The rate of admission to hospital for dental conditions among children is 43% above the national average. Child road accident casualty rates are 65% higher than the national average.

---

<sup>6</sup> The definitions of 'income deprived' and 'employment deprived' are those applied in the 2006 Scottish Index of Multiple Deprivation - [www.scotland.gov.uk/simd](http://www.scotland.gov.uk/simd).





# Maps








# Community Health Partnership Area Map

## East Glasgow



NHS Greater Glasgow & Clyde  
 East Glasgow Community Health & Care Partnership



-  CHCP & Neighbourhood Boundaries
-  CHCP Offices
-  Social Work Office
-  GP Practice
-  Main Health Centre
-  Hospital






## Greenspace Map

### East Glasgow

**NB** Any large areas of 'white' on the map overleaf indicate areas not currently mapped for greenspace.



- Public parks and gardens
  - Private gardens or grounds
  - Amenity greenspace
  - Children's playspace
  - Sports areas
  - Green corridors
  - Natural / semi-natural greenspace
  - Open water
  - Other functional greenspace
- 
- Buildings
  - Land
  - Land, water
  - Rail
  - Roads, tracks and paths
  - Structures
  - Water



Compiled from the Glasgow and Clyde Valley (GCV) Urban Greenspace Mapping Dataset provided by the GCV Structure Plan Joint Committee. This map is based upon Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Crown Copyright. © Her Majesty's Stationery Office, Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Glasgow City Council, 100023379, 2007.





## Air Quality Maps of Greater Glasgow and Clyde


### East Glasgow

Estimated annual mean background PM<sub>10</sub> concentration (2002-2004)

Estimated annual mean background NO<sub>2</sub> concentration (2002-2004)

**Estimated annual mean background PM10 concentration (2002-2004)  $\mu\text{g m}^{-3}$**

PM10: particles in the ambient air smaller than 10 micrometres across;  $\mu\text{g m}^{-3}$ : microgrammes per cubic metre. The statistic reported is a population weighted average mean concentration (averaged over the three years 2002-2004) in microgrammes per cubic metre. Source: UK Air Quality Archive




Compiled by NHS Greater Glasgow & Clyde  
Source: Scottish Government & Glasgow City Council © Crown copyright. All rights reserved. Glasgow City Council 100023378, 2007



**Estimated annual mean background NO2 concentration (2002-2004)  $\mu\text{g m}^{-3}$**

NO2: nitrogen dioxide;  $\mu\text{g m}^{-3}$ : microgrammes per cubic metre. The statistic reported is a population weighted average mean concentration (averaged over the three years 2002-2004) in microgrammes per cubic metre. Source: UK Air Quality Archive




Compiled by NHS Greater Glasgow & Clyde  
Source: Scottish Government & Glasgow City Council © Crown copyright. All rights reserved. Glasgow City Council 100023378, 2007







# Fuel Poverty Map















## Trend and Spine Graphs



# East Glasgow CHCP

**Key:** — East Glasgow CHCP    - - - - 95% Confidence Intervals    — Scotland











**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**



# Baillieston and Garrowhill

Key: — Baillieston and Garrowhill      - - - - 95% Confidence Intervals      — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

### Baillieston and Garrowhill

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +											Period	Defn					
			-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30			+40	+50	+60	+70	
Population Demographics	Child population (aged 0-15)	3,357	19.0	%												+5	2006	1		
	Adult population (aged 16-64)	11,844	67.0	%												+2				
	Elderly population (aged 65+)	2,469	14.0	%												-15				
	Minority ethnic groups	405	2.3	%												+14				
	Asylum Seekers	22	0.1	% <sup>G</sup>												-87				
	Life expectancy - males	-	73.3	yrs												-1	01-05	4		
	Life expectancy - females	-	78.0	yrs												-1				
	Live births	154	0.9	cr												-20	2006	5		
Households - Single adults	1,826	25.2	% <sup>G</sup>												-41	2005	6			
	Single parents	455	18.1	% <sup>G</sup>														-52		
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	868	835.5	sr												+6	01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	79	90.7	sr												+19				
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	173	190.0	sr												+30				
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	23	25.4	sr												+5				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	141	749.9	sr												+16	04-06	8		
	Alcohol related deaths (5 yrs) <sup>2</sup>	20	16.7	sr												-38	01-05	9		
	Estimated smokers (16+)	3,499	25.1	%												-8	03-04	10		
	Drug related hospital patients <sup>3</sup>	7	46.6	sr												-40	04-06	11		
	Drug related deaths (10 yrs) <sup>4</sup>	9	50.8	cr <sup>2</sup>												-20	97-06	12		
	Patients registered with cancer <sup>3</sup>	99	510.9	sr												+22	02-04	13		
Hospitalisation & Injury	Heart disease patients <sup>3</sup>	158	786.5	sr												+10	04-06	14		
	Cerebrovascular disease patients <sup>3</sup>	50	229.9	sr												+22				
	Emergency medical admission patients <sup>3</sup>	1,093	5,761.9	sr												-8				
	Multiple admission patients <sup>3</sup>	216	1,085.9	sr												-11				
	Unintentional Injury patients <sup>3</sup>	161	877.6	sr												-13				
	Patients prescribed statins	5,225	28.7	%												+57			2006	15
	Road accident casualties - adults <sup>3</sup>	46	3.2	cr <sup>3</sup>												-19			01-04	16
	Assault discharges <sup>3</sup>	18	1.0	cr <sup>3</sup>												0			04-06	17
Mental Health & Function	Suicide (5 yrs) <sup>2</sup>	17	19.2	sr												+22	01-05	18		
	Self assessed health (classified as "Not Good")	2,155	12.2	%												+20	2001	19		
	First hospital admission - psychiatric <sup>3</sup>	29	154.2	sr												-40	02-04	20		
	Patients prescribed drugs for anxiety /depression	1,861	10.2	% <sup>G</sup>												+26	2006	21		
	Incapacity Benefit & SDA Claimants	1,155	10.0	%												+4	2007	22		
	Long-term limiting illness	3,851	21.8	%												+7	2001	23		
	Social Work	Clients aged 0-15	106	3.2	% <sup>G*</sup>												-56	2007	24	
Clients aged 16-64		334	2.8	% <sup>G*</sup>												-37				
Clients aged 65+		478	19.4	% <sup>G*</sup>												+9				
Prosperity - Poverty	'Income deprived'	2,155	12.2	%												-12	2006	25		
	'Employment deprived'	1,449	12.7	%												-1	2006	26		
	Workless	1,580	13.7	%												-7	2006	27		
	JSA - Unemployment	205	1.8	%												-35	2007	28		
	Households without access to car/van	2,083	30.4	%												-11	2001	29		
	Children in workless households	584	14.1	%												-23	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	3,108	22.4	%												0	2001	31		
	Workplaces	305	26.8	cr <sup>3</sup>												-50	2005	32		
	Employees <sup>5</sup>	2,700	23.3	cr												-69	2005	33		
	Education	Primary school attendance	-	95.9	%												+1	05/06	34	
S4 Pupils with 5+ GCSE equivalents		170	65.9	%												+14	05/06	35		
Adults without qualifications		4,925	37.8	%												+14	2001	36		
Crime	Serious violent crime <sup>3</sup>	21	12.1	cr <sup>4</sup>												-18	04-06	37		
	Domestic abuse incidents <sup>3</sup>	67	37.7	cr <sup>4</sup>												-56	04-06	38		
	Vandalism <sup>3</sup>	327	184.8	cr <sup>4</sup>												-32	04-06	39		
	Drug Offenders <sup>3</sup>	92	52.2	cr <sup>4</sup>												-48	04-06	40		
Housing & Transport	Housing type - tenements	615	8.7	% <sup>G</sup>												-83	2006	41		
	House prices	-	121,142	£												-10	2006	42		
	Housing tenure - Owner Occupiers	5,865	82.3	% <sup>G</sup>												+62	2007	43		
	Overcrowding	1,071	15.6	%												+33	2001	44		
	Travelling to work by foot/bike or public transport	4,900	44.2	%												-1	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	100	21.2	%												-13	02-04	46		
	Breastfeeding (at 6 - 8 week review)	39	27.9	%												-24	04-06	47		
	Low birth-weight babies (3 yrs) <sup>2</sup>	11	2.5	%												+2	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	-	91.9	%												+2	04-06	50	
		-all excl. MMR	-	-	98.7	%														+3
	Dental hospital admissions for children <sup>3</sup>	46	1.3	cr												+16	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	28	27.7	cr <sup>3</sup>												-31	02-04	52		
Road accident casualties - children <sup>3</sup>	13	3.5	cr <sup>3</sup>												+25	01-04	16			

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Calton and Bridgeton

**Key:** — Calton and Bridgeton      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

**Calton and Bridgeton**

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
Population Demographics	Child population (aged 0-15)	1,621	12.5 %		-31	
	Adult population (aged 16-64)	9,401	72.5 %		+11	2006 1
	Elderly population (aged 65+)	1,938	15.0 %		-9	
	Minority ethnic groups	371	3.1 %		+54	2001 2
	Asylum Seekers	130	1.0 %	G	+3	2007 3
	Life expectancy - males	-	61.9 yrs		-16	01-05 4
	Life expectancy - females	-	74.6 yrs		-6	
	Live births	121	0.9 cr		-14	2006 5
Households - Single adults	3,367	49.5 %	G	+16		
	598	46.6 %*	G	+23	2005 6	
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	1,007	1,371.7 sr		+74	
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	114	170.0 sr		+122	01-05 7
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	165	243.4 sr		+66	
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	16	21.7 sr		-10	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	297	2,275.0 sr		+226	04-06 8
	Alcohol related deaths (5 yrs) <sup>2</sup>	91	149.2 sr		+450	01-05 9
	Estimated smokers (16+)	4,216	40.6 %		+49	03-04 10
	Drug related hospital patients <sup>3</sup>	54	370.3 sr		+377	04-06 11
	Drug related deaths (10 yrs) <sup>4</sup>	70	583.7 cr2		+824	97-06 12
Hospitalisation & Injury	Patients registered with cancer <sup>3</sup>	85	590.0 sr		+40	02-04 13
	Heart disease patients <sup>3</sup>	129	891.7 sr		+25	
	Cerebrovascular disease patients <sup>3</sup>	38	244.8 sr		+30	
	Emergency medical admission patients <sup>3</sup>	1,262	9,619.2 sr		+54	04-06 14
	Multiple admission patients <sup>3</sup>	295	2,177.8 sr		+78	
	Unintentional Injury patients <sup>3</sup>	268	2,123.6 sr		+110	
	Patients prescribed statins	3,612	25.2 %		+38	2006 15
	Road accident casualties - adults <sup>3</sup>	90	8.6 cr3		+114	01-04 16
Mental Health & Function	Assault discharges <sup>3</sup>	56	4.5 cr3		+336	04-06 17
	Suicide (5 yrs) <sup>2</sup>	24	32.8 sr		+109	01-05 18
	Self assessed health (classified as "Not Good")	2,648	22.1 %		+117	2001 19
	First hospital admission - psychiatric <sup>3</sup>	66	513.8 sr		+101	02-04 20
	Patients prescribed drugs for anxiety /depression	1,584	11.0 %		+36	2006 21
	Incapacity Benefit & SDA Claimants	2,015	21.9 %		+128	2007 22
	Long-term limiting illness	3,961	33.0 %		+62	2001 23
	Social Work	Clients aged 0-15	220	13.6 %	G*	+90
Clients aged 16-64		773	8.2 %	G*	+84	2007 24
Clients aged 65+		503	26.0 %	G*	+47	
Prosperity - Poverty	'Income deprived'	4,370	35.0 %		+152	2006 25
	'Employment deprived'	2,570	29.8 %		+132	2006 26
	Workless	3,000	32.7 %		+122	2006 27
	JSA - Unemployment	460	5.3 %		+91	2007 28
	Households without access to car/van	4,208	68.7 %		+101	2001 29
	Children in workless households	859	48.5 %		+164	2001 30
	Social grade E - benefit, unemployed, lowest grade work	4,030	41.0 %		+83	2001 31
	Workplaces	749	86.8 cr3		+61	2005 32
	Employees <sup>5</sup>	7,600	87.8 cr		+17	2005 33
Education	Primary school attendance	-	92.1 %		-3	05/06 34
	S4 Pupils with 5+ GCSE equivalents	40	33.6 %		-42	05/06 35
	Adults without qualifications	4,772	49.3 %		+48	2001 36
Crime	Serious violent crime <sup>3</sup>	82	66.0 cr4		+350	04-06 37
	Domestic abuse incidents <sup>3</sup>	216	172.8 cr4		+102	04-06 38
	Vandalism <sup>3</sup>	467	374.2 cr4 G <sup>cc</sup>		+39	04-06 39
	Drug Offenders <sup>3</sup>	215	172.3 cr4 G <sup>cc</sup>		+71	04-06 40
Housing & Transport	Housing type - tenements	4,916	66.1 %	G	+33	2006 41
	House prices	-	126,126 £		-6	2006 42
	Housing tenure - Owner Occupiers	2,801	35.9 %	G	-29	2007 43
	Overcrowding	1,735	28.3 %		+141	2001 44
	Travelling to work by foot/bike or public transport	4,189	70.0 %		+57	2001 45
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	110	29.0 %		+20	02-04 46
	Breastfeeding (at 6 - 8 week review)	23	23.8 %		-35	04-06 47
	Low birth-weight babies ( 3 yrs) <sup>2</sup>	11	3.2 %		+31	02-04 48
	Immunisation uptake at 24 mths - MMR	-	92.7 %		+3	
	-all excl. MMR	-	96.2 %		0	04-06 50
	Dental hospital admissions for children <sup>3</sup>	33	2.1 cr		+81	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	46	76.3 cr3		+89	02-04 52
Road accident casualties - children <sup>3</sup>	13	8.1 cr3		+191	01-04 16	

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Dennistoun

Key: — Dennistoun      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**



Dennistoun																					
Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +							Period	Defn										
			-70	-60	-50	-40	-30	-20	-10			+0	+10	+20	+30	+40	+50	+60	+70		
Population Demographics	Child population (aged 0-15)	1,261	11.7	%																	
	Adult population (aged 16-64)	8,085	74.8	%															2006	1	
	Elderly population (aged 65+)	1,470	13.6	%																	
	Minority ethnic groups	348	3.3	%															2001	2	
	Asylum Seekers	107	1.0	%	G														2007	3	
	Life expectancy - males	-	70.0	yrs															01-05	4	
	Life expectancy - females	-	75.8	yrs																	
Households - Single adults	2,973	49.6	%	G														2005	6		
	Households - Single parents	444	39.8	%	G																
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	687	1,038.3	sr														01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	55	109.0	sr																	
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	118	239.5	sr																	
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	20	38.7	sr																	
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	142	1,322.5	sr														04-06	8		
	Alcohol related deaths (5 yrs) <sup>2</sup>	40	81.6	sr														01-05	9		
	Estimated smokers (16+)	3,314	36.3	%														03-04	10		
	Drug related hospital patients <sup>3</sup>	13	96.6	sr														04-06	11		
	Drug related deaths (10 yrs) <sup>4</sup>	18	169.4	cr2														97-06	12		
Hospitalisation & Injury	Patients registered with cancer <sup>3</sup>	64	556.0	sr														02-04	13		
	Heart disease patients <sup>3</sup>	91	811.6	sr														04-06	14		
	Cerebrovascular disease patients <sup>3</sup>	32	254.3	sr																	
	Emergency medical admission patients <sup>3</sup>	791	7,091.5	sr																	
	Multiple admission patients <sup>3</sup>	163	1,397.0	sr																	
	Unintentional Injury patients <sup>3</sup>	147	1,396.1	sr																	
	Patients prescribed statins	2,620	23.8	%														2006	15		
	Road accident casualties - adults <sup>3</sup>	40	4.4	cr3														01-04	16		
Mental Health & Function	Assault discharges <sup>3</sup>	24	2.3	cr3														04-06	17		
	Suicide (5 yrs) <sup>2</sup>	13	19.0	sr														01-05	18		
	Self assessed health (classified as "Not Good")	1,708	16.1	%														2001	19		
	First hospital admission - psychiatric <sup>3</sup>	34	275.5	sr														02-04	20		
	Patients prescribed drugs for anxiety /depression	1,046	9.5	%														2006	21		
	Incapacity Benefit & SDA Claimants	1,030	13.0	%														2007	22		
	Long-term limiting illness	2,873	27.2	%														2001	23		
Social Work	Clients aged 0-15	98	7.8	%	G*													2007	24		
	Clients aged 16-64	325	4.0	%	G*																
	Clients aged 65+	257	17.5	%	G*																
Prosperity - Poverty	'Income deprived'	2,530	23.8	%														2006	25		
	'Employment deprived'	1,419	18.6	%														2006	26		
	Workless	1,590	20.1	%														2006	27		
	JSA - Unemployment	285	3.7	%														2007	28		
	Households without access to car/van	3,575	64.0	%														2001	29		
	Children in workless households	625	39.3	%														2001	30		
	Social grade E - benefit, unemployed, lowest grade work	2,823	31.5	%														2001	31		
	Workplaces	295	38.6	cr3														2005	32		
	Employees <sup>5</sup>	3,900	51.6	cr														2005	33		
Education	Primary school attendance	-	92.5	%														05/06	34		
	S4 Pupils with 5+ GCSE equivalents	23	29.9	%														05/06	35		
	Adults without qualifications	3,267	38.8	%														2001	36		
Crime	Serious violent crime <sup>3</sup>	28	26.0	cr4														04-06	37		
	Domestic abuse incidents <sup>3</sup>	126	118.4	cr4														04-06	38		
	Vandalism <sup>3</sup>	350	329.3	cr4	G <sup>cc</sup>													04-06	39		
	Drug Offenders <sup>3</sup>	127	119.4	cr4	G <sup>cc</sup>													04-06	40		
Housing & Transport	Housing type - tenements	5,512	93.5	%	G													2006	41		
	House prices	-	107,130	£														2006	42		
	Housing tenure - Owner Occupiers	3,159	50.7	%	G													0	2007	43	
	Overcrowding	1,371	24.6	%														2001	44		
	Travelling to work by foot/bike or public transport	4,032	67.6	%														2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	78	26.4	%														02-04	46		
	Breastfeeding (at 6 - 8 week review)	32	39.8	%														04-06	47		
	Low birth-weight babies (3 yrs) <sup>2</sup>	14	5.3	%														02-04	48		
	Immunisation uptake at 24 mths - MMR	-	88.5	%														04-06	50		
	-all excl. MMR	-	93.9	%																	
	Dental hospital admissions for children <sup>3</sup>	16	1.2	cr														03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	25	50.8	cr3														02-04	52		
Road accident casualties - children <sup>3</sup>	10	7.6	cr3														01-04	16			

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Easterhouse

Key: — Easterhouse      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

Easterhouse																			
Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +							Period	Defn								
			-70	-60	-50	-40	-30	-20	-10			+10	+20	+30	+40	+50	+60	+70	
Population Demographics	Child population (aged 0-15)	2,154	23.3	%													+29	2006	1
	Adult population (aged 16-64)	5,895	63.8	%													-3		
	Elderly population (aged 65+)	1,190	12.9	%													-21		
	Minority ethnic groups	69	0.7	%													-66		
	Asylum Seekers	0	0.0	%	G												-100		
	Life expectancy - males	-	67.3	yrs													-9	01-05	4
	Life expectancy - females	-	73.8	yrs													-7		
	Live births	154	1.7	cr													+54	2006	5
Households - Single adults	1,394	34.5	%	G												-19	2005	6	
	Single parents	776	48.7	%	G											+28			
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	575	1,215.8	sr												+55	01-05	7	
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	51	128.7	sr												+68			
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	108	261.7	sr												+79			
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	22	50.6	sr												+109			
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	161	1,921.6	sr												+194	04-06	8	
	Alcohol related deaths (5 yrs) <sup>2</sup>	29	67.5	sr												+149	01-05	9	
	Estimated smokers (16+)	3,642	49.8	%												+83	03-04	10	
	Drug related hospital patients <sup>3</sup>	21	267.7	sr												+244	04-06	11	
	Drug related deaths (10 yrs) <sup>4</sup>	23	228.8	cr2												+262	97-06	12	
	Patients registered with cancer <sup>3</sup>	52	543.3	sr												+29	02-04	13	
Hospitalisation & Injury	Heart disease patients <sup>3</sup>	103	1,184.9	sr												+66	04-06	14	
	Cerebrovascular disease patients <sup>3</sup>	30	329.5	sr												+75			
	Emergency medical admission patients <sup>3</sup>	866	9,603.0	sr												+54			
	Multiple admission patients <sup>3</sup>	194	2,138.6	sr												+75			
	Unintentional Injury patients <sup>3</sup>	160	1,763.0	sr												+74			
	Patients prescribed statins	2,738	26.6	%												+46			
	Road accident casualties - adults <sup>3</sup>	26	3.7	cr3												-8			
	Assault discharges <sup>3</sup>	39	4.3	cr3												+313			
Mental Health & Function	Suicide (5 yrs) <sup>2</sup>	13	26.3	sr												+68	01-05	18	
	Self assessed health (classified as "Not Good")	1,831	18.3	%												+80	2001	19	
	First hospital admission - psychiatric <sup>3</sup>	36	396.0	sr												+55	02-04	20	
	Patients prescribed drugs for anxiety /depression	1,335	13.0	%												+60	2006	21	
	Incapacity Benefit & SDA Claimants	1,355	23.5	%												+144	2007	22	
	Long-term limiting illness	2,928	29.2	%												+44	2001	23	
	Social Work	Clients aged 0-15	294	13.6	%	G*											+91	2007	24
Clients aged 16-64		582	9.9	%	G*											+120			
Clients aged 65+		284	23.9	%	G*											+35			
Prosperity - Poverty	'Income deprived'	3,806	41.3	%												+198	2006	25	
	'Employment deprived'	1,843	32.7	%												+154	2006	26	
	Workless	2,370	41.1	%												+179	2006	27	
	JSA - Unemployment	355	6.3	%												+125	2007	28	
	Households without access to car/van	3,068	71.2	%												+108	2001	29	
	Children in workless households	1,532	52.7	%												+187	2001	30	
	Social grade E - benefit, unemployed, lowest grade work	3,255	45.3	%												+102	2001	31	
	Workplaces	164	29.1	cr3												-46	2005	32	
	Employees <sup>5</sup>	2,200	39.5	cr												-47	2005	33	
	Educ-ation	Primary school attendance	-	93.4	%												-2	05/06	34
S4 Pupils with 5+ GCSE equivalents		50	42.4	%												-27	05/06	35	
Adults without qualifications		4,087	58.9	%												+77	2001	36	
Crime	Serious violent crime <sup>3</sup>	52	56.9	cr4												+288	04-06	37	
	Domestic abuse incidents <sup>3</sup>	150	163.0	cr4												+91	04-06	38	
	Vandalism <sup>3</sup>	386	419.0	cr4	G <sup>cc</sup>											+55	04-06	39	
	Drug Offenders <sup>3</sup>	202	219.8	cr4	G <sup>cc</sup>											+118	04-06	40	
Housing & Transport	Housing type - tenements	2,949	66.4	%	G											+34	2006	41	
	House prices	-	113,934	£												-15	2006	42	
	Housing tenure - Owner Occupiers	1,386	30.9	%	G											-39	2007	43	
	Overcrowding	1,406	32.6	%												+178	2001	44	
	Travelling to work by foot/bike or public transport	3,417	70.0	%												+57	2001	45	
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	154	39.6	%												+63	02-04	46	
	Breastfeeding (at 6 - 8 week review)	19	15.9	%												-56	04-06	47	
	Low birth-weight babies ( 3 yrs) <sup>2</sup>	12	3.6	%												+44	02-04	48	
	Immunisation uptake at 24 mths - MMR	-	87.9	%												-3	04-06	50	
	-all excl. MMR	-	96.2	%												0			
	Dental hospital admissions for children <sup>3</sup>	43	1.9	cr												+69	03-06	51	
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	45	66.1	cr3												+64	02-04	52	
	Road accident casualties - children <sup>3</sup>	9	3.5	cr3												+27	01-04	16	

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Haghill and Carntyne

Key: — Haghill and Carntyne    - - - - 95% Confidence Intervals    — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

## Haghill and Carntyne

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
<b>Population Demographics</b>						
Child population (aged 0-15)	1,254	14.8 %		-18	2006	1
Adult population (aged 16-64)	5,434	64.0 %		-2		
Elderly population (aged 65+)	1,802	21.2 %		+30	2001	2
Minority ethnic groups	141	1.5 %		-23	2007	3
Asylum Seekers	32	0.4 %	G	-61		
Life expectancy - males	-	66.6 yrs		-10	01-05	4
Life expectancy - females	-	76.4 yrs		-3		
Live births	81	1.0 cr		-12	2006	5
Households - Single adults	2,033	45.7 %	G	+7	2005	6
Households - Single parents	425	44.1 %*	G	+16		
<b>Mortality</b>						
Deaths all ages (5 yrs) <sup>2</sup>	883	1,199.9 sr		+53	01-05	7
Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	59	110.6 sr		+44		
Cancer deaths in under 75s (5 yrs) <sup>2</sup>	136	242.4 sr		+65		
Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	24	38.3 sr		+58		
<b>Drugs, Alcohol and Smoking</b>						
Alcohol related and attributable hospital patients <sup>3</sup>	144	1,495.8 sr		+133	04-06	8
Alcohol related deaths (5 yrs) <sup>2</sup>	30	61.2 sr		+125	01-05	9
Estimated smokers (16+)	2,993	39.0 %		+93	03-04	10
Drug related hospital patients <sup>3</sup>	12	152.8 sr		+47	04-06	11
Drug related deaths (10 yrs) <sup>4</sup>	13	142.5 cr2		+125	97-06	12
<b>Hospitalisation &amp; Injury</b>						
Patients registered with cancer <sup>3</sup>	65	495.0 sr		+18	02-04	13
Heart disease patients <sup>3</sup>	120	1,049.4 sr		+47		
Cerebrovascular disease patients <sup>3</sup>	47	348.5 sr		+85		
Emergency medical admission patients <sup>3</sup>	854	8,305.0 sr		+33	04-06	14
Multiple admission patients <sup>3</sup>	195	1,715.1 sr		+41		
Unintentional Injury patients <sup>3</sup>	140	1,510.2 sr		+49		
Patients prescribed statins	2,446	26.9 %		+47	2006	15
Road accident casualties - adults <sup>3</sup>	44	5.9 cr3		+47	01-04	16
Assault discharges <sup>3</sup>	23	2.6 cr3		+155	04-06	17
<b>Mental Health &amp; Function</b>						
Suicide (5 yrs) <sup>2</sup>	7	15.8 sr		0	01-05	18
Self assessed health (classified as "Not Good")	2,054	22.5 %		+122	2001	19
First hospital admission - psychiatric <sup>3</sup>	28	284.1 sr		+11	02-04	20
Patients prescribed drugs for anxiety /depression	1,119	12.3 %		+52	2006	21
Incapacity Benefit & SDA Claimants	1,105	21.1 %		+120	2007	22
Long-term limiting illness	3,288	36.0 %		+77	2001	23
<b>Social Work</b>						
Clients aged 0-15	174	13.9 %	G*	+94		
Clients aged 16-64	388	7.1 %	G*	+59	2007	24
Clients aged 65+	405	22.5 %	G*	+27		
<b>Prosperity - Poverty</b>						
'Income deprived'	2,879	33.5 %		+141	2006	25
'Employment deprived'	1,434	27.7 %		+116	2006	26
Workless	1,680	32.1 %		+118	2006	27
JSA - Unemployment	255	4.9 %		+76	2007	28
Households without access to car/van	3,037	66.1 %		+93	2001	29
Children in workless households	725	45.6 %		+148	2001	30
Social grade E - benefit, unemployed, lowest grade work	3,330	44.5 %		+99	2001	31
Workplaces	107	20.7 cr3		-62	2005	32
Employees <sup>5</sup>	1,000	19.9 cr		-73	2005	33
<b>Educ-ation</b>						
Primary school attendance	-	92.2 %		-3	05/06	34
S4 Pupils with 5+ GCSE equivalents	40	48.8 %		-16	05/06	35
Adults without qualifications	3,721	54.9 %		+65	2001	36
<b>Crime</b>						
Serious violent crime <sup>3</sup>	27	31.8 cr4		+117	04-06	37
Domestic abuse incidents <sup>3</sup>	126	146.4 cr4		+71	04-06	38
Vandalism <sup>3</sup>	237	275.7 cr4	G <sup>cc</sup>	+22	04-06	39
Drug Offenders <sup>3</sup>	106	123.5 cr4	G <sup>cc</sup>	+22	04-06	40
<b>Housing &amp; Transport</b>						
Housing type - tenements	2,117	46.1 %	G	-7	2006	41
House prices	-	72,891 £		-46	2006	42
Housing tenure - Owner Occupiers	2,156	45.5 %	G	-10	2007	43
Overcrowding	1,235	26.9 %		+129	2001	44
Travelling to work by foot/bike or public transport	2,527	61.1 %		+37	2001	45
<b>Child &amp; Maternal Health</b>						
Smoking during pregnancy (3 yrs) <sup>2</sup>	76	32.3 %		+33	02-04	46
Breastfeeding (at 6 - 8 week review)	11	16.8 %		-54	04-06	47
Low birth-weight babies ( 3 yrs) <sup>2</sup>	12	5.6 %		+126	02-04	48
Immunisation uptake at 24 mths - MMR	-	87.2 %		-3		
-all excl. MMR	-	97.2 %		+1	04-06	50
Dental hospital admissions for children <sup>3</sup>	20	1.5 cr		+31	03-06	51
Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	21	46.1 cr3		+14	02-04	52
Road accident casualties - children <sup>3</sup>	6	4.2 cr3		+49	01-04	16

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Mount Vernon and East Shettleston

**Key:** — Mount Vernon and East Shettleston      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**



### Mount Vernon and East Shettleston

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +											Period	Defn							
			-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30			+40	+50	+60	+70			
Population Demographics	Child population (aged 0-15)	1,891	15.5	%														-14	2006	1		
	Adult population (aged 16-64)	7,760	63.6	%														-3				
	Elderly population (aged 65+)	2,552	20.9	%														+28				
	Minority ethnic groups	127	1.0	%														-50				
	Asylum Seekers	63	0.5	%														-47				
	Life expectancy - males	-	72.8	yrs														-2				
	Life expectancy - females	-	77.9	yrs														-2				
	Live births	87	0.7	cr														-34				
Households - Single adults	2,120	36.7	%															-14	2005	6		
	Single parents	341	23.2	%*														-39				
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	982	894.2	sr														+14	01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	73	87.0	sr														+14				
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	126	158.7	sr														+8				
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	24	28.2	sr														+16				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	139	897.5	sr														+41	04-06	8		
	Alcohol related deaths (5 yrs) <sup>2</sup>	29	36.3	sr														+34	01-05	9		
	Estimated smokers (16+)	3,092	29.3	%														+8	03-04	10		
	Drug related hospital patients <sup>3</sup>	6	56.1	sr														-28	04-06	11		
	Drug related deaths (10 yrs) <sup>4</sup>	11	86.6	cr2														+37	97-06	12		
Hospitalisation & Injury	Patients registered with cancer <sup>3</sup>	94	486.2	sr														+16	02-04	13		
	Heart disease patients <sup>3</sup>	157	812.1	sr														+14				
	Cerebrovascular disease patients <sup>3</sup>	48	234.0	sr														+24				
	Emergency medical admission patients <sup>3</sup>	964	6,092.6	sr														-2				
	Multiple admission patients <sup>3</sup>	199	1,145.7	sr														-6				
	Unintentional Injury patients <sup>3</sup>	148	1,042.8	sr														+3				
	Patients prescribed statins	3,695	28.5	%														+56			2006	15
	Road accident casualties - adults <sup>3</sup>	41	3.9	cr3														-2			01-04	16
	Assault discharges <sup>3</sup>	15	1.2	cr3														+14			04-06	17
	Suicide (5 yrs) <sup>2</sup>	4	6.3	sr														-60			01-05	18
Mental Health & Function	Self assessed health (classified as "Not Good")	2,059	16.2	%														+60	2001	19		
	First hospital admission - psychiatric <sup>3</sup>	31	208.3	sr														-19	02-04	20		
	Patients prescribed drugs for anxiety /depression	1,538	11.9	%														+47	2006	21		
	Incapacity Benefit & SDA Claimants	1,045	14.1	%														+46	2007	22		
	Long-term limiting illness	3,576	28.1	%														+39	2001	23		
	Social Work	Clients aged 0-15	69	3.6	%														-49	2007	24	
		Clients aged 16-64	283	3.6	%														-19			
Clients aged 65+		516	20.2	%														+14				
Prosperity - Poverty	'Income deprived'	2,157	17.4	%														+25	2006	25		
	'Employment deprived'	1,296	17.3	%														+35	2006	26		
	Workless	1,445	19.4	%														+32	2006	27		
	JSA - Unemployment	180	2.4	%														-14	2007	28		
	Households without access to car/van	2,306	40.8	%														+19	2001	29		
	Children in workless households	412	17.2	%														-7	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	3,123	30.2	%														+35	2001	31		
	Workplaces	374	50.1	cr3														-7	2005	32		
	Employees <sup>5</sup>	6,200	83.1	cr														+11	2005	33		
Education	Primary school attendance	-	94.9	%														0	05/06	34		
	S4 Pupils with 5+ GCSE equivalents	97	69.8	%														+21	05/06	35		
	Adults without qualifications	3,961	42.2	%														+27	2001	36		
Crime	Serious violent crime <sup>3</sup>	14	11.0	cr4														-25	04-06	37		
	Domestic abuse incidents <sup>3</sup>	80	64.3	cr4														-25	04-06	38		
	Vandalism <sup>3</sup>	222	179.5	cr4														-34	04-06	39		
	Drug Offenders <sup>3</sup>	79	63.8	cr4														-37	04-06	40		
Housing & Transport	Housing type - tenements	949	16.6	%														-67	2006	41		
	House prices	-	118,709	£														-11	2006	42		
	Housing tenure - Owner Occupiers	4,110	71.4	%														+41	2007	43		
	Overcrowding	928	16.4	%														+40	2001	44		
	Travelling to work by foot/bike or public transport	2,939	42.1	%														-6	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	69	25.3	%														+4	02-04	46		
	Breastfeeding (at 6 - 8 week review)	24	29.6	%														-19	04-06	47		
	Low birth-weight babies ( 3 yrs) <sup>2</sup>	8	3.1	%														+27	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	-	92.3	%														+2	04-06	50	
		- all excl. MMR	-	-	98.5	%													+3			
	Dental hospital admissions for children <sup>3</sup>	21	1.1	cr														-7	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	24	35.1	cr3														-13	02-04	52		
	Road accident casualties - children <sup>3</sup>	6	2.8	cr3															-0	01-04	16	

**Notes**

1. The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.

2. Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.

3. Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).

5. Employee numbers based on location of business, not residence area of employees.

**Key**

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.









The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.



# Parkhead and Dalmarnock

**Key:** — Parkhead and Dalmarnock      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

## Parkhead and Dalmarnock

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
<b>Population Demographics</b>	Child population (aged 0-15)	1,284	20.7	%	+15	
	Adult population (aged 16-64)	3,901	62.9	%	-4	2006 1
	Elderly population (aged 65+)	1,015	16.4	%	0	
	Minority ethnic groups	45	0.6	%	-68	2001 2
	Asylum Seekers	42	0.7	%	-30	2007 3
	Life expectancy - males	-	62.8	yrs	-15	01-05 4
	Life expectancy - females	-	74.3	yrs	-6	
	Live births	73	1.2	cr	+9	2006 5
	Households - Single adults	1,518	46.4	%	+8	2005 6
	Single parents	556	57.0	%*	+50	
<b>Mortality</b>	Deaths all ages (5 yrs) <sup>2</sup>	548	1,336.7	sr	+70	
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	67	189.7	sr	+148	01-05 7
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	75	211.7	sr	+44	
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	18	45.1	sr	+86	
<b>Drugs, Alcohol and Smoking</b>	Alcohol related and attributable hospital patients <sup>3</sup>	155	2,545.0	sr	+291	04-06 8
	Alcohol related deaths (5 yrs) <sup>2</sup>	47	148.5	sr	+447	01-05 9
	Estimated smokers (16+)	2,376	44.0	%	+62	03-04 10
	Drug related hospital patients <sup>3</sup>	21	394.2	sr	+407	04-06 11
	Drug related deaths (10 yrs) <sup>4</sup>	21	299.9	cr2	+375	97-06 12
<b>Hospitalisation &amp; Injury</b>	Patients registered with cancer <sup>3</sup>	43	526.3	sr	+25	02-04 13
	Heart disease patients <sup>3</sup>	82	1,134.7	sr	+59	
	Cerebrovascular disease patients <sup>3</sup>	33	411.0	sr	+118	
	Emergency medical admission patients <sup>3</sup>	705	10,688.1	sr	+71	04-06 14
	Multiple admission patients <sup>3</sup>	161	2,299.6	sr	+88	
	Unintentional Injury patients <sup>3</sup>	144	2,285.3	sr	+126	
	Patients prescribed statins	1,984	27.8	%	+52	2006 15
	Road accident casualties - adults <sup>3</sup>	28	5.6	cr3	+39	01-04 16
	Assault discharges <sup>3</sup>	29	4.6	cr3	+349	04-06 17
<b>Mental Health &amp; Function</b>	Suicide (5 yrs) <sup>2</sup>	11	40.7	sr	+159	01-05 18
	Self assessed health (classified as "Not Good")	1,620	23.2	%	+128	2001 19
	First hospital admission - psychiatric <sup>3</sup>	26	404.8	sr	+58	02-04 20
	Patients prescribed drugs for anxiety /depression	917	12.8	%	+59	2006 21
	Incapacity Benefit & SDA Claimants	1,250	32.9	%	+242	2007 22
	Long-term limiting illness	2,537	36.3	%	+79	2001 23
<b>Social Work</b>	Clients aged 0-15	155	12.1	%	+69	
	Clients aged 16-64	438	11.2	%	+151	2007 24
	Clients aged 65+	272	26.8	%	+51	
<b>Prosperity - Poverty</b>	'Income deprived'	3,031	49.1	%	+253	2006 25
	'Employment deprived'	1,534	41.5	%	+223	2006 26
	Workless	1,910	50.3	%	+242	2006 27
	JSA - Unemployment	260	7.0	%	+152	2007 28
	Households without access to car/van	2,824	79.1	%	+131	2001 29
	Children in workless households	1,018	60.7	%	+231	2001 30
	Social grade E - benefit, unemployed, lowest grade work	3,041	56.5	%	+152	2001 31
	Workplaces	181	49.0	cr3	-9	2005 32
	Employees <sup>5</sup>	4,700	128.0	cr	+71	2005 33
<b>Educ-ation</b>	Primary school attendance	-	91.0	%	-4	05/06 34
	S4 Pupils with 5+ GCSE equivalents	26	32.1	%	-44	05/06 35
	Adults without qualifications	3,164	64.2	%	+93	2001 36
<b>Crime</b>	Serious violent crime <sup>3</sup>	39	63.7	cr4	+334	04-06 37
	Domestic abuse incidents <sup>3</sup>	147	237.6	cr4	+178	04-06 38
	Vandalism <sup>3</sup>	209	339.1	cr4	+26	04-06 39
	Drug Offenders <sup>3</sup>	137	221.4	cr4	+120	04-06 40
<b>Housing &amp; Transport</b>	Housing type - tenements	2,138	56.1	%	+13	2006 41
	House prices	-	57,576	£	-57	2006 42
	Housing tenure - Owner Occupiers	553	14.4	%	-72	2007 43
	Overcrowding	1,138	31.9	%	+171	2001 44
	Travelling to work by foot/bike or public transport	2,109	71.9	%	+61	2001 45
<b>Child &amp; Maternal Health</b>	Smoking during pregnancy (3 yrs) <sup>2</sup>	85	36.3	%	+50	02-04 46
	Breastfeeding (at 6 - 8 week review)	5	9.2	%	-75	04-06 47
	Low birth-weight babies ( 3 yrs) <sup>2</sup>	10	4.7	%	+90	02-04 48
	Immunisation uptake at 24 mths - MMR	-	87.8	%	-3	04-06 50
	-all excl. MMR	-	94.6	%	-1	
	Dental hospital admissions for children <sup>3</sup>	26	2.0	cr	+77	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	47	101.7	cr3	+152	02-04 52
	Road accident casualties - children <sup>3</sup>	6	4.2	cr3	+50	01-04 16

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Riddrie and Cranhill

**Key:** — Riddrie and Cranhill      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

Riddrie and Cranhill

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +											Period	Defn				
			-70	-60	-50	-40	-30	-20	-10	0	+10	+20	+30			+40	+50	+60	+70
Population Demographics	Child population (aged 0-15)	1,786	16.6 %												-8	2006	1		
	Adult population (aged 16-64)	6,775	63.0 %												-4				
	Elderly population (aged 65+)	2,188	20.4 %												+24				
	Minority ethnic groups	42	0.4 %												-81	2001	2		
	Asylum Seekers	173	1.6 %												+66	2007	3		
	Life expectancy - males	-	70.2 yrs												-5	01-05	4		
	Life expectancy - females	-	75.8 yrs												-4				
	Live births	91	0.8 cr												-22	2006	5		
Households - Single adults	2,118	42.9 %												0	2005	6			
	Single parents	476	39.0 %														+3		
Mortality	Deaths all ages (5 yrs) <sup>2</sup>	903	1,020.8 sr												+30	01-05	7		
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	78	111.0 sr												+45				
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	148	223.7 sr												+53				
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	35	52.8 sr												+118				
Drugs, Alcohol and Smoking	Alcohol related and attributable hospital patients <sup>3</sup>	177	1,447.7 sr												+120	04-06	8		
	Alcohol related deaths (5 yrs) <sup>2</sup>	28	49.9 sr												+84	01-05	9		
	Estimated smokers (16+)	3,509	38.7 %												+42	03-04	10		
	Drug related hospital patients <sup>3</sup>	20	187.8 sr												+142	04-06	11		
	Drug related deaths (10 yrs) <sup>4</sup>	25	227.1 cr2												+259	97-06	12		
	Patients registered with cancer <sup>3</sup>	87	536.3 sr												+28	02-04	13		
Hospitalisation & Injury	Heart disease patients <sup>3</sup>	151	1,013.2 sr												+42	04-06	14		
	Cerebrovascular disease patients <sup>3</sup>	51	309.3 sr												+64				
	Emergency medical admission patients <sup>3</sup>	1,091	8,403.9 sr												+34				
	Multiple admission patients <sup>3</sup>	260	1,826.1 sr												+50				
	Unintentional Injury patients <sup>3</sup>	181	1,506.6 sr												+49				
	Patients prescribed statins	3,144	27.6 %												+51				
	Road accident casualties - adults <sup>3</sup>	37	4.2 cr3												+4			2006	15
	Assault discharges <sup>3</sup>	31	2.8 cr3												+175			04-06	17
Mental Health & Function	Suicide (5 yrs) <sup>2</sup>	12	21.3 sr												+36	01-05	18		
	Self assessed health (classified as "Not Good")	2,328	21.2 %												+108	2001	19		
	First hospital admission - psychiatric <sup>3</sup>	35	259.9 sr												+2	02-04	20		
	Patients prescribed drugs for anxiety /depression	1,422	12.5 %												+54	2006	21		
	Incapacity Benefit & SDA Claimants	1,350	20.7 %												+115	2007	22		
	Long-term limiting illness	3,896	35.4 %												+74	2001	23		
	Clients aged 0-15	202	11.3 %												+58	2007	24		
Clients aged 16-64	525	7.7 %												+73					
Clients aged 65+	599	27.4 %												+55					
Prosperity - Poverty	'Income deprived'	3,403	31.6 %												+127	2006	25		
	'Employment deprived'	1,713	26.4 %												+106	2006	26		
	Workless	2,105	32.2 %												+119	2006	27		
	JSA - Unemployment	320	4.9 %												+77	2007	28		
	Households without access to car/van	3,225	63.9 %												+87	2001	29		
	Children in workless households	879	41.7 %												+127	2001	30		
	Social grade E - benefit, unemployed, lowest grade work	3,834	44.9 %												+100	2001	31		
	Workplaces	277	42.7 cr3												-21	2005	32		
	Employees <sup>5</sup>	4,900	74.8 cr												0	2005	33		
Education	Primary school attendance	-	92.6 %												-3	05/06	34		
	S4 Pupils with 5+ GCSE equivalents	57	47.5 %												-18	05/06	35		
	Adults without qualifications	4,424	55.7 %												+68	2001	36		
Crime	Serious violent crime <sup>3</sup>	48	44.9 cr4												+206	04-06	37		
	Domestic abuse incidents <sup>3</sup>	136	126.6 cr4												+48	04-06	38		
	Vandalism <sup>3</sup>	371	344.2 cr4												+28	04-06	39		
	Drug Offenders <sup>3</sup>	150	139.6 cr4												+38	04-06	40		
Housing & Transport	Housing type - tenements	1,975	38.0 %												-24	2006	41		
	House prices	-	85,383 £												-36	2006	42		
	Housing tenure - Owner Occupiers	2,338	45.5 %												-11	2007	43		
	Overcrowding	1,055	20.9 %												+78	2001	44		
	Travelling to work by foot/bike or public transport	2,921	60.6 %												+36	2001	45		
Child & Maternal Health	Smoking during pregnancy (3 yrs) <sup>2</sup>	90	28.7 %												+18	02-04	46		
	Breastfeeding (at 6 - 8 week review)	22	22.4 %												-38	04-06	47		
	Low birth-weight babies (3 yrs) <sup>2</sup>	11	4.0 %												+63	02-04	48		
	Immunisation uptake at 24 mths - MMR	-	90.6 %												0	04-06	50		
	-all excl. MMR	-	96.8 %												+1				
	Dental hospital admissions for children <sup>3</sup>	26	1.5 cr												+31	03-06	51		
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	36	61.9 cr3												+53	02-04	52		
Road accident casualties - children <sup>3</sup>	7	3.9 cr3												+39	01-04	16			

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Ruchazie and Garthamlock

**Key:** — Ruchazie and Garthamlock      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

## Ruchazie and Garthamlock

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
<b>Population Demographics</b>						
Child population (aged 0-15)	1,513	21.8 %		+21	2006	1
Adult population (aged 16-64)	4,559	65.8 %		0		
Elderly population (aged 65+)	857	12.4 %		-24		
Minority ethnic groups	57	0.7 %		-63	2001	2
Asylum Seekers	8	0.1 %	G	-88	2007	3
Life expectancy - males	-	65.6 yrs		-11	01-05	4
Life expectancy - females	-	74.5 yrs		-6		
Live births	101	1.5 cr		+34	2006	5
Households - Single adults	1,078	34.2 %	G	-20	2005	6
Households - Single parents	458	41.5 %	G	+9		
<b>Mortality</b>						
Deaths all ages (5 yrs) <sup>2</sup>	491	1,312.0 sr		+67		
Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	50	158.9 sr		+108	01-05	7
Cancer deaths in under 75s (5 yrs) <sup>2</sup>	85	250.2 sr		+71		
Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	13	37.4 sr		+55		
<b>Drugs, Alcohol and Smoking</b>						
Alcohol related and attributable hospital patients <sup>3</sup>	123	1,855.8 sr		+193	04-06	8
Alcohol related deaths (5 yrs) <sup>2</sup>	24	74.3 sr		+174	01-05	9
Estimated smokers (16+)	2,502	43.1 %		+58	03-04	10
Drug related hospital patients <sup>3</sup>	11	164.4 sr		+112	04-06	11
Drug related deaths (10 yrs) <sup>4</sup>	10	129.9 cr2		+106	97-06	12
<b>Hospitalisation &amp; Injury</b>						
Patients registered with cancer <sup>3</sup>	42	583.2 sr		+39	02-04	13
Heart disease patients <sup>3</sup>	81	1,175.3 sr		+65		
Cerebrovascular disease patients <sup>3</sup>	32	459.7 sr		+144		
Emergency medical admission patients <sup>3</sup>	665	9,473.2 sr		+52	04-06	14
Multiple admission patients <sup>3</sup>	152	2,178.9 sr		+79		
Unintentional Injury patients <sup>3</sup>	119	1,715.1 sr		+70		
Patients prescribed statins	1,958	24.8 %		+36	2006	15
Road accident casualties - adults <sup>3</sup>	26	4.5 cr3		+13	01-04	16
Assault discharges <sup>3</sup>	27	3.9 cr3		+276	04-06	17
<b>Mental Health &amp; Function</b>						
Suicide (5 yrs) <sup>2</sup>	6	18.4 sr		+17	01-05	18
Self assessed health (classified as "Not Good")	1,270	16.5 %		+63	2001	19
First hospital admission - psychiatric <sup>3</sup>	25	348.6 sr		+36	02-04	20
Patients prescribed drugs for anxiety /depression	927	11.7 %		+45	2006	21
Incapacity Benefit & SDA Claimants	880	19.9 %		+107	2007	22
Long-term limiting illness	2,087	27.2 %		+34	2001	23
<b>Social Work</b>						
Clients aged 0-15	178	11.8 %	G*	+64		
Clients aged 16-64	275	6.0 %	G*	+35	2007	24
Clients aged 65+	240	28.0 %	G*	+58		
<b>Prosperity - Poverty</b>						
'Income deprived'	2,517	35.8 %		+158	2006	25
'Employment deprived'	1,230	28.0 %		+118	2006	26
Workless	1,535	34.7 %		+136	2006	27
JSA - Unemployment	270	6.1 %		+120	2007	28
Households without access to car/van	2,055	62.9 %		+84	2001	29
Children in workless households	932	45.8 %		+149	2001	30
Social grade E - benefit, unemployed, lowest grade work	2,320	40.2 %		+79	2001	31
Workplaces	70	15.9 cr3		-70	2005	32
Employees <sup>5</sup>	800	18.1 cr		-76	2005	33
<b>Educ-ation</b>						
Primary school attendance	-	93.2 %		-2	05/06	34
S4 Pupils with 5+ GCSE equivalents	48	42.9 %		-26	05/06	35
Adults without qualifications	2,989	55.1 %		+66	2001	36
<b>Crime</b>						
Serious violent crime <sup>3</sup>	39	55.0 cr4		+275	04-06	37
Domestic abuse incidents <sup>3</sup>	83	118.1 cr4		+38	04-06	38
Vandalism <sup>3</sup>	290	412.6 cr4	G <sup>cc</sup>	+53	04-06	39
Drug Offenders <sup>3</sup>	150	213.9 cr4	G <sup>cc</sup>	+112	04-06	40
<b>Housing &amp; Transport</b>						
Housing type - tenements	1,614	49.0 %	G	-2	2006	41
House prices	-	84,771 £		-37	2006	42
Housing tenure - Owner Occupiers	1,303	39.0 %	G	-23	2007	43
Overcrowding	851	26.0 %		+122	2001	44
Travelling to work by foot/bike or public transport	2,489	61.6 %		+38	2001	45
<b>Child &amp; Maternal Health</b>						
Smoking during pregnancy (3 yrs) <sup>2</sup>	99	38.5 %		+59	02-04	46
Breastfeeding (at 6 - 8 week review)	13	16.7 %		-54	04-06	47
Low birth-weight babies ( 3 yrs) <sup>2</sup>	9	3.9 %		+57	02-04	48
Immunisation uptake at 24 mths - MMR	-	90.6 %		0		
-all excl. MMR	-	97.1 %		+1	04-06	50
Dental hospital admissions for children <sup>3</sup>	32	2.0 cr		+75	03-06	51
Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	37	63.6 cr3		+57	02-04	52
Road accident casualties - children <sup>3</sup>	7	3.8 cr3		+35	01-04	16

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.









The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.



# Springboig and Barlanark

Key: — Springboig and Barlanark      - - - - 95% Confidence Intervals      — Scotland



NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.

## Springboig and Barlanark

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70			
<b>Population Demographics</b>	Child population (aged 0-15)	2,908	21.9	%	+22	
	Adult population (aged 16-64)	8,383	63.2	%	-4	2006 1
	Elderly population (aged 65+)	1,980	14.9	%	-9	
	Minority ethnic groups	80	0.6	%	-71	2001 2
	Asylum Seekers	34	0.3	%	-74	2007 3
	Life expectancy - males	-	67.9	yrs	-8	01-05 4
	Life expectancy - females	-	76.3	yrs	-3	
	Live births	175	1.3	cr	+22	2006 5
	Households - Single adults	2,094	33.8	%	-21	2005 6
	Single parents	982	46.4	%*	+22	
<b>Mortality</b>	Deaths all ages (5 yrs) <sup>2</sup>	801	1,054.1	sr	+34	
	Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	88	136.3	sr	+78	01-05 7
	Cancer deaths in under 75s (5 yrs) <sup>2</sup>	151	227.0	sr	+55	
	Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	23	33.7	sr	+39	
<b>Drugs, Alcohol and Smoking</b>	Alcohol related and attributable hospital patients <sup>3</sup>	212	1,708.6	sr	+153	04-06 8
	Alcohol related deaths (5 yrs) <sup>2</sup>	35	57.1	sr	+110	01-05 9
	Estimated smokers (16+)	4,220	40.6	%	+49	03-04 10
	Drug related hospital patients <sup>3</sup>	22	184.3	sr	+137	04-06 11
	Drug related deaths (10 yrs) <sup>4</sup>	29	212.8	cr2	+237	97-06 12
<b>Hospitalisation &amp; Injury</b>	Patients registered with cancer <sup>3</sup>	80	554.7	sr	+32	02-04 13
	Heart disease patients <sup>3</sup>	156	1,095.5	sr	+54	
	Cerebrovascular disease patients <sup>3</sup>	53	345.8	sr	+84	
	Emergency medical admission patients <sup>3</sup>	1,230	9,096.1	sr	+46	04-06 14
	Multiple admission patients <sup>3</sup>	272	1,988.0	sr	+63	
	Unintentional Injury patients <sup>3</sup>	221	1,720.7	sr	+70	
	Patients prescribed statins	4,180	27.5	%	+51	2006 15
	Road accident casualties - adults <sup>3</sup>	30	3.0	cr3	-25	01-04 16
	Assault discharges <sup>3</sup>	47	3.6	cr3	+248	04-06 17
<b>Mental Health &amp; Function</b>	Suicide (5 yrs) <sup>2</sup>	11	15.5	sr	-1	01-05 18
	Self assessed health (classified as "Not Good")	2,594	19.1	%	+88	2001 19
	First hospital admission - psychiatric <sup>3</sup>	53	421.4	sr	+65	02-04 20
	Patients prescribed drugs for anxiety /depression	1,962	12.9	%	+59	2006 21
	Incapacity Benefit & SDA Claimants	1,830	22.4	%	+133	2007 22
	Long-term limiting illness	4,160	30.7	%	+51	2001 23
<b>Social Work</b>	Clients aged 0-15	441	15.2	%	+112	
	Clients aged 16-64	688	8.2	%	+83	2007 24
	Clients aged 65+	424	21.4	%	+21	
<b>Prosperity - Poverty</b>	'Income deprived'	4,902	37.3	%	+168	2006 25
	'Employment deprived'	2,419	30.6	%	+138	2006 26
	Workless	3,030	37.1	%	+152	2006 27
	JSA - Unemployment	475	6.0	%	+115	2007 28
	Households without access to car/van	3,894	65.2	%	+90	2001 29
	Children in workless households	1,610	47.3	%	+157	2001 30
	Social grade E - benefit, unemployed, lowest grade work	4,460	43.0	%	+92	2001 31
	Workplaces	140	17.7	cr3	-67	2005 32
	Employees <sup>5</sup>	2,100	26.3	cr	-65	2005 33
<b>Educ-ation</b>	Primary school attendance	-	92.6	%	-3	05/06 34
	S4 Pupils with 5+ GCSE equivalents	65	43.3	%	-25	05/06 35
	Adults without qualifications	5,341	55.5	%	+67	2001 36
<b>Crime</b>	Serious violent crime <sup>3</sup>	58	44.4	cr4	+202	04-06 37
	Domestic abuse incidents <sup>3</sup>	200	151.9	cr4	+78	04-06 38
	Vandalism <sup>3</sup>	622	472.9	cr4	+75	04-06 39
	Drug Offenders <sup>3</sup>	199	151.6	cr4	+50	04-06 40
<b>Housing &amp; Transport</b>	Housing type - tenements	3,129	48.5	%	-2	2006 41
	House prices	-	79,222	£	-41	2006 42
	Housing tenure - Owner Occupiers	2,447	38.3	%	-25	2007 43
	Overcrowding	1,455	24.4	%	+107	2001 44
	Travelling to work by foot/bike or public transport	4,206	63.4	%	+42	2001 45
<b>Child &amp; Maternal Health</b>	Smoking during pregnancy (3 yrs) <sup>2</sup>	186	38.0	%	+57	02-04 46
	Breastfeeding (at 6 - 8 week review)	23	14.4	%	-60	04-06 47
	Low birth-weight babies ( 3 yrs) <sup>2</sup>	17	3.9	%	+58	02-04 48
	Immunisation uptake at 24 mths - MMR	-	91.0	%	+1	04-06 50
	-all excl. MMR	-	98.0	%	+2	
	Dental hospital admissions for children <sup>3</sup>	52	1.8	cr	+57	03-06 51
	Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	65	63.9	cr3	+58	02-04 52
	Road accident casualties - children <sup>3</sup>	13	4.3	cr3	+55	01-04 16

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**









cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.

# Tollcross and West Shettleston

**Key:** — Tollcross and West Shettleston      - - - - 95% Confidence Intervals      — Scotland



**NB PLEASE NOTE THAT IN SOME CASES RATES/PERCENTAGES MAY BE BASED ON SMALL NUMBERS.**

Tollcross and West Shettleston

Indicator	Number	Measure	- (Below) Scottish Average (%) <sup>1</sup> (Above) +		Period	Defn
			-70 -60 -50 -40 -30 -20 -10 0 +10 +20 +30 +40 +50 +60 +70	+		
<b>Population Demographics</b>						
Child population (aged 0-15)	2,759	18.0 %		0		
Adult population (aged 16-64)	10,387	67.9 %		+3	2006	1
Elderly population (aged 65+)	2,151	14.1 %		-14		
Minority ethnic groups	232	1.4 %		-29	2001	2
Asylum Seekers	114	0.7 %	G	-23	2007	3
Life expectancy - males	-	66.7 yrs		-10	01-05	4
Life expectancy - females	-	75.6 yrs		-4		
Live births	185	1.2 cr		+11	2006	5
Households - Single adults	3,386	42.1 %	G	-2		
Households - Single parents	1,003	41.8 %	G	+10	2005	6
<b>Mortality</b>						
Deaths all ages (5 yrs) <sup>2</sup>	1,142	1,217.8 sr		+55		
Coronary heart disease deaths in under 75s (5 yrs) <sup>2</sup>	107	141.3 sr		+85	01-05	7
Cancer deaths in under 75s (5 yrs) <sup>2</sup>	173	230.5 sr		+57		
Cerebrovascular disease deaths in under 75s (5 yrs) <sup>2</sup>	30	38.3 sr		+58		
<b>Drugs, Alcohol and Smoking</b>						
Alcohol related and attributable hospital patients <sup>3</sup>	271	1,723.7 sr		+148	04-06	8
Alcohol related deaths (5 yrs) <sup>2</sup>	54	65.1 sr		+140	01-05	9
Estimated smokers (16+)	5,088	39.9 %		+47	03-04	10
Drug related hospital patients <sup>3</sup>	31	188.9 sr		+143	04-06	11
Drug related deaths (10 yrs) <sup>4</sup>	35	216.7 cr2		+243	97-06	12
<b>Hospitalisation &amp; Injury</b>						
Patients registered with cancer <sup>3</sup>	93	524.4 sr		+25	02-04	13
Heart disease patients <sup>3</sup>	170	1,021.0 sr		+43		
Cerebrovascular disease patients <sup>3</sup>	63	349.2 sr		+86		
Emergency medical admission patients <sup>3</sup>	1,409	8,562.6 sr		+37	04-06	14
Multiple admission patients <sup>3</sup>	297	1,771.3 sr		+45		
Unintentional Injury patients <sup>3</sup>	269	1,706.2 sr		+69		
Patients prescribed statins	4,666	27.7 %		+52	2006	15
Road accident casualties - adults <sup>3</sup>	72	5.7 cr3		+42	01-04	16
Assault discharges <sup>3</sup>	53	3.4 cr3		+233	04-06	17
<b>Mental Health &amp; Function</b>						
Suicide (5 yrs) <sup>2</sup>	22	28.5 sr		+82	01-05	18
Self assessed health (classified as "Not Good")	3,017	18.7 %		+84	2001	19
First hospital admission - psychiatric <sup>3</sup>	57	344.0 sr		+34	02-04	20
Patients prescribed drugs for anxiety /depression	2,118	12.6 %		+55	2006	21
Incapacity Benefit & SDA Claimants	2,205	21.7 %		+125	2007	22
Long-term limiting illness	4,820	29.8 %		+47	2001	23
<b>Social Work</b>						
Clients aged 0-15	270	9.8 %	G*	+37		
Clients aged 16-64	781	7.5 %	G*	+68	2007	24
Clients aged 65+	453	21.1 %	G*	+19		
<b>Prosperity - Poverty</b>						
'Income deprived'	5,045	32.6 %		+134	2006	25
'Employment deprived'	2,775	27.5 %		+114	2006	26
Workless	3,355	33.0 %		+124	2006	27
JSA - Unemployment	525	5.2 %		+86	2007	28
Households without access to car/van	4,783	62.1 %		+81	2001	29
Children in workless households	1,500	40.4 %		+120	2001	30
Social grade E - benefit, unemployed, lowest grade work	4,698	37.4 %		+67	2001	31
Workplaces	548	54.3 cr3		+1	2005	32
Employees <sup>5</sup>	8,100	80.0 cr		+7	2005	33
<b>Educ-ation</b>						
Primary school attendance	-	92.0 %		-3	05/06	34
S4 Pupils with 5+ GCSE equivalents	112	51.9 %		-10	05/06	35
Adults without qualifications	5,866	50.0 %		+50	2001	36
<b>Crime</b>						
Serious violent crime <sup>3</sup>	81	52.1 cr4		+255	04-06	37
Domestic abuse incidents <sup>3</sup>	296	191.2 cr4		+124	04-06	38
Vandalism <sup>3</sup>	599	386.3 cr4	G <sup>cc</sup>	+43	04-06	39
Drug Offenders <sup>3</sup>	278	179.6 cr4	G <sup>cc</sup>	+78	04-06	40
<b>Housing &amp; Transport</b>						
Housing type - tenements	5,568	66.7 %	G	+34	2006	41
House prices	-	73,709 £		-45	2006	42
Housing tenure - Owner Occupiers	3,613	42.9 %	G	-16	2007	43
Overcrowding	2,207	28.6 %		+144	2001	44
Travelling to work by foot/bike or public transport	5,121	60.2 %		+35	2001	45
<b>Child &amp; Maternal Health</b>						
Smoking during pregnancy (3 yrs) <sup>2</sup>	203	34.3 %		+41	02-04	46
Breastfeeding (at 6 - 8 week review)	27	15.7 %		-57	04-06	47
Low birth-weight babies ( 3 yrs) <sup>2</sup>	26	5.0 %		+104	02-04	48
Immunisation uptake at 24 mths - MMR	-	90.4 %		0		
-all excl. MMR	-	97.7 %		+2	04-06	50
Dental hospital admissions for children <sup>3</sup>	48	1.7 cr		+47	03-06	51
Teenage pregnancy - under 18 years (3 yrs) <sup>2</sup>	64	60.3 cr3		+49	02-04	52
Road accident casualties - children <sup>3</sup>	21	6.4 cr3		+128	01-04	16

**Notes**

- The graph shows the "measure" (e.g. crude rate, percentage, years of life) expressed as a percentage below or above the Scottish measure, but using a range from a minimum of -70% to a maximum of +70% only. The actual plus/minus percentage value is shown in bold to the right of the graph. This is calculated as the area 'measure' minus the Scottish measure, divided by Scottish measure and multiplied by 100.
- Numbers presented over a period of years (e.g. 5 years for mortality) but rates are annual average rates.
- Average annual numbers and rates. 4. Numbers and rates presented over a period of years (e.g. 10 years for drug deaths).
- Employee numbers based on location of business, not residence area of employees.

**Key**

cr - crude rate per 100 population; cr2 - crude rate per 100,000 population; cr3 - crude rate per 1,000 resident population; cr4 - crude rate per 10,000 resident population; cr5 - crude rate per 1,000 live births; sr - age-sex standardised rate per 100,000 population; yrs - years; %\* - single parent households as % of households with children. Defn - see table of definitions & sources.

The 6th column of the spine chart indicates where an indicator is not compared to the Scottish average but with a local alternative: G - Glasgow City average; G\* - average of Glasgow, E & W Dunbartonshire, Renfrewshire & East Renfrewshire; GGC - Greater Glasgow and Clyde (excluding Lanarkshire parts); shading on an indicator bar also indicates where a 'local' comparator is used.

n/a: data not available (usually due to lack of coverage) or cannot be calculated. In addition, for particular indicators where the number of cases is below five and not zero, the range is shown i.e. '1-4'. NB If the number of teenage pregnancies is in the range '1-4' the rate is suppressed to avoid possible disclosure.







## Definitions and Sources

**NB** More detailed definitions are available in excel files for each indicator on the GCPH website<sup>1</sup>

Definition	Indicator	Description	Time Period	Source <sup>2</sup>
1	Population	Number and percentage of total population in each age band (0-15; 16-64; 65+)	2006	GRO(S)
2	Minority ethnic groups	Number and percentage of total population categorised as being from a minority ethnic group	2001	Census
3	Asylum seekers	Number and percentage of asylum seekers in the population ( <b>Glasgow CH(C)Ps only</b> ) * Data originates from the Home Office	2007	COSLA Strategic Migration Partnership*
4	Life expectancy	Estimated male and female life expectancy at birth in years (using Chiang (II) method) <sup>3</sup>	1994-98 to 2001-05	GRO(S)
5	Live births	Live births in the period expressed as a number and percentage of the total population	2006	GRO(S)
6	Households	Single adult households (expressed as a number and percentage of all households); single parent households (expressed as a number and percentage of all households with children) ( <b>Glasgow CH(C)Ps only</b> )	2005	DRS, GCC
7	Deaths	Deaths from all causes (all ages), coronary heart disease <sup>4</sup> , cancer <sup>5</sup> and cerebrovascular disease <sup>6</sup> (for under 75s) over the period, expressed as a 5 year total and a directly age-sex standardised annualised rate per 100,000 population <sup>3</sup>	2001-05	GRO(S)
8	Alcohol attributable and related hospital patients	Patients admitted to hospital with <b>alcohol attributable and related</b> conditions: 3 year annual average numbers & age/sex standardised rates per 100,000 population <sup>7</sup>	1997-99 to 2004-06	ISD Scotland (SMR1/01, Linked Database)
9	Alcohol related deaths	Deaths from <b>alcohol related</b> causes <sup>7</sup> (all ages) over the period, expressed as a 5 year total number and a directly age-sex standardised annualised rate per 100,000 population <sup>3</sup>	2001-05	GRO(S)
10	Estimated smokers (16+)	Modelled estimates of smoking prevalence, expressed as a number and percentage of the adult population	2003-04	NHS Health Scotland
11	Drug related hospital patients	Patients admitted to hospital with drug related conditions <sup>8</sup> expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	2004-06	ISD Scotland (SMR1/01, Linked Database)

1 [www.gcph.co.uk/communityprofiles](http://www.gcph.co.uk/communityprofiles)

2 In some cases this indicates the source of original raw datasets, with that data then manipulated by GCPH to calculate required measures (e.g. life expectancy at birth, mortality)

3 For life expectancy and measures based on standardised rates, 95% confidence intervals are available on request

4 Coronary Heart disease: ICD9: 410-414; ICD10: I20-I25 (principal diagnosis only)

5 All malignant neoplasms: ICD9: 140-208; ICD10: C00-C97 (principal diagnosis only)

6 Cerebrovascular disease: ICD9: 430-438; ICD10: I60-I69, G45 (principal diagnosis only)

7 For a detailed definition refer to the excel workbook for this indicator on the GCPH web site: [www.gcph.co.uk/communityprofiles](http://www.gcph.co.uk/communityprofiles)

8 Drug related conditions: ICD9 292, 304, 305.2-305.9; ICD10 F11-F19 (exc. F17), (all diagnostic positions)

Definition	Indicator	Description	Time Period	Source <sup>2</sup>
12	Drug related deaths	Deaths from drug related conditions <sup>9</sup> expressed as the total number of deaths over the period (10 years) and a crude rate per 100,000 population	1997-2006	GRO(S)
13	Patients registered with cancer	Patients registered with cancer <sup>10</sup> expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	2002-04	ISD Scotland, Socrates
14	Hospital Patients	Patients discharged from hospital in particular circumstances and for specific conditions (heart disease <sup>11</sup> , cerebrovascular disease <sup>6</sup> , emergency medical admission <sup>7</sup> , multiple admission <sup>7</sup> and unintentional injury <sup>7</sup> ), expressed as a 3 year annual average number & age/sex standardised rate per 100,000 population	1997-99 to 2004-06	ISD Scotland (SMR1/01, Linked Database)
15	Patients prescribed statins	Estimated number and percentage of people being prescribed statins (Atorvastatin, Fluvastatin, Pravastatin, Rosuvastatin and Simvastatin) <sup>7</sup>	2006	ISD Scotland (Prescribing Information System)
16	Road accident casualties - adults and children	Child (under 16) and adult (16+) road accident casualties, expressed as an annual average number and rate per 1,000 population	2001-04	Strathclyde Police/PEACH Unit & SG
17	Assault discharges	Assault discharges <sup>12</sup> (after a hospital admission) expressed as a three year annual average number and rate per 1,000 population	2004/05-2006/07	ISD Scotland (SMR1/01)
18	Suicides	Deaths from suicide <sup>13</sup> (all ages) over the period, expressed as a 5 year total number and a directly age-sex standardised annualised rate per 100,000 population	2001-05	GRO(S)
19	Self-assessed health	Number and percentage of people who rated their health as "Not Good"	2001	Census
20	First hospital admissions – psychiatric	Average annual numbers and directly age-sex standardised rates for all first (in 3 year period) psychiatric inpatient episodes (mental health)	2002-04	ISD Scotland (SMR4)
21	Patients prescribed drugs for anxiety, depression or psychosis	Estimated number and percentage of people being prescribed drugs for anxiety, depression or psychosis <sup>7</sup>	2006	ISD Scotland (Prescribing Information System)
22	Incapacity Benefit and SDA claimants	Incapacity Benefit and SDA claimants, expressed as a number and percentage of the working age population	2007	DWP
23	Long term limiting illness	Number and percentage of individuals with a long term limiting illness, health problem or disability which limits their daily activities or the work they can do; includes problems due to old age	2001	Census

9 For a definition refer to GRO(S) website: <http://www.gro-scotland.gov.uk/files1/stats/drug-related-deaths-2006/j883605.htm>

10 Cancer registrations: ICD10 C00-C96 excludes C44 (principal diagnosis only)

11 Heart disease: ICD9 390-429; ICD10 I00-I52 (principal diagnosis only)

12 Assault diagnoses: ICD9 E960 - E969; ICD10 X85 - Y09 in any of the six diagnostic positions on SMR1/01

13 Suicide: ICD9 E950-E959; E980-E989 ; ICD10 X60-X84,Y870; Y10-Y34,Y872 (principal diagnosis only)

Definition	Indicator	Description	Time Period	Source <sup>2</sup>
24	Social work clients	Child (0-15), adult (16-64) and elderly (65+) social work clients, expressed as a number and percentage. <b>(No data for Inverclyde)</b>	2007	Council Social Work departments
25	Income deprived	The population defined as 'income deprived' <sup>7</sup> , expressed as a number and percentage of the population	2006	SIMD, SG
26	Employment deprived	Adults defined as 'employment deprived' <sup>7</sup> , expressed as a number and percentage of the working age population	2006	SIMD, SG
27	Workless	Workless adults <sup>7</sup> , expressed as a number and percentage of working age adults	2006	SNS
28	Unemployment	JSA unemployed expressed as a number and percentage of the working age population	2007	NOMIS
29	Households without a car	Number and percentage of households without access to a car or van	2001	Census
30	Children in workless households	Number and percentage of dependent children living in households where no-one is in employment	2001	Census
31	Social Grade	Number and percentage of adults (16+) in households classified as E (On state benefit, unemployed, lowest grade workers)	2001	Census
32	Workplaces	Workplaces, expressed as a number and rate per 1000 working age population	2005	ABI, DWP
33	Employees	Total employees expressed as a number and rate per 100 working age residents. <b>NB employees assigned to place of work rather than residence</b>	2005	ABI, DWP
34	Primary School attendance	Primary School attendance rate, expressed as a percentage (based on pupil residence)	2005/06	SG
35	S4 Pupils with 5+GCSE equivalents	S4 pupils achieving five or more GCSE equivalent passes, expressed as a number and percentage (based on pupil residence)	2005/06	SG
36	Adults with no qualifications	Number and percentage of all adults aged 16-74 with no qualifications	2001	Census
37	Serious violent crime	Serious Violent Crime (including serious assault, attempted murder, murder and culpable homicide), expressed as an annual average number and rate per 10,000 population	2004-06	VRU, Strathclyde Police
38	Domestic abuse incidents	Domestic abuse incidents, expressed as an annual average number and rate per 10,000 population	2004-06	VRU, Strathclyde Police
39	Vandalism	Crimes of vandalism, expressed as an annual average number and rate per 10,000 population	2004-06	Strathclyde Police
40	Drug Offenders	Drug offenders, expressed as an annual average number and rate per 10,000 population	2004-06	Strathclyde Police
41	Housing type - tenements	Tenemental properties, expressed as a number and percentage of all dwellings <b>(Glasgow CH(C)Ps only)</b>	2006	DRS, GCC
42	House prices	Annual average house sale prices (in pounds Sterling)	2006	SNS



Definition	Indicator	Description	Time Period	Source <sup>2</sup>
43	Housing tenure -Owner occupiers	Dwellings that are owner occupied, expressed as a number and percentage of all dwellings ( <b>Glasgow CH(C)Ps only</b> )	2007	DRS, GCC
44	Overcrowding	Number and percentage of all households termed as "overcrowded" <sup>14</sup>	2001	Census
45	Travel to work/ study by foot/ bike/public transport	Number and percentage of people travelling to work/place of study by public transport (bus, train, underground), bicycle or on foot	2001	Census
46	Smoking during pregnancy	Maternal smoking recorded at booking (totalled over 3 years), expressed as a number and percentage of all admissions	2002-04	ISD (SMR02)
47	Breastfeeding at 6-8 weeks	Children being breastfed at 6-8 week review, expressed as an average annual number and percentage	2004-06	ISD Scotland
48	Low birth weight babies	Low weight live full term singleton births (<2500g), expressed as a number (totalled over 3 years) and percentage of all live singleton births in the period	2002-04	ISD Scotland
49	Infant mortality	Deaths within the first year of life, expressed as a number (totalled over 5 years) and crude rate per 1000 live births	2001-05	GRO(S)
50	Immunisation uptake	Average annual immunisation uptake rate at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella)	2004-06	ISD Scotland (SIRS)
51	Dental hospital admissions among children	Children (0-15) admitted to hospital with dental related conditions <sup>15</sup> , expressed as number and annual average crude rate per 100 population	2003-06	ISD Scotland (SMR01)
52	Teenage pregnancies	Teenage (<18) pregnancies (totalled over 3 years) expressed as a number and crude rate per 1000 females aged 15-17	2002-04	ISD Scotland

## Abbreviations

ABI:	Annual Business Inquiry
BMI:	Body Mass Index
COSLA:	Convention of Scottish Local Authorities
CHSP-PS:	Child Health Surveillance Programme – Pre-School
DRS:	Development and Regeneration Services
DWP:	Department of Work and Pensions
GCC:	Glasgow City Council
GRO(S):	General Register Office for Scotland
ISD:	Information and Statistics Division (of NHSScotland)
SDA:	Severe Disability Allowance
SG:	Scottish Government
SIMD:	Scottish Index of Multiple Deprivation
SIRS:	Standard Immunisation Recall System
SMR1/2/4:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
VRU:	Violence Reduction Unit

<sup>14</sup> Relates the actual number of rooms in a household space to the number of rooms 'required' by the members of the household (based on the relationships between them and their ages)

<sup>15</sup> Dental related conditions: ICD10 K00-K12 (except K00.3, .5, .7, K05.0, .2, K100) (principal diagnosis only)



